

Made for the future:
ArciTech

INTERFER

Technik für Möbel

Hettich

INTERFER
www.interfer.pt

INTERFER
www.interfer.pt



Made for the future: **ArciTech**

What do your customers want from tomorrow? We know this much: The demands on kitchens and furniture are growing and getting more diverse. Focus on: convenient furniture systems with plenty of scope for tailor made solutions.

The innovative ArciTech drawer system makes your products ready for tomorrow's demands even today: in the kitchen, in living rooms, virtually everywhere.

ArciTech doesn't follow short lived trends. The versatile system aims to meet your customers' preferences long term. With the Actro runner's impressive load capacity and unequalled running action. With multifunctionality. With performance in reserve that can easily cope with future demands.

The platform concept also gives you the last word in design flexibility, diversity and cost efficiency. ArciTech is made for the future – for YOUR future. Take a look for yourself.



Yours sincerely, Dr. Andreas Hettich
Chairman of the Management Board
Hettich Holding GmbH & Co. oHG


Hettich





Made for the future 6

Unequalled running action 8

Exceptional stability 10

Incredibly broad product line up based on a single platform 12

ArciTech platform – intelligent, progressive, future-proof 14

ArciTech product range – systematic variety 16

ArciTech interior organisation system – designed from the outside in 20

Push to open Silent – 100 % convenience, zero cables 22

A wealth of benefits, a wealth of potential for the future 24

Double walled drawer system ArciTech in silver 28

Double walled drawer system ArciTech in white 86

Double walled drawer system ArciTech in anthracite 144

Double walled drawer system ArciTech in champagne 200

Double walled drawer system ArciTech in stainless steel 256

Actro drawer runner 305

Accessories 318

Technical information / Installation 320

Easys electromechanical opening system 362

ArciTech Pull waste system 376

Assembly machinery 379

Order number index 385


Technical information / Legal notice 396

Hettich and the environment 398









Thinking beyond tomorrow

ArciTech offers great potential for standing apart while giving you flexibility and speed in responding to market demands and consumer wishes. Unequalled running action and exceptional stability that won't fail to impress. ArciTech lets you meet any design trend with convincing perfection.

Incredible design flexibility

ArciTech's timeless, sleek design fits homogeneously into any kitchen and home environment. Made of high quality materials, the components are colour coordinated – for a consistent design thread with infinite potential for creative flexibility.








INTERFER
www.interfer.pt





Actro: fantastic running performance

Performance will be a key factor in future purchasing decisions. This makes the ArciTech drawer system's smooth, quiet running action a particularly valuable mark of quality. Its secret: the outstanding Actro runner.

The Actro runner's excellent quality can be felt in every movement of the drawer: the unique prism principle ensures




a perfectly coordinated movement cycle that makes hardly a sound. The profiles are controlled in perfect synchrony for running action that is absolutely even and without any noticeable transition. Anyone ever experiencing this impressive performance won't want to be without it again.

Actro: wonderfully smooth opening and closing

Typical of Actro: beautifully low opening forces. They make the drawer open with effortless ease and hardly any noticeable resistance. The perfectly coordinated Silent System closes drawers particularly gently – in all loading categories up to 80 kg.





Actro: maximum stability


The trend in kitchens and living rooms: drawers are getting wider and higher, front panels larger and heavier. This is where the Actro runner leaves no margin of doubt: benefiting from the unique prism principle and runner profiles controlled in perfect synchrony, it ensures optimum load distribution and running performance taken to perfection. Other benefits that come with Actro:



· Minimum sag for a surer hand in planning
· Maximum lateral stability also for wide pull-outs
· Available in 40, 60 and 80 kg loading categories
· Maximum drawer formats, in compliance with safety standards

INTERFER
www.interfer.pt





**The ArciTech platform concept:
variety, flexibility, cost efficiency.**

The ArciTech platform gives you flexibility and speed in responding to economic developments, market trends and consumer preferences. Being extremely diverse, the system gives you a particularly efficient basis for creating marks of distinction within your kitchen and furniture lines. And standing well apart from your competitors. You can do









all this while guaranteeing to make your stockkeeping and production processes cost-efficient and lean.

Individually tailored. And fast.


When it comes to buying furniture, many consumers are looking for more individuality. This is where design, ergonomics, performance and functionality are important aspects. With the ArciTech platform, meeting market demands of this type can be done with ease and flexibility. All options are produced on the basis of a single drawer side profile. Drilling positions and installed heights are identical for all runners. This reduces complexity in production and boosts efficiency.


You always use the same drawer components in production regardless of carcase thickness.

ArciTech platform:
the intelligent key to the future

You can combine and simply modify different side elements on the basis of the drawer side profile. Whether classic railing or side elements in two heights: there are no limits to creative flexibility. The side profile always stays as is. Particularly beneficial: the front panel drill holes provided for the railing can be used for DesignSide as well as for TopSide – as a simple way of upgrading pot-and-pan drawers. Changing from railing to TopSide or DesignSide can be done with effortless ease.

Only one profile type for drawers and pot-and-pan drawers ... standardised drawer components ... efficient processes in production and logistics: ArciTech gives you glowing prospects for the future.




Pot-and-pan drawer with double railing, height 218 mm
Pot-and-pan drawer with railing, height 186 mm
Basis = drawer side profile, height 94 mm
Pot-and-pan drawer with TopSide, height 186 mm
Pot-and-pan drawer with TopSide, height 218 mm

	Rear panel height 186 mm	Rear panel height 218 mm
Drawer side profile height 94 mm	 Railing  DesignSide  TopSide	 Railing  Double gallery railing  DesignSide  TopSide
Drawer side profile height 126 mm	 Railing	 Railing  DesignSide  TopSide

Rear panel height 250 mm		Rear panel height 282 mm	
			
Railing	Double gallery railing	Railing	Double gallery railing
			
Railing	Double gallery railing	Railing	Double gallery railing
			
DesignSide	TopSide		

INTERFER
www.interfer.pt










Consistent product design for varying differentiation demands and design expectations: you only get this from ArciTech. The broad standard product line up lets you create solutions of amazing diversity.

Designed from the outside in:
ArciTech interior organisation system

INTERFER
www.interfer.pt











ArciTech: Quality with inner values
The ArciTech quality concept on the outside is consistently carried through on the inside. Like drawer, like interior organisation: simply perfect.

OrgaTray
The practical cutlery tray system for all drawer widths. You benefit from an intelligent modular principle here too: from just a few preassembled standard elements you can produce a broad and varied range of individualised solutions.

OrgaStore
OrgaStore divides up storage space in drawers of all sizes to suit individual requirements. Easy to fit, the dividers can be positioned wherever chosen. The harmonious colouring is consistently carried through on the inside of the drawer.

Push to open Silent for ArciTech

Handleless furniture design fascinates with its purist appeal. That trend often presents challenges for furniture makers, both in production and with regard to user friendliness.

The convenience of an electromechanical system. Purely by mechanical means.

In terms of self-opening distance in drawers, electromechanical systems have so far produced the most conclusive results. There was a broad scale wish for a non electrified solution providing comparable functionality.
Hettich has now designed a revolutionary innovation: Push to open Silent. Works on an all-mechanical basis so it doesn't need a power supply, and provides the convenience of an electromechanical system. This function has already won several awards.

product design award 2014

German Design Award SPECIAL MENTION 2015

Premium convenience ...

A gentle press on the front panel is all it takes, and Push to open Silent opens the drawer such a long way that there is usually no need to pull it out any further by hand. On closing, the drawer glides in softly and gently. The system's quality and convenience can be felt in every action.

... down to every last detail.

Opening force can be adjusted, in just the same way as drawer release sensitivity. This makes it possible to accommodate specific user preferences and different drawer weights. The front panel gap can be adjusted with precision as well.

Invisible, straightforward and safe.

The Push to open Silent system is positioned underneath the drawer where it is hidden from view. Adding the system later on is very easy and involves no modifications to existing ArciTech drawer components.





The benefits at a glance:

· Works like electromechanical systems
· Generous opening distance for user convenience
· Opening force and release sensitivity as preferred and for added safety
· Easy to use on all ArciTech drawers and Actro runners
· All mechanical principle, straightforward, energy saving and suitable for use in rooms exposed to moisture

A wealth of benefits, a wealth of potential for the future: **ArciTech**




Individualisation of internal panels and DesignSides
TopSides, DesignSides and railings can be combined with the same drawer side profile
Easy to change from railing to TopSide or DesignSide
One assembly direction for front and rear panel for efficient installation
3 drawer side profile heights, 7 rear panel heights, add on side elements in 2 different heights
Exceptional stability – loading capacity up to 80 kg
Easy and smooth running action

INTERFER
www.interfer.pt



ArciTech, silver
Range summary **28 - 29**



ArciTech, white
Range summary **86 - 87**



ArciTech, anthracite
Range summary **144 - 145**



ArciTech, champagne
Range summary **200 - 201**



ArciTech, stainless steel
Range summary **256 - 257**



Actro drawer runner
Range summary **305**



Accessories **318 - 319**
Technical information / Assembly **320 - 361**



Other products
- **Electromechanical opening system Easys** **362 - 373**
- **Waste system ArciTech Pull** **376 - 378**
- **Assembly machinery** **379 - 384**

INTERFER
www.interfer.pt



Drawer, height 78 mm

30 - 31



Drawer, height 94 mm

32 - 35



Internal drawer, height 94 mm

32 - 35



Drawer, height 126 mm

36 - 39



Internal drawer, height 126 mm

36 - 39



Pot-and-pan drawer, height 186 mm
Drawer side profile height 94 mm

40 - 43



Internal pot-and-pan drawer, height 186 mm
Drawer side profile height 94 mm

40 - 43



Pot-and-pan drawer, height 186 mm
Drawer side profile height 126 mm

44 - 47



Internal pot-and-pan drawer, height 186 mm
Drawer side profile height 126 mm

44 - 47



Pot-and-pan drawer, height 218 mm
Drawer side profile height 94 mm

48 - 51



Internal pot-and-pan drawer, height 218 mm
Drawer side profile height 94 mm

48 - 51



Pot-and-pan drawer, height 218 mm
Drawer side profile height 126 mm

52 - 55



Internal pot-and-pan drawer, height 218 mm
Drawer side profile height 126 mm
52 - 55



Pot-and-pan drawer, height 250 mm
Drawer side profile height 94 mm
56 - 57



Pot-and-pan drawer, height 250 mm
Drawer side profile height 126 mm
58 - 61



Pot-and-pan drawer, height 282 mm
Drawer side profile height 94 mm
62 - 63



Pot-and-pan drawer, height 282 mm
Drawer side profile height 126 mm
64 - 65



Drawer, height 94 mm
with bottom cutout
66 - 67



Pot-and-pan drawer, height 186 mm
with bottom cutout
68 - 69




Narrow base unit
70



Tall unit / pantry
71 - 72



Interior organisation system for drawers / internal drawers
73




Interior organisation system for pot-and-pan drawers / internal pot-and-pan drawers
73

Double walled drawer system ArciTech

- **Drawer height 78 mm**
- **Powder coated steel, silver**



Exploded diagram



Components

1 Drawer side profile, left and right
2 Drawer front connector for side profile, 2 each
3 Front stabiliser
4 Cover cap, 2 each
5 Actro drawer runner, left and right, see page 305
6 Steel rear panel
Alternatively:
C Wooden rear panel and
7 Rear panel connector, left and right
A Front
B Bottom panel (material 16 mm thick)
C Wooden rear panel (material 16 mm thick)

Advice

Technical information, see pages 320, 346 - 361
Actro drawer runner, see page 305

1 Drawer side profile

- E.g. for such applications as oven bottom drawer



Nominal length mm	Order no.		PU
	left	right	
500	**9 121 193**	**9 121 194**	1/15 ea.

2 Drawer front connector for side profile

- Only for 78 mm height
- Can only be fitted with insertion aid, see page 384
- Plastic



Mounting option	Order no.	PU
Knock in type	**9 123 081**	1/150 ea.

3 Front stabiliser

- For stabilising wide and/or high fronts
- Use recommended on carcases in widths of 600 mm and over and / or front panel heights of 450 mm and over
- Plastic



Order no.	PU
9 123 080	1/150 ea.

4 Cover cap

- Plastic



Finish	Order no.	PU
anthracite with Hettich logo	**9 123 005**	1/300 ea.
anthracite	**9 123 000**	1/300 ea.
aluminium look with Hettich logo	**9 123 009**	1/300 ea.
aluminium look	**9 123 004**	1/300 ea.
chrome look with Hettich logo	**9 123 008**	1/300 ea.
chrome look	**9 123 003**	1/300 ea.

Cover cap with customised imprint available on request

6 Steel rear panel

- For standard carcase width
- Use self tapping screw 3.5 x 6 DIN 7500 for fitting to drawer side profile, see page 318



Carcase width mm	Order no.	PU
600	**9 121 343**	1/20 ea.
900	**9 121 344**	1/20 ea.

7 Rear panel connector

- For wooden rear panel
- Use self tapping screw 3.5 x 6 DIN 7500 for fitting to drawer side profile, see page 318



Order no.		PU
left	right	
9 121 819	**9 121 820**	1/30 ea.


Double walled drawer system ArciTech

- **Drawer / internal drawer, height 94 mm**
- **Powder coated steel, silver**





Exploded diagram



Components

1 Drawer side profile, left and right
2 Drawer front connector for side profile, 2 each
3 Front stabiliser
4 Cover cap, 2 each
5 Actro drawer runner, left and right, see page 305
6 Steel rear panel
Alternatively:
7 Aluminium rear panel or C Wooden rear panel and
8 Rear panel connector, left and right
9 Front for internal drawer
Alternative 1:
10 Aluminium front panel and
11 Connector for front
Alternative 2:
D Front panel in any chosen material and
11 Connector for front and
12 Profile for front
A Front
B Bottom panel (material 16 mm thick)
C Wooden rear panel (material 16 mm thick)
D Front panel in any chosen material (material 6 mm thick)

Advice

Technical information, see pages 321 - 322, 346 - 361
Actro drawer runner, see page 305

1 Drawer side profile



Nominal length mm	Order no.		PU
	left	right	
270	**9 121 197**	**9 121 198**	1/15 ea.
300	**9 121 199**	**9 121 200**	1/15 ea.
350	**9 121 201**	**9 121 202**	1/15 ea.
400	**9 121 203**	**9 121 204**	1/15 ea.
450	**9 121 205**	**9 121 206**	1/15 ea.
500	**9 121 207**	**9 121 208**	1/15 ea.
550	**9 121 209**	**9 121 210**	1/15 ea.
650	**9 121 211**	**9 121 212**	1/15 ea.

2 Drawer front connector for side profile

- Steel



Mounting option	Order no.	PU
Screw on type	**9 123 011**	1/150 ea.
Knock in type	**9 123 010**	1/150 ea.

3 Front stabiliser

- For stabilising wide and/or high fronts
- Use recommended on carcases in widths of 600 mm and over and / or front panel heights of 450 mm and over
- Plastic



Order no.	PU
9 123 080	1/150 ea.

4 Cover cap

- Plastic



Finish	Order no.	PU
anthracite with Hettich logo	**9 123 005**	1/300 ea.
anthracite	**9 123 000**	1/300 ea.
aluminium look with Hettich logo	**9 123 009**	1/300 ea.
aluminium look	**9 123 004**	1/300 ea.
chrome look with Hettich logo	**9 123 008**	1/300 ea.
chrome look	**9 123 003**	1/300 ea.

Cover cap with customised imprint available on request

6 Steel rear panel

- For standard carcase width



Carcase width mm	Order no.	PU
275	**9 121 349**	1/20 ea.
300	**9 121 350**	1/20 ea.
350	**9 121 352**	1/20 ea.
400	**9 121 354**	1/20 ea.
450	**9 121 356**	1/20 ea.
500	**9 121 358**	1/20 ea.
550	**9 121 360**	1/20 ea.
600	**9 121 362**	1/20 ea.
700	**9 121 364**	1/20 ea.
800	**9 121 366**	1/20 ea.
900	**9 121 368**	1/20 ea.
1000	**9 121 370**	1/20 ea.
1200	**9 121 374**	1/20 ea.

7 Aluminium rear panel

- For variable or standard carcase width
- For cutting to length
- Length 1140 mm
- 8 Rear panel connectors must be ordered separately



Order no.	PU
9 121 874	1 ea.

8 Rear panel connector

- For wooden or aluminium rear panel



Order no.		PU
left	right	
9 121 827	**9 121 828**	1/30 ea.

9 Front

- For standard carcase width
- With premounted connectors



Carcase width mm	Order no.	PU
300	**9 122 795**	1/15 ea.
400	**9 122 796**	1/15 ea.
450	**9 122 797**	1/15 ea.
500	**9 122 798**	1/15 ea.
600	**9 122 799**	1/15 ea.
800	**9 122 800**	1/15 ea.
900	**9 122 801**	1/15 ea.
1000	**9 122 802**	1/15 ea.
1200	**9 122 803**	1/15 ea.

INTERFER
www.interfer.pt

10 Aluminium front

- For variable or standard carcase width
- For cutting to length
- Length 1140 mm
- 11 Connectors must be ordered separately



Order no.	PU
9 123 098	1 ea.

11 Connector for front

- For combining with 10 aluminium front panel or front panel in any chosen material
- When using any chosen material with a total load of up to 60 kg



Order no.	PU
9 123 083	1/15 set

12 Profile for front

- For front panel in any chosen material
- To cut to length, 2 profiles per front
- Length 1140 mm
- Aluminium
- 11 Connectors must be ordered separately



Order no.	PU
9 123 097	1 ea.

INTERFER
www.interfer.pt


Double walled drawer system ArciTech

- **Drawer / internal drawer, height 126 mm**
- **Powder coated steel, silver**





Exploded diagram



Components

1 Drawer side profile, left and right
2 Drawer front connector for side profile, 2 each
3 Front stabiliser
4 Cover cap, 2 each
5 Actro drawer runner, left and right, see page 305
6 Steel rear panel
Alternatively:
7 Aluminium rear panel or C Wooden rear panel and
8 Rear panel connector, left and right
9 Front for internal drawer
Alternative 1:
10 Aluminium front panel and
11 Connector for front
Alternative 2:
D Front panel in any chosen material and
11 Connector for front and
12 Profile for front
A Front
B Bottom panel (material 16 mm thick)
C Wooden rear panel (material 16 mm thick)
D Front panel in any chosen material (material 6 mm thick)

Advice

Technical information, see pages 323 - 324, 346 - 361
Actro drawer runner, see page 305

1 Drawer side profile



Nominal length mm	Order no.		PU
	left	right	
270	**9 121 213**	**9 121 214**	1/15 ea.
300	**9 121 215**	**9 121 216**	1/15 ea.
350	**9 121 217**	**9 121 218**	1/15 ea.
400	**9 121 219**	**9 121 220**	1/15 ea.
450	**9 121 221**	**9 121 222**	1/15 ea.
500	**9 121 223**	**9 121 224**	1/15 ea.
550	**9 121 225**	**9 121 226**	1/15 ea.
650	**9 121 227**	**9 121 228**	1/15 ea.

2 Drawer front connector for side profile

- Steel



Mounting option	Order no.	PU
Screw on type	**9 123 011**	1/150 ea.
Knock in type	**9 123 010**	1/150 ea.

3 Front stabiliser

- For stabilising wide and/or high fronts
- Use recommended on carcases in widths of 600 mm and over and / or front panel heights of 450 mm and over
- Plastic



Order no.	PU
9 123 080	1/150 ea.

4 Cover cap

- Plastic



Finish	Order no.	PU
anthracite with Hettich logo	**9 123 005**	1/300 ea.
anthracite	**9 123 000**	1/300 ea.
aluminium look with Hettich logo	**9 123 009**	1/300 ea.
aluminium look	**9 123 004**	1/300 ea.
chrome look with Hettich logo	**9 123 008**	1/300 ea.
chrome look	**9 123 003**	1/300 ea.

Cover cap with customised imprint available on request

6 Steel rear panel

- For standard carcase width



Carcase width mm	Order no.	PU
275	**9 121 427**	1/20 ea.
300	**9 121 428**	1/20 ea.
350	**9 121 430**	1/20 ea.
400	**9 121 432**	1/20 ea.
450	**9 121 434**	1/20 ea.
500	**9 121 436**	1/20 ea.
550	**9 121 438**	1/20 ea.
600	**9 121 440**	1/20 ea.
700	**9 121 442**	1/20 ea.
800	**9 121 444**	1/20 ea.
900	**9 121 446**	1/20 ea.
1000	**9 121 448**	1/10 ea.
1200	**9 121 452**	1/10 ea.

7 Aluminium rear panel

- For variable or standard carcase width
- For cutting to length
- Length 1140 mm
- 8 Rear panel connectors must be ordered separately



Order no.	PU
9 121 878	1 ea.

8 Rear panel connector

- For wooden or aluminium rear panel



Order no.		PU
left	right	
9 121 835	**9 121 836**	1/30 ea.

9 Front

- For standard carcase width
- With premounted connectors



Carcase width mm	Order no.	PU
300	**9 122 822**	1/15 ea.
400	**9 122 823**	1/15 ea.
450	**9 122 824**	1/15 ea.
500	**9 122 825**	1/15 ea.
600	**9 122 826**	1/15 ea.
800	**9 122 827**	1/15 ea.
900	**9 122 828**	1/15 ea.
1000	**9 122 829**	1/15 ea.
1200	**9 122 830**	1/15 ea.

INTERFER
www.interfer.pt

10 Aluminium front

- For variable or standard carcase width
- For cutting to length
- Length 1140 mm
- 11 Connectors must be ordered separately



Order no.	PU
9 123 098	1 ea.

11 Connector for front

- For combining with 10 aluminium front panel or front panel in any chosen material
- When using any chosen material with a total load of up to 60 kg



Order no.	PU
9 123 086	1/15 set

12 Profile for front

- For front panel in any chosen material
- To cut to length, 2 profiles per front
- Length 1140 mm
- Aluminium
- 11 Connectors must be ordered separately



Order no.	PU
9 123 097	1 ea.

INTERFER
www.interfer.pt

Double walled drawer system ArciTech

- **Pot-and pan / internal pot-and-pan drawer, height 186 mm, drawer side profile height 94 mm**
- **Powder coated steel, silver**












Exploded diagram



Components

1 Drawer side profile, left and right
2 Drawer front connector for side profile, 2 each
3 Front stabiliser
4 Cover cap, 2 each
5 Drawer front connector for lengthwise railing, 2 each
6 Actro drawer runner, left and right, see page 305
7 Lengthwise railing, left and right
Alternative 1:
8 TopSide
Alternative 2:
9 DesignSide in glass and
10 DesignSide adapter
Alternative 3:
D DesignSide in any chosen material and
10 DesignSide adapter and
11 DesignSide connector
12 Steel rear panel
Alternatively:
13 Aluminium rear panel or C Wooden rear panel and
14 Rear panel connector, left and right
15 Front for internal pot-and-pan drawer
Alternative 1:
16 Aluminium front panel and
17 Railing for aluminium front and
18 Connector for front
Alternative 2:
E Front panel in any chosen material and
18 Connector for front and
19 Profile for front
A Front
B Bottom panel (material 16 mm thick)
C Wooden rear panel (material 16 mm thick)
D DesignSide in any chosen material (material 8 mm thick)
E Front panel in any chosen material (material 6 mm thick)

Advice

Technical information, see pages 325 - 328, 346 - 361
Actro drawer runner, see page 305

1 Drawer side profile



Nominal length mm	Order no.		PU
	left	right	
270	**9 121 197**	**9 121 198**	1/15 ea.
300	**9 121 199**	**9 121 200**	1/15 ea.
350	**9 121 201**	**9 121 202**	1/15 ea.
400	**9 121 203**	**9 121 204**	1/15 ea.
450	**9 121 205**	**9 121 206**	1/15 ea.
500	**9 121 207**	**9 121 208**	1/15 ea.
550	**9 121 209**	**9 121 210**	1/15 ea.
650	**9 121 211**	**9 121 212**	1/15 ea.

2 Drawer front connector for side profile

- Steel



Mounting option	Order no.	PU
Screw on type	**9 123 011**	1/150 ea.
Knock in type	**9 123 010**	1/150 ea.

3 Front stabiliser

- For stabilising wide and/or high fronts
- Use recommended on carcases in widths of 600 mm and over and / or front panel heights of 450 mm and over
- Plastic



Order no.	PU
9 123 080	1/150 ea.

4 Cover cap

- Plastic



Finish	Order no.	PU
anthracite with Hettich logo	**9 123 005**	1/300 ea.
anthracite	**9 123 000**	1/300 ea.
aluminium look with Hettich logo	**9 123 009**	1/300 ea.
aluminium look	**9 123 004**	1/300 ea.
chrome look with Hettich logo	**9 123 008**	1/300 ea.
chrome look	**9 123 003**	1/300 ea.

Cover cap with customised imprint available on request

5 Drawer front connector for lengthwise railing

- Plastic



Mounting option	Order no.	PU
Screw on type	**9 127 011**	1/300 ea.
Knock in type	**9 127 000**	1/300 ea.

7 Lengthwise railing



Nominal length mm	Order no.		PU
	left	right	
270	**9 121 953**	**9 121 954**	1/30 ea.
300	**9 121 963**	**9 121 964**	1/30 ea.
350	**9 121 973**	**9 121 974**	1/30 ea.
400	**9 121 983**	**9 121 984**	1/30 ea.
450	**9 121 993**	**9 121 994**	1/30 ea.
500	**9 122 003**	**9 122 004**	1/30 ea.
550	**9 122 013**	**9 122 014**	1/30 ea.
650	**9 122 033**	**9 122 034**	1/30 ea.

8 TopSide

- Includes knock in and screw on front connectors



Nominal length mm	Order no.	PU
400	**9 122 912**	1 set
450	**9 122 916**	1 set
500	**9 122 920**	1 set
550	**9 122 924**	1 set
650	**9 122 932**	1 set

9 DesignSide in glass

- Clear float glass with glued on connectors
- Material 8 mm thick
- [10] DesignSide adapters must be ordered separately



Nominal length mm	Order no.	PU
270	**9 122 983**	1 set
300	**9 122 984**	1 set
350	**9 122 985**	1 set
400	**9 122 986**	1 set
450	**9 122 987**	1 set
500	**9 122 988**	1 set
550	**9 122 989**	1 set
650	**9 122 990**	1 set

INTERFER
www.interfer.pt

10 DesignSide adapter

- Includes knock in and screw on front connectors
- For combining with 9 DesignSide in glass or 11 DesignSide connector



Order no.	PU
9 122 973	1/15 set

11 DesignSide connector

- For screwing or gluing (ø 3 x 10)
- For combining with DesignSide in any chosen material (8 mm thick material)
- 10 DesignSide adapters must be ordered separately



Order no.	PU
9 122 998	1/15 set

12 Steel rear panel

- For standard carcase width



Carcase width mm	Order no.	PU
275	**9 121 505**	1/10 ea.
300	**9 121 506**	1/10 ea.
350	**9 121 508**	1/10 ea.
400	**9 121 510**	1/10 ea.
450	**9 121 512**	1/10 ea.
500	**9 121 514**	1/10 ea.
550	**9 121 516**	1/10 ea.
600	**9 121 518**	1/10 ea.
700	**9 121 520**	1/10 ea.
800	**9 121 522**	1/10 ea.
900	**9 121 524**	1/10 ea.
1000	**9 121 526**	1/10 ea.
1200	**9 121 530**	1/10 ea.

13 Aluminium rear panel

- For variable or standard carcase width
- For cutting to length
- Length 1140 mm
- 14 Rear panel connectors must be ordered separately



Order no.	PU
9 121 882	1 ea.

14 Rear panel connector

- For wooden or aluminium rear panel



Order no.		PU
left	right	
9 121 843	**9 121 844**	1/30 ea.

15 Front

- For standard carcase width
- With premounted connectors and premounted railing



Carcase width mm	Order no.	PU
300	**9 122 849**	1/15 ea.
400	**9 122 850**	1/15 ea.
450	**9 122 851**	1/15 ea.
500	**9 122 852**	1/15 ea.
600	**9 122 853**	1/15 ea.
800	**9 122 854**	1/15 ea.
900	**9 122 855**	1/15 ea.
1000	**9 122 856**	1/15 ea.
1200	**9 122 857**	1/15 ea.

16 Aluminium front

- For variable or standard carcase width
- For cutting to length
- Length 1140 mm
- 17 Railing and 18 connectors must be ordered separately



Order no.	PU
9 123 098	1 ea.

17 Railing for aluminium front

- Steel
- For cutting to length
- Length 1140 mm



Order no.	PU
9 123 095	1 ea.

18 Connector for front

- For combining with 16 aluminium front panel and 17 railing for aluminium front panel or front panel in any chosen material
- When using any chosen material with a total load of up to 60 kg



Order no.	PU
9 123 089	1/15 set

INTERFER
www.interfer.pt

- **Pot-and pan / internal pot-and-pan drawer, height 186 mm, drawer side profile height 94 mm**
- **Powder coated steel, silver**

19 Profile for front

- For front panel in any chosen material
- To cut to length, 2 profiles per front
- Length 1140 mm
- Aluminium
- 18 Connectors must be ordered separately



Order no.	PU
9 123 097	1 ea.


INTERFER
www.interfer.pt

- **Pot-and pan / internal pot-and-pan drawer, height 186 mm, drawer side profile height 126 mm**
- **Powder coated steel, silver**





Exploded diagram



Components

1 Drawer side profile, left and right
2 Drawer front connector for side profile, 2 each
3 Front stabiliser
4 Cover cap, 2 each
5 Drawer front connector for lengthwise railing, 2 each
6 Actro drawer runner, left and right, see page 305
7 Lengthwise railing, left and right
8 Steel rear panel
Alternatively:
9 Aluminium rear panel or C Wooden rear panel and
10 Rear panel connector, left and right
11 Front for internal pot-and-pan drawer
Alternative 1:
12 Aluminium front panel and
13 Railing for aluminium front and
14 Connector for front
Alternative 2:
D Front panel in any chosen material and
14 Connector for front and
15 Profile for front

A Front
B Bottom panel (material 16 mm thick)
C Wooden rear panel (material 16 mm thick)
D Front panel in any chosen material (material 6 mm thick)

Advice

Technical information, see pages 329 - 330, 346 - 361
Actro drawer runner, see page 305

1 Drawer side profile



Nominal length mm	Order no.		PU
	left	right	
270	**9 121 213**	**9 121 214**	1/15 ea.
300	**9 121 215**	**9 121 216**	1/15 ea.
350	**9 121 217**	**9 121 218**	1/15 ea.
400	**9 121 219**	**9 121 220**	1/15 ea.
450	**9 121 221**	**9 121 222**	1/15 ea.
500	**9 121 223**	**9 121 224**	1/15 ea.
550	**9 121 225**	**9 121 226**	1/15 ea.
650	**9 121 227**	**9 121 228**	1/15 ea.

2 Drawer front connector for side profile

- Steel



Mounting option	Order no.	PU
Screw on type	**9 123 011**	1/150 ea.
Knock in type	**9 123 010**	1/150 ea.

3 Front stabiliser

- For stabilising wide and/or high fronts
- Use recommended on carcases in widths of 600 mm and over and / or front panel heights of 450 mm and over
- Plastic



Order no.	PU
9 123 080	1/150 ea.

4 Cover cap

- Plastic



Finish	Order no.	PU
anthracite with Hettich logo	**9 123 005**	1/300 ea.
anthracite	**9 123 000**	1/300 ea.
aluminium look with Hettich logo	**9 123 009**	1/300 ea.
aluminium look	**9 123 004**	1/300 ea.
chrome look with Hettich logo	**9 123 008**	1/300 ea.
chrome look	**9 123 003**	1/300 ea.

Cover cap with customised imprint available on request

5 Drawer front connector for lengthwise railing

- Plastic



Mounting option	Order no.	PU
Screw on type	**9 127 011**	1/300 ea.
Knock in type	**9 127 000**	1/300 ea.

7 Lengthwise railing



Nominal length mm	Order no.		PU
	left	right	
270	**9 121 953**	**9 121 954**	1/30 ea.
300	**9 121 963**	**9 121 964**	1/30 ea.
350	**9 121 973**	**9 121 974**	1/30 ea.
400	**9 121 983**	**9 121 984**	1/30 ea.
450	**9 121 993**	**9 121 994**	1/30 ea.
500	**9 122 003**	**9 122 004**	1/30 ea.
550	**9 122 013**	**9 122 014**	1/30 ea.
650	**9 122 033**	**9 122 034**	1/30 ea.

8 Steel rear panel

- For standard carcase width



Carcase width mm	Order no.	PU
275	**9 121 505**	1/10 ea.
300	**9 121 506**	1/10 ea.
350	**9 121 508**	1/10 ea.
400	**9 121 510**	1/10 ea.
450	**9 121 512**	1/10 ea.
500	**9 121 514**	1/10 ea.
550	**9 121 516**	1/10 ea.
600	**9 121 518**	1/10 ea.
700	**9 121 520**	1/10 ea.
800	**9 121 522**	1/10 ea.
900	**9 121 524**	1/10 ea.
1000	**9 121 526**	1/10 ea.
1200	**9 121 530**	1/10 ea.

9 Aluminium rear panel

- For variable or standard carcase width
- For cutting to length
- Length 1140 mm
- [10] Rear panel connectors must be ordered separately



Order no.	PU
9 121 882	1 ea.

INTERFER
www.interfer.pt

10 Rear panel connector

- For wooden or aluminium rear panel



Order no.		PU
left	right	
9 121 843	**9 121 844**	1/30 ea.

11 Front

- For standard carcase width
- With premounted connectors and premounted railing



Carcase width mm	Order no.	PU
300	**9 122 849**	1/15 ea.
400	**9 122 850**	1/15 ea.
450	**9 122 851**	1/15 ea.
500	**9 122 852**	1/15 ea.
600	**9 122 853**	1/15 ea.
800	**9 122 854**	1/15 ea.
900	**9 122 855**	1/15 ea.
1000	**9 122 856**	1/15 ea.
1200	**9 122 857**	1/15 ea.

12 Aluminium front

- For variable or standard carcase width
- For cutting to length
- Length 1140 mm
- 13 Railing and 14 connectors must be ordered separately



Order no.	PU
9 123 098	1 ea.

13 Railing for aluminium front

- Steel
- For cutting to length
- Length 1140 mm



Order no.	PU
9 123 095	1 ea.

14 Connector for front

- For combining with 12 aluminium front panel and 13 railing for aluminium front panel or front panel in any chosen material
- When using any chosen material with a total load of up to 60 kg



Order no.	PU
9 123 089	1/15 set

15 Profile for front

- For front panel in any chosen material
- To cut to length, 2 profiles per front
- Length 1140 mm
- Aluminium
- 14 Connectors must be ordered separately



Order no.	PU
9 123 097	1 ea.

INTERFER
www.interfer.pt

INTERFER
www.interfer.pt

- **Pot-and pan / internal pot-and-pan drawer, height 218 mm, drawer side profile height 94 mm**
- **Powder coated steel, silver**












Exploded diagram



Components

1 Drawer side profile, left and right
2 Drawer front connector for side profile, 2 each
3 Front stabiliser
4 Cover cap, 2 each
5 Drawer front connector for lengthwise railing, 2 each
6 Actro drawer runner, left and right, see page 305
7 Lengthwise railing, left and right
Alternative 1:
8 TopSide
Alternative 2:
9 DesignSide in glass and
10 DesignSide adapter
Alternative 3:
D DesignSide in any chosen material and
10 DesignSide adapter and
11 DesignSide connector
12 Steel rear panel
Alternatively:
13 Aluminium rear panel or C Wooden rear panel and
14 Rear panel connector, left and right
15 Front for internal pot-and-pan drawer
Alternative 1:
16 Aluminium front panel and
17 Railing for aluminium front and
18 Connector for front
Alternative 2:
E Front panel in any chosen material and
18 Connector for front and
19 Profile for front
A Front
B Bottom panel (material 16 mm thick)
C Wooden rear panel (material 16 mm thick)
D DesignSide in any chosen material (material 8 mm thick)
E Front panel in any chosen material (material 6 mm thick)

Advice

Technical information, see pages 331 - 334, 346 - 361
Actro drawer runner, see page 305

1 Drawer side profile



Nominal length mm	Order no.		PU
	left	right	
270	**9 121 197**	**9 121 198**	1/15 ea.
300	**9 121 199**	**9 121 200**	1/15 ea.
350	**9 121 201**	**9 121 202**	1/15 ea.
400	**9 121 203**	**9 121 204**	1/15 ea.
450	**9 121 205**	**9 121 206**	1/15 ea.
500	**9 121 207**	**9 121 208**	1/15 ea.
550	**9 121 209**	**9 121 210**	1/15 ea.
650	**9 121 211**	**9 121 212**	1/15 ea.

2 Drawer front connector for side profile

- Steel



Mounting option	Order no.	PU
Screw on type	**9 123 011**	1/150 ea.
Knock in type	**9 123 010**	1/150 ea.

3 Front stabiliser

- For stabilising wide and/or high fronts
- Use recommended on carcases in widths of 600 mm and over and / or front panel heights of 450 mm and over
- Plastic



Order no.	PU
9 123 080	1/150 ea.

4 Cover cap

- Plastic



Finish	Order no.	PU
anthracite with Hettich logo	**9 123 005**	1/300 ea.
anthracite	**9 123 000**	1/300 ea.
aluminium look with Hettich logo	**9 123 009**	1/300 ea.
aluminium look	**9 123 004**	1/300 ea.
chrome look with Hettich logo	**9 123 008**	1/300 ea.
chrome look	**9 123 003**	1/300 ea.

Cover cap with customised imprint available on request

5 Drawer front connector for lengthwise railing

- Plastic



Mounting option	Order no.	PU
Screw on type	**9 127 011**	1/300 ea.
Knock in type	**9 127 000**	1/300 ea.

7 Lengthwise railing



Nominal length mm	Order no.		PU
	left	right	
270	**9 121 953**	**9 121 954**	1/30 ea.
300	**9 121 963**	**9 121 964**	1/30 ea.
350	**9 121 973**	**9 121 974**	1/30 ea.
400	**9 121 983**	**9 121 984**	1/30 ea.
450	**9 121 993**	**9 121 994**	1/30 ea.
500	**9 122 003**	**9 122 004**	1/30 ea.
550	**9 122 013**	**9 122 014**	1/30 ea.
650	**9 122 033**	**9 122 034**	1/30 ea.

8 TopSide

- Includes knock in and screw on front connectors



Nominal length mm	Order no.	PU
400	**9 122 949**	1 set
450	**9 122 953**	1 set
500	**9 122 957**	1 set
550	**9 122 961**	1 set
650	**9 122 969**	1 set

9 DesignSide in glass

- Clear float glass with glued on connectors
- Material 8 mm thick
- [10] DesignSide adapters must be ordered separately



Nominal length mm	Order no.	PU
270	**9 122 991**	1 set
300	**9 122 992**	1 set
350	**9 122 993**	1 set
400	**9 122 994**	1 set
450	**9 122 995**	1 set
500	**9 122 996**	1 set
550	**9 122 997**	1 set
650	**9 123 078**	1 set

10 DesignSide adapter

- Includes knock in and screw on front connectors
- For combining with 9 DesignSide in glass or 11 DesignSide connector



Order no.	PU
9 122 978	1/15 set

11 DesignSide connector

- For screwing or gluing (ø 3 x 10)
- For combining with DesignSide in any chosen material (8 mm thick material)
- 10 DesignSide adapters must be ordered separately



Order no.	PU
9 122 998	1/15 set

12 Steel rear panel

- For standard carcase width



Carcase width mm	Order no.	PU
275	**9 121 583**	1/10 ea.
300	**9 121 584**	1/10 ea.
350	**9 121 586**	1/10 ea.
400	**9 121 588**	1/10 ea.
450	**9 121 590**	1/10 ea.
500	**9 121 592**	1/10 ea.
550	**9 121 594**	1/10 ea.
600	**9 121 596**	1/10 ea.
700	**9 121 598**	1/10 ea.
800	**9 121 600**	1/10 ea.
900	**9 121 602**	1/10 ea.
1000	**9 121 604**	1/5 ea.
1200	**9 121 608**	1/5 ea.

13 Aluminium rear panel

- For variable or standard carcase width
- For cutting to length
- Length 1140 mm
- 14 Rear panel connectors must be ordered separately



Order no.	PU
9 121 886	1 ea.

14 Rear panel connector

- For wooden or aluminium rear panel



Order no.		PU
left	right	
9 121 851	**9 121 852**	1/30 ea.

15 Front

- For standard carcase width
- With premounted connectors and premounted railing



Carcase width mm	Order no.	PU
300	**9 122 876**	1/15 ea.
400	**9 122 877**	1/15 ea.
450	**9 122 878**	1/15 ea.
500	**9 122 879**	1/15 ea.
600	**9 122 880**	1/15 ea.
800	**9 122 881**	1/15 ea.
900	**9 122 882**	1/15 ea.
1000	**9 122 883**	1/15 ea.
1200	**9 122 884**	1/15 ea.

16 Aluminium front

- For variable or standard carcase width
- For cutting to length
- Length 1140 mm
- 17 Railing and 18 connectors must be ordered separately



Order no.	PU
9 123 098	1 ea.

17 Railing for aluminium front

- Steel
- For cutting to length
- Length 1140 mm



Order no.	PU
9 123 095	1 ea.

18 Connector for front

- For combining with 16 aluminium front panel and 17 railing for aluminium front panel or front panel in any chosen material
- When using any chosen material with a total load of up to 60 kg



Order no.	PU
9 123 092	1/15 set

INTERFER
www.interfer.pt

- **Pot-and pan / internal pot-and-pan drawer, height 218 mm, drawer side profile height 94 mm**
- **Powder coated steel, silver**

19 Profile for front

- For front panel in any chosen material
- To cut to length, 2 profiles per front
- Length 1140 mm
- Aluminium
- 18 Connectors must be ordered separately



Order no.	PU
9 123 097	1 ea.

INTERFER
www.interfer.pt

- **Pot-and pan / internal pot-and-pan drawer, height 218 mm, drawer side profile height 126 mm**
- **Powder coated steel, silver**












Exploded diagram



Components

1 Drawer side profile, left and right
2 Drawer front connector for side profile, 2 each
3 Front stabiliser
4 Cover cap, 2 each
5 Drawer front connector for lengthwise railing, 2 each
6 Actro drawer runner, left and right, see page 305
7 Lengthwise railing, left and right
Alternative 1:
8 TopSide
Alternative 2:
9 DesignSide in glass and
10 DesignSide adapter
Alternative 3:
D DesignSide in any chosen material and
10 DesignSide adapter and
11 DesignSide connector
12 Steel rear panel
Alternatively:
13 Aluminium rear panel or C Wooden rear panel and
14 Rear panel connector, left and right
15 Front for internal pot-and-pan drawer
Alternative 1:
16 Aluminium front panel and
17 Railing for aluminium front and
18 Connector for front
Alternative 2:
E Front panel in any chosen material and
18 Connector for front and
19 Profile for front
A Front
B Bottom panel (material 16 mm thick)
C Wooden rear panel (material 16 mm thick)
D DesignSide in any chosen material (material 8 mm thick)
E Front panel in any chosen material (material 6 mm thick)

Advice

Technical information, see pages 335 - 338, 346 - 361
Actro drawer runner, see page 305

1 Drawer side profile



Nominal length mm	Order no.		PU
	left	right	
270	**9 121 213**	**9 121 214**	1/15 ea.
300	**9 121 215**	**9 121 216**	1/15 ea.
350	**9 121 217**	**9 121 218**	1/15 ea.
400	**9 121 219**	**9 121 220**	1/15 ea.
450	**9 121 221**	**9 121 222**	1/15 ea.
500	**9 121 223**	**9 121 224**	1/15 ea.
550	**9 121 225**	**9 121 226**	1/15 ea.
650	**9 121 227**	**9 121 228**	1/15 ea.

2 Drawer front connector for side profile

- Steel



Mounting option	Order no.	PU
Screw on type	**9 123 011**	1/150 ea.
Knock in type	**9 123 010**	1/150 ea.

3 Front stabiliser

- For stabilising wide and/or high fronts
- Use recommended on carcases in widths of 600 mm and over and / or front panel heights of 450 mm and over
- Plastic



Order no.	PU
9 123 080	1/150 ea.

4 Cover cap

- Plastic



Finish	Order no.	PU
anthracite with Hettich logo	**9 123 005**	1/300 ea.
anthracite	**9 123 000**	1/300 ea.
aluminium look with Hettich logo	**9 123 009**	1/300 ea.
aluminium look	**9 123 004**	1/300 ea.
chrome look with Hettich logo	**9 123 008**	1/300 ea.
chrome look	**9 123 003**	1/300 ea.

Cover cap with customised imprint available on request

5 Drawer front connector for lengthwise railing

- Plastic



Mounting option	Order no.	PU
Screw on type	**9 127 011**	1/300 ea.
Knock in type	**9 127 000**	1/300 ea.

7 Lengthwise railing



Nominal length mm	Order no.		PU
	left	right	
270	**9 121 953**	**9 121 954**	1/30 ea.
300	**9 121 963**	**9 121 964**	1/30 ea.
350	**9 121 973**	**9 121 974**	1/30 ea.
400	**9 121 983**	**9 121 984**	1/30 ea.
450	**9 121 993**	**9 121 994**	1/30 ea.
500	**9 122 003**	**9 122 004**	1/30 ea.
550	**9 122 013**	**9 122 014**	1/30 ea.
650	**9 122 033**	**9 122 034**	1/30 ea.

8 TopSide

- Includes knock in and screw on front connectors



Nominal length mm	Order no.	PU
400	**9 122 912**	1 set
450	**9 122 916**	1 set
500	**9 122 920**	1 set
550	**9 122 924**	1 set
650	**9 122 932**	1 set

9 DesignSide in glass

- Clear float glass with glued on connectors
- Material 8 mm thick
- [10] DesignSide adapters must be ordered separately



Nominal length mm	Order no.	PU
270	**9 122 983**	1 set
300	**9 122 984**	1 set
350	**9 122 985**	1 set
400	**9 122 986**	1 set
450	**9 122 987**	1 set
500	**9 122 988**	1 set
550	**9 122 989**	1 set
650	**9 122 990**	1 set

10 DesignSide adapter

- Includes knock in and screw on front connectors
- For combining with 9 DesignSide in glass or 11 DesignSide connector



Order no.	PU
9 122 973	1/15 set

11 DesignSide connector

- For screwing or gluing (ø 3 x 10)
- For combining with DesignSide in any chosen material (8 mm thick material)
- 10 DesignSide adapters must be ordered separately



Order no.	PU
9 122 998	1/15 set

12 Steel rear panel

- For standard carcase width



Carcase width mm	Order no.	PU
275	**9 121 583**	1/10 ea.
300	**9 121 584**	1/10 ea.
350	**9 121 586**	1/10 ea.
400	**9 121 588**	1/10 ea.
450	**9 121 590**	1/10 ea.
500	**9 121 592**	1/10 ea.
550	**9 121 594**	1/10 ea.
600	**9 121 596**	1/10 ea.
700	**9 121 598**	1/10 ea.
800	**9 121 600**	1/10 ea.
900	**9 121 602**	1/10 ea.
1000	**9 121 604**	1/5 ea.
1200	**9 121 608**	1/5 ea.

13 Aluminium rear panel

- For variable or standard carcase width
- For cutting to length
- Length 1140 mm
- 14 Rear panel connectors must be ordered separately



Order no.	PU
9 121 886	1 ea.

14 Rear panel connector

- For wooden or aluminium rear panel



Order no.		PU
left	right	
9 121 851	**9 121 852**	1/30 ea.

15 Front

- For standard carcase width
- With premounted connectors and premounted railing



Carcase width mm	Order no.	PU
300	**9 122 876**	1/15 ea.
400	**9 122 877**	1/15 ea.
450	**9 122 878**	1/15 ea.
500	**9 122 879**	1/15 ea.
600	**9 122 880**	1/15 ea.
800	**9 122 881**	1/15 ea.
900	**9 122 882**	1/15 ea.
1000	**9 122 883**	1/15 ea.
1200	**9 122 884**	1/15 ea.

16 Aluminium front

- For variable or standard carcase width
- For cutting to length
- Length 1140 mm
- 17 Railing and 18 connectors must be ordered separately



Order no.	PU
9 123 098	1 ea.

17 Railing for aluminium front

- Steel
- For cutting to length
- Length 1140 mm



Order no.	PU
9 123 095	1 ea.

18 Connector for front

- For combining with 16 aluminium front panel and 17 railing for aluminium front panel or front panel in any chosen material
- When using any chosen material with a total load of up to 60 kg



Order no.	PU
9 123 092	1/15 set

- **Pot-and pan / internal pot-and-pan drawer, height 218 mm, drawer side profile height 126 mm**
- **Powder coated steel, silver**

INTERFER
www.interfer.pt

19 Profile for front

- For front panel in any chosen material
- To cut to length, 2 profiles per front
- Length 1140 mm
- Aluminium
- 18 Connectors must be ordered separately



Order no.	PU
9 123 097	1 ea.


Double walled drawer system ArciTech

- **Pot-and-pan drawer, height 250 mm, drawer side profile height 94 mm**
- **Powder coated steel, silver**





Exploded diagram



Components

1 Drawer side profile, left and right
2 Drawer front connector for side profile, 2 each
3 Front stabiliser
4 Cover cap, 2 each
5 Drawer front connector for lengthwise railing, 2 each
6 Actro drawer runner, left and right, see page 305
7 Lengthwise railing, left and right
8 Steel rear panel
Alternatively:
C Wooden rear panel and
9 Rear panel connector, left and right
A Front
B Bottom panel (material 16 mm thick)
C Wooden rear panel (material 16 mm thick)

Advice

Technical information, see pages 339, 346 - 361
Actro drawer runner, see page 305

1 Drawer side profile



Nominal length mm	Order no.		PU
	left	right	
270	**9 121 197**	**9 121 198**	1/15 ea.
300	**9 121 199**	**9 121 200**	1/15 ea.
350	**9 121 201**	**9 121 202**	1/15 ea.
400	**9 121 203**	**9 121 204**	1/15 ea.
450	**9 121 205**	**9 121 206**	1/15 ea.
500	**9 121 207**	**9 121 208**	1/15 ea.
550	**9 121 209**	**9 121 210**	1/15 ea.
650	**9 121 211**	**9 121 212**	1/15 ea.

2 Drawer front connector for side profile

- Steel



Mounting option	Order no.	PU
Screw on type	**9 123 011**	1/150 ea.
Knock in type	**9 123 010**	1/150 ea.

3 Front stabiliser

- For stabilising wide and/or high fronts
- Use recommended on carcases in widths of 600 mm and over and / or front panel heights of 450 mm and over
- Plastic



Order no.	PU
9 123 080	1/150 ea.

4 Cover cap

- Plastic



Finish	Order no.	PU
anthracite with Hettich logo	**9 123 005**	1/300 ea.
anthracite	**9 123 000**	1/300 ea.
aluminium look with Hettich logo	**9 123 009**	1/300 ea.
aluminium look	**9 123 004**	1/300 ea.
chrome look with Hettich logo	**9 123 008**	1/300 ea.
chrome look	**9 123 003**	1/300 ea.

Cover cap with customised imprint available on request

5 Drawer front connector for lengthwise railing

- Plastic



Mounting option	Order no.	PU
Screw on type	**9 127 011**	1/300 ea.
Knock in type	**9 127 000**	1/300 ea.

7 Lengthwise railing



Nominal length mm	Order no.		PU
	left	right	
270	**9 121 953**	**9 121 954**	1/30 ea.
300	**9 121 963**	**9 121 964**	1/30 ea.
350	**9 121 973**	**9 121 974**	1/30 ea.
400	**9 121 983**	**9 121 984**	1/30 ea.
450	**9 121 993**	**9 121 994**	1/30 ea.
500	**9 122 003**	**9 122 004**	1/30 ea.
550	**9 122 013**	**9 122 014**	1/30 ea.
650	**9 122 033**	**9 122 034**	1/30 ea.

8 Steel rear panel

- For standard carcase width



Carcase width mm	Order no.	PU
275	**9 121 661**	1/10 ea.
300	**9 121 662**	1/10 ea.
350	**9 121 664**	1/10 ea.
400	**9 121 666**	1/10 ea.
450	**9 121 668**	1/10 ea.
500	**9 121 670**	1/10 ea.
550	**9 121 672**	1/10 ea.
600	**9 121 674**	1/10 ea.
700	**9 121 676**	1/10 ea.
800	**9 121 678**	1/10 ea.
900	**9 121 680**	1/10 ea.
1000	**9 121 682**	1/5 ea.
1200	**9 121 686**	1/5 ea.

9 Rear panel connector

- For wooden rear panel



Order no.		PU
left	right	
9 121 859	**9 121 860**	1/30 ea.

Double walled drawer system ArciTech

- **Pot-and-pan drawer, height 250 mm, drawer side profile height 126 mm**
- **Powder coated steel, silver**










Exploded diagram



Components

1 Drawer side profile, left and right
2 Drawer front connector for side profile, 2 each
3 Front stabiliser
4 Cover cap, 2 each
5 Drawer front connector for lengthwise railing, 2 each
6 Actro drawer runner, left and right, see page 305
7 Lengthwise railing, left and right

Alternative 1:
8 TopSide

Alternative 2:
9 DesignSide in glass and
10 DesignSide adapter

Alternative 3:
D DesignSide in any chosen material and
10 DesignSide adapter and
11 DesignSide connector

12 Steel rear panel

Alternatively:
C Wooden rear panel and
13 Rear panel connector, left and right

A Front
B Bottom panel (material 16 mm thick)
C Wooden rear panel (material 16 mm thick)
D DesignSide in any chosen material (material 8 mm thick)

Advice

Technical information, see pages 340 - 341, 346 - 361
Actro drawer runner, see page 305

1 Drawer side profile



Nominal length mm	Order no.		PU
	left	right	
270	**9 121 213**	**9 121 214**	1/15 ea.
300	**9 121 215**	**9 121 216**	1/15 ea.
350	**9 121 217**	**9 121 218**	1/15 ea.
400	**9 121 219**	**9 121 220**	1/15 ea.
450	**9 121 221**	**9 121 222**	1/15 ea.
500	**9 121 223**	**9 121 224**	1/15 ea.
550	**9 121 225**	**9 121 226**	1/15 ea.
650	**9 121 227**	**9 121 228**	1/15 ea.

2 Drawer front connector for side profile

- Steel



Mounting option	Order no.	PU
Screw on type	**9 123 011**	1/150 ea.
Knock in type	**9 123 010**	1/150 ea.

3 Front stabiliser

- For stabilising wide and/or high fronts
- Use recommended on carcases in widths of 600 mm and over and / or front panel heights of 450 mm and over
- Plastic



Order no.	PU
9 123 080	1/150 ea.

4 Cover cap

- Plastic



Finish	Order no.	PU
anthracite with Hettich logo	**9 123 005**	1/300 ea.
anthracite	**9 123 000**	1/300 ea.
aluminium look with Hettich logo	**9 123 009**	1/300 ea.
aluminium look	**9 123 004**	1/300 ea.
chrome look with Hettich logo	**9 123 008**	1/300 ea.
chrome look	**9 123 003**	1/300 ea.

Cover cap with customised imprint available on request

5 Drawer front connector for lengthwise railing

- Plastic



Mounting option	Order no.	PU
Screw on type	**9 127 011**	1/300 ea.
Knock in type	**9 127 000**	1/300 ea.

7 Lengthwise railing



Nominal length mm	Order no.		PU
	left	right	
270	**9 121 953**	**9 121 954**	1/30 ea.
300	**9 121 963**	**9 121 964**	1/30 ea.
350	**9 121 973**	**9 121 974**	1/30 ea.
400	**9 121 983**	**9 121 984**	1/30 ea.
450	**9 121 993**	**9 121 994**	1/30 ea.
500	**9 122 003**	**9 122 004**	1/30 ea.
550	**9 122 013**	**9 122 014**	1/30 ea.
650	**9 122 033**	**9 122 034**	1/30 ea.

8 TopSide

- Includes knock in and screw on front connectors



Nominal length mm	Order no.	PU
400	**9 122 949**	1 set
450	**9 122 953**	1 set
500	**9 122 957**	1 set
550	**9 122 961**	1 set
650	**9 122 969**	1 set

9 DesignSide in glass

- Clear float glass with glued on connectors
- Material 8 mm thick
- [10] DesignSide adapters must be ordered separately



Nominal length mm	Order no.	PU
270	**9 122 991**	1 set
300	**9 122 992**	1 set
350	**9 122 993**	1 set
400	**9 122 994**	1 set
450	**9 122 995**	1 set
500	**9 122 996**	1 set
550	**9 122 997**	1 set
650	**9 123 078**	1 set

- **Pot-and-pan drawer, height 250 mm, drawer side profile height 126 mm**
- **Powder coated steel, silver**

10 DesignSide adapter

- Includes knock in and screw on front connectors
- For combining with 9 DesignSide in glass or 11 DesignSide connector



Order no.	PU
9 122 978	1/15 set

11 DesignSide connector

- For screwing or gluing (ø 3 x 10)
- For combining with DesignSide in any chosen material (8 mm thick material)
- 10 DesignSide adapters must be ordered separately



Order no.	PU
9 122 998	1/15 set

12 Steel rear panel

- For standard carcase width



Carcase width mm	Order no.	PU
275	**9 121 661**	1/10 ea.
300	**9 121 662**	1/10 ea.
350	**9 121 664**	1/10 ea.
400	**9 121 666**	1/10 ea.
450	**9 121 668**	1/10 ea.
500	**9 121 670**	1/10 ea.
550	**9 121 672**	1/10 ea.
600	**9 121 674**	1/10 ea.
700	**9 121 676**	1/10 ea.
800	**9 121 678**	1/10 ea.
900	**9 121 680**	1/10 ea.
1000	**9 121 682**	1/5 ea.
1200	**9 121 686**	1/5 ea.

13 Rear panel connector

- For wooden rear panel



Order no.		PU
left	**right**	
9 121 859	**9 121 860**	1/30 ea.

INTERFER
www.interfer.pt


Double walled drawer system ArciTech

- **Pot-and-pan drawer, height 282 mm, drawer side profile height 94 mm**
- **Powder coated steel, silver**





Exploded diagram



Components

1 Drawer side profile, left and right
2 Drawer front connector for side profile, 2 each
3 Front stabiliser
4 Cover cap, 2 each
5 Drawer front connector for lengthwise railing, 2 each
6 Actro drawer runner, left and right, see page 305
7 Lengthwise railing, left and right
8 Steel rear panel
Alternatively:
C Wooden rear panel and
9 Rear panel connector, left and right
A Front
B Bottom panel (material 16 mm thick)
C Wooden rear panel (material 16 mm thick)

Advice

Technical information, see pages 342, 346 - 361
Actro drawer runner, see page 305

1 Drawer side profile



Nominal length mm	Order no.		PU
	left	right	
270	**9 121 197**	**9 121 198**	1/15 ea.
300	**9 121 199**	**9 121 200**	1/15 ea.
350	**9 121 201**	**9 121 202**	1/15 ea.
400	**9 121 203**	**9 121 204**	1/15 ea.
450	**9 121 205**	**9 121 206**	1/15 ea.
500	**9 121 207**	**9 121 208**	1/15 ea.
550	**9 121 209**	**9 121 210**	1/15 ea.
650	**9 121 211**	**9 121 212**	1/15 ea.

2 Drawer front connector for side profile

- Steel



Mounting option	Order no.	PU
Screw on type	**9 123 011**	1/150 ea.
Knock in type	**9 123 010**	1/150 ea.

3 Front stabiliser

- For stabilising wide and/or high fronts
- Use recommended on carcases in widths of 600 mm and over and / or front panel heights of 450 mm and over
- Plastic



Order no.	PU
9 123 080	1/150 ea.

4 Cover cap

- Plastic



Finish	Order no.	PU
anthracite with Hettich logo	**9 123 005**	1/300 ea.
anthracite	**9 123 000**	1/300 ea.
aluminium look with Hettich logo	**9 123 009**	1/300 ea.
aluminium look	**9 123 004**	1/300 ea.
chrome look with Hettich logo	**9 123 008**	1/300 ea.
chrome look	**9 123 003**	1/300 ea.

Cover cap with customised imprint available on request

5 Drawer front connector for lengthwise railing

- Plastic



Mounting option	Order no.	PU
Screw on type	**9 127 011**	1/300 ea.
Knock in type	**9 127 000**	1/300 ea.

7 Lengthwise railing



Nominal length mm	Order no.		PU
	left	right	
270	**9 121 953**	**9 121 954**	1/30 ea.
300	**9 121 963**	**9 121 964**	1/30 ea.
350	**9 121 973**	**9 121 974**	1/30 ea.
400	**9 121 983**	**9 121 984**	1/30 ea.
450	**9 121 993**	**9 121 994**	1/30 ea.
500	**9 122 003**	**9 122 004**	1/30 ea.
550	**9 122 013**	**9 122 014**	1/30 ea.
650	**9 122 033**	**9 122 034**	1/30 ea.

8 Steel rear panel

- For standard carcase width



Carcase width mm	Order no.	PU
275	**9 121 739**	1/10 ea.
300	**9 121 740**	1/10 ea.
350	**9 121 742**	1/10 ea.
400	**9 121 744**	1/10 ea.
450	**9 121 746**	1/10 ea.
500	**9 121 748**	1/10 ea.
550	**9 121 750**	1/10 ea.
600	**9 121 752**	1/10 ea.
700	**9 121 754**	1/5 ea.
800	**9 121 756**	1/5 ea.
900	**9 121 758**	1/5 ea.
1000	**9 121 760**	1/5 ea.
1200	**9 121 764**	1/5 ea.

9 Rear panel connector

- For wooden rear panel



Order no.		PU
left	right	
9 121 867	**9 121 868**	1/30 ea.


Double walled drawer system ArciTech

- **Pot-and-pan drawer, height 282 mm, drawer side profile height 126 mm**
- **Powder coated steel, silver**





Exploded diagram



Components

1 Drawer side profile, left and right
2 Drawer front connector for side profile, 2 each
3 Front stabiliser
4 Cover cap, 2 each
5 Drawer front connector for lengthwise railing, 2 each
6 Actro drawer runner, left and right, see page 305
7 Lengthwise railing, left and right
8 Steel rear panel
Alternatively:
C Wooden rear panel and
9 Rear panel connector, left and right
A Front
B Bottom panel (material 16 mm thick)
C Wooden rear panel (material 16 mm thick)

Advice

Technical information, see pages 343, 346 - 361
Actro drawer runner, see page 305

1 Drawer side profile



Nominal length mm	Order no.		PU
	left	right	
270	**9 121 213**	**9 121 214**	1/15 ea.
300	**9 121 215**	**9 121 216**	1/15 ea.
350	**9 121 217**	**9 121 218**	1/15 ea.
400	**9 121 219**	**9 121 220**	1/15 ea.
450	**9 121 221**	**9 121 222**	1/15 ea.
500	**9 121 223**	**9 121 224**	1/15 ea.
550	**9 121 225**	**9 121 226**	1/15 ea.
650	**9 121 227**	**9 121 228**	1/15 ea.

2 Drawer front connector for side profile

- Steel



Mounting option	Order no.	PU
Screw on type	**9 123 011**	1/150 ea.
Knock in type	**9 123 010**	1/150 ea.

3 Front stabiliser

- For stabilising wide and/or high fronts
- Use recommended on carcases in widths of 600 mm and over and / or front panel heights of 450 mm and over
- Plastic



Order no.	PU
9 123 080	1/150 ea.

4 Cover cap

- Plastic



Finish	Order no.	PU
anthracite with Hettich logo	**9 123 005**	1/300 ea.
anthracite	**9 123 000**	1/300 ea.
aluminium look with Hettich logo	**9 123 009**	1/300 ea.
aluminium look	**9 123 004**	1/300 ea.
chrome look with Hettich logo	**9 123 008**	1/300 ea.
chrome look	**9 123 003**	1/300 ea.

Cover cap with customised imprint available on request

5 Drawer front connector for lengthwise railing

- Plastic



Mounting option	Order no.	PU
Screw on type	**9 127 011**	1/300 ea.
Knock in type	**9 127 000**	1/300 ea.

7 Lengthwise railing



Nominal length mm	Order no.		PU
	left	right	
270	**9 121 953**	**9 121 954**	1/30 ea.
300	**9 121 963**	**9 121 964**	1/30 ea.
350	**9 121 973**	**9 121 974**	1/30 ea.
400	**9 121 983**	**9 121 984**	1/30 ea.
450	**9 121 993**	**9 121 994**	1/30 ea.
500	**9 122 003**	**9 122 004**	1/30 ea.
550	**9 122 013**	**9 122 014**	1/30 ea.
650	**9 122 033**	**9 122 034**	1/30 ea.

8 Steel rear panel

- For standard carcase width



Carcase width mm	Order no.	PU
275	**9 121 739**	1/10 ea.
300	**9 121 740**	1/10 ea.
350	**9 121 742**	1/10 ea.
400	**9 121 744**	1/10 ea.
450	**9 121 746**	1/10 ea.
500	**9 121 748**	1/10 ea.
550	**9 121 750**	1/10 ea.
600	**9 121 752**	1/10 ea.
700	**9 121 754**	1/5 ea.
800	**9 121 756**	1/5 ea.
900	**9 121 758**	1/5 ea.
1000	**9 121 760**	1/5 ea.
1200	**9 121 764**	1/5 ea.

9 Rear panel connector

- For wooden rear panel



Order no.		PU
left	right	
9 121 867	**9 121 868**	1/30 ea.


- **Drawer with bottom cutout, height 94 mm**
- **Powder coated steel, silver**

INTERFER
www.interfer.pt



- For utilising the space below the sink
- Other configurations are also possible

Exploded diagram



Components

1 Drawer side profile, 2 each left and right
2 Drawer front connector for side profile, 4 each
3 Front stabiliser
4 Cover cap, 4 each
5 Actro drawer runner, left and right, see page 305
6 Aluminium rear panel or C Wooden rear panel and
7 Rear panel connector, 2 each on left and right
A Front
B Bottom panel (material 16 mm thick)
C Wooden rear panel (material 16 mm thick)

Advice

Technical information, see pages 344, 346 - 361
Actro drawer runner, see page 305

1 Drawer side profile



Nominal length mm	Order no.		PU
	left	right	
270	**9 121 197**	**9 121 198**	1/15 ea.
300	**9 121 199**	**9 121 200**	1/15 ea.
350	**9 121 201**	**9 121 202**	1/15 ea.
400	**9 121 203**	**9 121 204**	1/15 ea.
450	**9 121 205**	**9 121 206**	1/15 ea.
500	**9 121 207**	**9 121 208**	1/15 ea.
550	**9 121 209**	**9 121 210**	1/15 ea.
650	**9 121 211**	**9 121 212**	1/15 ea.

2 Drawer front connector for side profile

- Steel



Mounting option	Order no.	PU
Screw on type	**9 123 011**	1/150 ea.
Knock in type	**9 123 010**	1/150 ea.

3 Front stabiliser

- For stabilising wide and/or high fronts
- Use recommended on carcases in widths of 600 mm and over and / or front panel heights of 450 mm and over
- Plastic



Order no.	PU
9 123 080	1/150 ea.

4 Cover cap

- Plastic



Finish	Order no.	PU
anthracite with Hettich logo	**9 123 005**	1/300 ea.
anthracite	**9 123 000**	1/300 ea.
aluminium look with Hettich logo	**9 123 009**	1/300 ea.
aluminium look	**9 123 004**	1/300 ea.
chrome look with Hettich logo	**9 123 008**	1/300 ea.
chrome look	**9 123 003**	1/300 ea.

Cover cap with customised imprint available on request

6 Aluminium rear panel

- For variable or standard carcase width
- For cutting to length
- Length 1140 mm
- 7 Rear panel connectors must be ordered separately



Order no.	PU
9 121 874	1 ea.

7 Rear panel connector

- For wooden or aluminium rear panel



Order no.		PU
left	right	
9 121 827	**9 121 828**	1/30 ea.


Double walled drawer system ArciTech

- **Pot-and-pan drawer with bottom cutout, height 186 mm, drawer side profile height 94 mm**
- **Powder coated steel, silver**



- For utilising the space below the sink
- Other configurations are also possible

Exploded diagram



Components

1 Drawer side profile, 2 each left and right
2 Drawer front connector for side profile, 4 each
3 Front stabiliser
4 Cover cap, 4 each
5 Drawer front connector for lengthwise railing, 2 each
6 Actro drawer runner, left and right, see page 305
7 Lengthwise railing, left and right
C Wooden rear panel and
8 Rear panel connector, 2 each on left and right
A Front
B Bottom panel (material 16 mm thick)
C Wooden rear panel (material 16 mm thick)

Advice

Technical information, see pages 345, 346 - 361
Actro drawer runner, see page 305

- **Pot-and-pan drawer with bottom cutout, height 186 mm, drawer side profile height 94 mm**
- **Powder coated steel, silver**

INTERFER
www.interfer.pt

1 Drawer side profile



Nominal length mm	Order no.		PU
	left	right	
270	**9 121 197**	**9 121 198**	1/15 ea.
300	**9 121 199**	**9 121 200**	1/15 ea.
350	**9 121 201**	**9 121 202**	1/15 ea.
400	**9 121 203**	**9 121 204**	1/15 ea.
450	**9 121 205**	**9 121 206**	1/15 ea.
500	**9 121 207**	**9 121 208**	1/15 ea.
550	**9 121 209**	**9 121 210**	1/15 ea.
650	**9 121 211**	**9 121 212**	1/15 ea.

2 Drawer front connector for side profile

- Steel



Mounting option	Order no.	PU
Screw on type	**9 123 011**	1/150 ea.
Knock in type	**9 123 010**	1/150 ea.

3 Front stabiliser

- For stabilising wide and/or high fronts
- Use recommended on carcases in widths of 600 mm and over and / or front panel heights of 450 mm and over
- Plastic



Order no.	PU
9 123 080	1/150 ea.

4 Cover cap

- Plastic



Finish	Order no.	PU
anthracite with Hettich logo	**9 123 005**	1/300 ea.
anthracite	**9 123 000**	1/300 ea.
aluminium look with Hettich logo	**9 123 009**	1/300 ea.
aluminium look	**9 123 004**	1/300 ea.
chrome look with Hettich logo	**9 123 008**	1/300 ea.
chrome look	**9 123 003**	1/300 ea.

Cover cap with customised imprint available on request

5 Drawer front connector for lengthwise railing

- Plastic



Mounting option	Order no.	PU
Screw on type	**9 127 011**	1/300 ea.
Knock in type	**9 127 000**	1/300 ea.

7 Lengthwise railing



Nominal length mm	Order no.		PU
	left	right	
270	**9 121 953**	**9 121 954**	1/30 ea.
300	**9 121 963**	**9 121 964**	1/30 ea.
350	**9 121 973**	**9 121 974**	1/30 ea.
400	**9 121 983**	**9 121 984**	1/30 ea.
450	**9 121 993**	**9 121 994**	1/30 ea.
500	**9 122 003**	**9 122 004**	1/30 ea.
550	**9 122 013**	**9 122 014**	1/30 ea.
650	**9 122 033**	**9 122 034**	1/30 ea.

8 Rear panel connector


- For wooden rear panel




Hight mm	Order no.		PU
	left	right	
94	**9 121 827**	**9 121 828**	1/30 ea.
186	**9 121 843**	**9 121 844**	1/30 ea.



- Carcase height 750 mm max.
- Carcase width 300 mm max.
- Actro drawer runner is required on the left and right, mounted diagonally
- Total loading capacity 20 kg max.
- Other configurations are also possible



Example application




No.	Application	see pages
1	ArciTech drawer Actro with Silent System	32 - 35 305
2	ArciTech pot-and-pan drawer Actro with Silent System	40 - 43 305



- For individual carcase heights and widths
- Optimum use of storage space
- Recommended carcase widths 300 - 600 mm
- Other configurations are also possible

Example application




No.	Application	see pages
1	ArciTech internal drawer Actro with Silent System	32 - 35 305
2	ArciTech pot-and-pan drawer Actro with Silent System	40 - 43 305
3	ArciTech internal drawer Actro with Silent System	32 - 35 305
4	ArciTech pot-and-pan drawer Actro with Silent System	40 - 43 305

- **Pantry unit**
- **Powder coated steel, silver**


INTERFER
www.interfer.pt



- For individual carcase heights and widths
- Optimum use of storage space
- Recommended carcase widths: 450 - 1200 mm, with 2 hinged doors for carcases wider than 600 mm
- Recommended hinge: Sensys 8657i fast-assembly concealed hinge
- Other configurations are also possible



Example application



No.	Application	see pages
1	ArciTech internal drawer Actro with Silent System	32 - 35 305
2	ArciTech internal drawer Actro with Silent System	32 - 35 305
3	ArciTech internal drawer Actro with Silent System	32 - 35 305
4	ArciTech internal pot-and-pan drawer Actro with Silent System	40 - 43 305
5	ArciTech internal pot-and-pan drawer Actro with Silent System	40 - 43 305
6	ArciTech internal pot-and-pan drawer Actro with Silent System	40 - 43 305



OrgaTray 600

74 - 75



OrgaTray 400

76



OrgaTray 420

77




OrgaTray 570

78



Banio

79




OrgaStore 400

80



OrgaStore 600

81




OrgaStore 810

82 - 83



OrgaStore 220

84



Accessories

85

Double walled drawer system ArciTech

- **Interior organisation system for drawers and internal drawers**
- **Powder coated steel, silver**

INTERFER
www.interfer.pt




- Type 1: Tailored to standard carcase width,
  for carcases in widths of 300 mm, 400 mm and 450 mm,
  for drawer side profiles in a height of 94 mm, includes anti slip mat
- Types 2 and 3: Variable in width,
  for carcases in widths of 500 mm and over, for drawer side profiles in heights of 94 mm and 126 mm,
  anti slip mat must be ordered separately
- For nominal lengths of 450 and 500 mm
- Nominal lengths of 550 and 650 mm possible with insert tray and perforated panel, see page 75
- Modules preassembled


OrgaTray 600

Carcase width mm	Type	Order no. / Nominal length mm		PU
		450	500	
300	1	**9 123 101**	**9 123 110**	1 set
400	1	**9 123 102**	**9 123 111**	1 set
450	1	**9 123 103**	**9 123 112**	1 set
500 - 1200	2	**9 132 637**	**9 132 689**	1 set
500 - 1200	3	**9 132 681**	**9 132 691**	1 set

Partitioning



NL = Nominal length D = Depth W = Width CW = Carcase width



Roll holder, spice rack and knife holder



- For OrgaTray 600, with a carcase width of 600 mm and over
- Width 154 mm
- Oak oiled


Article	Order no. / Nominal length mm		PU
	450	500	
Roll holder	**9 135 680**	**9 135 681**	1 ea.
Spice rack	**9 135 675**	**9 135 677**	1 ea.
Knife holder	**9 135 678**	**9 135 679**	1 ea.



- Complementing the OrgaTray 600 for nominal lengths of 550 and 650 mm
- Oiled oak

Insert tray






- For carcase widths of
  300, 400 und 450 mm: 1 insert tray, type 1
  500 mm: 1 insert tray, type 2, and perforated panel, see below
  600 mm: 2 insert trays, type 2
  Larger than 600 mm: 2 insert trays, type 2, and perforated panel, see below
- Length (L) = nominal length - 2

Type	Carcase width mm	Width (B) mm	Order no. / Nominal length mm		PU
			100	150	
1	300	199	**9 135 653**	**9 135 667**	1 ea.
1	400	299	**9 135 658**	**9 135 669**	1 ea.
1	450	349	**9 135 662**	**9 135 673**	1 ea.
2	500 - 1200	249	**9 135 665**	**9 135 674**	1 ea.

Perforated panel





- For adding to tray, type 2
- For cutting to size
- Material thickness 10 mm
- Dividers must be ordered separately, see below

Nominal length mm	Length (L) mm	Order no.	PU
100	98	**9 135 683**	1 ea.
150	148	**9 135 684**	1 ea.
650	622	**9 135 682**	1 ea.

Divider for perforated panel



- For adding to the perforated base
- For pushing in, with premounted pins
- Height 53 mm

Nominal length mm	Length (L) mm	Order no.	PU
100	98	**9 135 685**	1/5 ea.
150	148	**9 135 686**	1/5 ea.

Double walled drawer system ArciTech

- **Interior organisation system for drawers and internal drawers**
- **Powder coated steel, silver**




- Variable in width
- For 94 mm drawer side profile height
- For nominal lengths of 450 and 500 mm
- Plastic silver

OrgaTray 400


Nominal width (NB) mm	Carcase width mm	Width (B) mm	Order no. / Nominal length mm		PU
			450	500	
300	284 - 309	175 - 200	**9 135 070**	**9 135 081**	1 ea.
350	310 - 359	201 - 250	**9 135 071**	**9 135 085**	1 ea.
400	360 - 409	251 - 300	**9 135 072**	**9 135 086**	1 ea.
450	410 - 459	301 - 350	**9 135 074**	**9 135 087**	1 ea.
500	460 - 509	351 - 400	**9 135 076**	**9 135 088**	1 ea.
550	510 - 594	401 - 485	**9 135 078**	**9 135 089**	1 ea.
600	595 - 659	486 - 550	**9 135 079**	**9 135 090**	1 ea.
700	695 - 709	586 - 600		**9 135 091**	1 ea.
800	795 - 809	686 - 700		**9 135 092**	1 ea.
900	895 - 909	786 - 800		**9 135 093**	1 ea.
1000	995 - 1009	886 - 900		**9 135 094**	1 ea.
1200	1195 - 1209	1086 - 1100		**9 135 095**	1 ea.

Partitioning



NL = Nominal length D = Depth W = Width NB = Nominal width

Dimensions for cutting to size



- Trimmed width (B) = LB - 2 x EB - 47
- When using edge profiles, see page 85: trimmed width (B) = LB - 2 x EB - 51

Double walled drawer system ArciTech

- **Interior organisation system for drawers and internal drawers**
- **Powder coated steel, silver**




- Adapted to standard carcase width
- For 94 mm drawer side profile height
- For nominal lengths of 450 and 500 mm
- Plastic silver

OrgaTray 420

Carcase width mm	Order no. / Nominal length mm		PU
	450	500	
300	**9 135 118**	**9 135 560**	1 ea.
400	**9 135 119**	**9 135 574**	1 ea.
450	**9 135 120**	**9 135 575**	1 ea.
500	**9 135 121**	**9 135 577**	1 ea.
550	**9 135 122**	**9 135 578**	1 ea.
600	**9 135 124**	**9 135 580**	1 ea.
900	**9 135 125**	**9 135 592**	1 ea.

Partitioning



NL = Nominal length D = Depth W = Width CW = Carcase width

Double walled drawer system ArciTech

- **Interior organisation system for drawers and internal drawers**
- **Powder coated steel, silver**




- Adapted to standard carcase width
- For 94 mm drawer side profile height
- For nominal lengths of 400 / 450 and 500 mm
- Can be trimmed to nominal length of 400 mm.
  Cut length = nominal length (NL) - 27
- Set includes variable dividers for organising drawer in any way
- Plastic silver, dividing elements, anthracite

OrgaTray 570

Carcase width mm	Order no. / Nominal length mm		PU
	400 / 450	500	
300	**9 183 282**	**9 134 975**	1 set
350		**9 134 976**	1 set
400	**9 183 283**	**9 134 977**	1 set
450	**9 183 284**	**9 134 979**	1 set
500	**9 183 285**	**9 134 980**	1 set
550	**9 183 286**	**9 134 991**	1 set
600	**9 183 287**	**9 134 992**	1 set
800	**9 183 288**	**9 134 993**	1 set
900		**9 134 994**	1 set
1000	**9 183 289**	**9 134 995**	1 set

Partitioning



NL = Nominal length D = Depth W = Width CW = Carcase width

- **Interior organisation system for drawers and internal drawers**
- **Powder coated steel, silver**

INTERFER
www.interfer.pt



- For drawer or pot-and-pan drawer
- Suitable for nominal depths up to 500 mm
- Recommended for use with carcases in widths of 600 mm and over
- Frame set and container set must be ordered separately

Banio frame set



- Plastic, grey

Order no.	PU
9 153 387	1 set

Banio container set




- The set comprises 3 containers
- Translucent plastic

Order no.	PU
9 153 388	1 set

INTERFER
www.interfer.pt

- **Interior organisation system for pot-and-pan drawers and internal pot-and-pan drawers**
- **Powder coated steel, silver**



- For pot-and-pan drawer or internal pot-and-pan drawer with railing
- Crosswise railings and lengthwise dividers must be ordered separately
- It is recommended to fit an anti slip mat

OrgaStore 400 standard carcase width



- Adapted to standard carcase width
- Lengthwise dividers must be ordered separately

Carcase width mm	Order no.	PU
300	**9 139 148**	1/30 ea.
350	**9 139 149**	1/30 ea.
400	**9 139 172**	1/30 ea.
450	**9 139 173**	1/30 ea.
500	**9 139 174**	1/30 ea.
550	**9 139 176**	1/30 ea.
600	**9 139 177**	1/30 ea.
800	**9 139 152**	1/30 ea.
900	**9 139 153**	1/30 ea.
1000	**9 139 154**	1/30 ea.
1200	**9 139 155**	1/30 ea.

OrgaStore 400 customised width



- Suitable for customised carcase widths
- Crosswise railings, adapters and lengthwise dividers must be ordered separately
- Crosswise railing length 2000 mm
- B = LB - 2 x EB - 34.5
- Adapter, plastic, anthracite

Article	Length mm	Order no.	PU
Crosswise railing	2000	**9 182 706**	1 ea.
Adapter		**9 182 222**	1/30 ea.

OrgaStore 400 lengthwise divider



- Plastic, anthracite

Order no.	PU
9 182 225	1/15 ea.

INTERFER
www.interfer.pt

- **Interior organisation system for pot-and-pan drawers and internal pot-and-pan drawers**
- **Powder coated steel, silver**



- Adapted to standard carcase width
- For nominal lengths of 450, 500, 550 and 650 mm
- Set includes variable dividers for organising drawer in any way
- Grey / anthracite plastic
- Height 145 mm

OrgaStore 600

Carcase width mm	Order no. / Nominal length mm				PU
	450	500	550	650	
300	**9 123 155**	**9 123 164**	**9 123 173**	**9 123 182**	1 set
400	**9 123 156**	**9 123 165**	**9 123 174**	**9 123 183**	1 set
450	**9 123 157**	**9 123 166**	**9 123 175**	**9 123 184**	1 set
500	**9 123 158**	**9 123 167**	**9 123 176**	**9 123 185**	1 set
600	**9 123 159**	**9 123 168**	**9 123 177**	**9 123 186**	1 set
800	**9 123 160**	**9 123 169**	**9 123 178**	**9 123 187**	1 set
900	**9 123 161**	**9 123 170**	**9 123 179**	**9 123 188**	1 set
1000	**9 123 162**	**9 123 171**	**9 123 180**	**9 123 189**	1 set
1200	**9 123 163**	**9 123 172**	**9 123 181**	**9 123 190**	1 set

Double walled drawer system ArciTech

- **Interior organisation system for pot-and-pan drawers and internal pot-and-pan drawers**
- **Powder coated steel, silver**

INTERFER
www.interfer.pt




- Adapted to standard carcase width
- Can be used for nominal lengths of 300 mm and over
- Can be used for drawer side profile heights of 94 mm and 126 mm
- Plastic elements, anthracite


Set comprises:
- 1 aluminium profile with plastic adapters
- Plastic dividing elements

OrgaStore 810

Carcase width mm	Number of dividers	Order no.	PU
300	2	**9 182 254**	1 set
450	3	**9 182 255**	1 set
600	3	**9 182 256**	1 set
900	5	**9 182 257**	1 set
1200	6	**9 182 258**	1 set


Partitioning





CW = Carcase width

Dimensions for cutting to size



- B = LB - 2 x EB - 78

OrgaStore 810 adapter



- Plastic, anthracite
- Plugs onto aluminium profile without the need for tools

Order no.	PU
9 182 234	1/30 ea.

OrgaStore 810 aluminium profile



- For cutting to length
- Adapters must be ordered separately
- Length 2000 mm

Order no.	PU
9 182 247	1 ea.

OrgaStore 810 divider



- Plastic, anthracite
- Also available for adding to set

Order no.	PU
9 182 231	1/15 ea.

INTERFER
www.interfer.pt

- **Interior organisation system for pot-and-pan drawers and internal pot-and-pan drawers**
- **Powder coated steel, silver**



OrgaStore 220



- Adapted to standard carcase width
- For nominal lengths of 500 and 650 mm
- Can be cut to any chosen length
- Dividing rails or cross partitions must be ordered separately, see below
- Oiled oak

Carcase width mm	Nominal length mm	**Order no.**	PU
600	500	**9 135 406**	1 ea.
900	500	**9 135 407**	1 ea.
1200	650	**9 135 404**	1 ea.

Dividing rod / cross partition




Dividing rod
- Length 175 mm, ø 25 mm
- For twisting in, with premounted dowel
- Oiled oak

Cross partition
- 150 x 190 x 10 mm
- For pushing in, with premounted pins
- Oiled oak

Article	**Order no.**	PU
Dividing rod	**9 135 405**	1/5 ea.
Cross partition	**9 138 104**	1/5 ea.


Dimensions for cutting to size



- Trimmed width (B) = LB - 2 x EB - 54
- Trimmed depth = nominal length - 27

Anti slip mat






- For inserting into the drawer or pot-and-pan drawer
- Dimensions 1076 x 623 mm
- Trimmed width (B) = inside carcase width - 2 x EB - 62
- Trimmed depth (L) = nominal length - 27
- Plastic anthracite

Order no.	PU
9 135 622	1/5 ea.

Edge profile





- Can be used with OrgaTray 400, 420 and 570
- For clipping on at the side
- Tray width must be reduced by 4 mm
- For 500 mm nominal length
- Can be shortened as required
- Plastic chrome look

Set comprises:
- 2 edge profiles

Order no.	PU
9 135 408	1 set

INTERFER
www.interfer.pt



Drawer, height 78 mm

88 - 89



Drawer, height 94 mm

90 - 93



Internal drawer, height 94 mm

90 - 93



Drawer, height 126 mm

94 - 97



Internal drawer, height 126 mm

94 - 97



Pot-and-pan drawer, height 186 mm
Drawer side profile height 94 mm

98 - 101



Internal pot-and-pan drawer, height 186 mm
Drawer side profile height 94 mm

98 - 101



Pot-and-pan drawer, height 186 mm
Drawer side profile height 126 mm

102 - 105



Internal pot-and-pan drawer, height 186 mm
Drawer side profile height 126 mm

102 - 105



Pot-and-pan drawer, height 218 mm
Drawer side profile height 94 mm

106 - 109



Internal pot-and-pan drawer, height 218 mm
Drawer side profile height 94 mm

106 - 109



Pot-and-pan drawer, height 218 mm
Drawer side profile height 126 mm

110 - 113



Internal pot-and-pan drawer, height 218 mm
Drawer side profile height 126 mm
110 - 113



Pot-and-pan drawer, height 250 mm
Drawer side profile height 94 mm
114 - 115



Pot-and-pan drawer, height 250 mm
Drawer side profile height 126 mm
116 - 119



Pot-and-pan drawer, height 282 mm
Drawer side profile height 94 mm
120 - 121



Pot-and-pan drawer, height 282 mm
Drawer side profile height 126 mm
122 - 123



Drawer, height 94 mm
with bottom cutout
124 - 125



Pot-and-pan drawer, height 186 mm
with bottom cutout
126 - 127



Narrow base unit
128



Tall unit/pantry
129 - 130



Interior organisation system for drawers / internal drawers
131




Interior organisation system for pot-and-pan drawers / internal pot-and-pan drawers
131

- **Drawer height 78 mm**
- **Powder coated steel, white**



Exploded diagram



Components

1 Drawer side profile, left and right
2 Drawer front connector for side profile, 2 each
3 Front stabiliser
4 Cover cap, 2 each
5 Actro drawer runner, left and right, see page 305
6 Steel rear panel
Alternatively:
C Wooden rear panel and
7 Rear panel connector, left and right
A Front
B Bottom panel (material 16 mm thick)
C Wooden rear panel (material 16 mm thick)

Advice

Technical information, see pages 320, 346 - 361
Actro drawer runner, see page 305

1 Drawer side profile

- E.g. for such applications as oven bottom drawer



Nominal length mm	Order no.		PU
	left	right	
500	**9 121 235**	**9 121 236**	1/15 ea.

2 Drawer front connector for side profile

- Only for 78 mm height
- Can only be fitted with insertion aid, see page 384
- Plastic



Mounting option	Order no.	PU
Knock in type	**9 123 081**	1/150 ea.

3 Front stabiliser

- For stabilising wide and/or high fronts
- Use recommended on carcases in widths of 600 mm and over and / or front panel heights of 450 mm and over
- Plastic



Order no.	PU
9 123 080	1/150 ea.

4 Cover cap

- Plastic



Finish	Order no.	PU
white with Hettich logo	**9 123 006**	1/300 ea.
white	**9 123 001**	1/300 ea.
chrome look with Hettich logo	**9 123 008**	1/300 ea.
chrome look	**9 123 003**	1/300 ea.

Cover cap with customised imprint available on request

6 Steel rear panel

- For standard carcase width
- Use self tapping screw 3.5 x 6 DIN 7500 for fitting to drawer side profile, see page 318



Carcase width mm	Order no.	PU
600	**9 121 345**	1/20 ea.
900	**9 121 346**	1/20 ea.

7 Rear panel connector

- For wooden rear panel
- Use self tapping screw 3.5 x 6 DIN 7500 for fitting to drawer side profile, see page 318




Order no.		PU
left	right	
9 121 821	**9 121 822**	1/30 ea.

white





Exploded diagram



Components

1 Drawer side profile, left and right
2 Drawer front connector for side profile, 2 each
3 Front stabiliser
4 Cover cap, 2 each
5 Actro drawer runner, left and right, see page 305
6 Steel rear panel
Alternatively:
7 Aluminium rear panel or C Wooden rear panel and
8 Rear panel connector, left and right
9 Front for internal drawer
Alternative 1:
10 Aluminium front panel and
11 Connector for front
Alternative 2:
D Front panel in any chosen material and
11 Connector for front and
12 Profile for front
A Front
B Bottom panel (material 16 mm thick)
C Wooden rear panel (material 16 mm thick)
D Front panel in any chosen material (material 6 mm thick)

Advice

Technical information, see pages 321 - 322, 346 - 361
Actro drawer runner, see page 305

1 Drawer side profile



Nominal length mm	Order no.		PU
	left	right	
270	**9 121 239**	**9 121 240**	1/15 ea.
300	**9 121 241**	**9 121 242**	1/15 ea.
350	**9 121 243**	**9 121 244**	1/15 ea.
400	**9 121 245**	**9 121 246**	1/15 ea.
450	**9 121 247**	**9 121 248**	1/15 ea.
500	**9 121 249**	**9 121 250**	1/15 ea.
550	**9 121 251**	**9 121 252**	1/15 ea.
650	**9 121 253**	**9 121 254**	1/15 ea.

2 Drawer front connector for side profile

- Steel



Mounting option	Order no.	PU
Screw on type	**9 123 011**	1/150 ea.
Knock in type	**9 123 010**	1/150 ea.

3 Front stabiliser

- For stabilising wide and/or high fronts
- Use recommended on carcases in widths of 600 mm and over and / or front panel heights of 450 mm and over
- Plastic



Order no.	PU
9 123 080	1/150 ea.

4 Cover cap

- Plastic



Finish	Order no.	PU
white with Hettich logo	**9 123 006**	1/300 ea.
white	**9 123 001**	1/300 ea.
chrome look with Hettich logo	**9 123 008**	1/300 ea.
chrome look	**9 123 003**	1/300 ea.

Cover cap with customised imprint available on request

6 Steel rear panel

- For standard carcase width



Carcase width mm	Order no.	PU
275	**9 121 375**	1/20 ea.
300	**9 121 376**	1/20 ea.
350	**9 121 378**	1/20 ea.
400	**9 121 380**	1/20 ea.
450	**9 121 382**	1/20 ea.
500	**9 121 384**	1/20 ea.
550	**9 121 386**	1/20 ea.
600	**9 121 388**	1/20 ea.
700	**9 121 390**	1/20 ea.
800	**9 121 392**	1/20 ea.
900	**9 121 394**	1/20 ea.
1000	**9 121 396**	1/20 ea.
1200	**9 121 400**	1/20 ea.

7 Aluminium rear panel

- For variable or standard carcase width
- For cutting to length
- Length 1140 mm
- 8 Rear panel connectors must be ordered separately



Order no.	PU
9 121 875	1 ea.

8 Rear panel connector

- For wooden or aluminium rear panel



Order no.		PU
left	right	
9 121 829	**9 121 830**	1/30 ea.

9 Front

- For standard carcase width
- With premounted connectors



Carcase width mm	Order no.	PU
300	**9 122 804**	1/15 ea.
400	**9 122 805**	1/15 ea.
450	**9 122 806**	1/15 ea.
500	**9 122 807**	1/15 ea.
600	**9 122 808**	1/15 ea.
800	**9 122 809**	1/15 ea.
900	**9 122 810**	1/15 ea.
1000	**9 122 811**	1/15 ea.
1200	**9 122 812**	1/15 ea.

10 Aluminium front

- For variable or standard carcase width
- For cutting to length
- Length 1140 mm
- 11 Connectors must be ordered separately

Order no.	PU
9 123 099	1 ea.

11 Connector for front

- For combining with 10 aluminium front panel or front panel in any chosen material
- When using any chosen material with a total load of up to 60 kg

Order no.	PU
9 123 084	1/15 set

12 Profile for front

- For front panel in any chosen material
- To cut to length, 2 profiles per front
- Length 1140 mm
- Aluminium
- 11 Connectors must be ordered separately




Order no.	PU
9 123 097	1 ea.

INTERFER
www.interfer.pt





Exploded diagram



Components

1 Drawer side profile, left and right
2 Drawer front connector for side profile, 2 each
3 Front stabiliser
4 Cover cap, 2 each
5 Actro drawer runner, left and right, see page 305
6 Steel rear panel
Alternatively:
7 Aluminium rear panel or C Wooden rear panel and
8 Rear panel connector, left and right
9 Front for internal drawer
Alternative 1:
10 Aluminium front panel and
11 Connector for front
Alternative 2:
D Front panel in any chosen material and
11 Connector for front and
12 Profile for front
A Front
B Bottom panel (material 16 mm thick)
C Wooden rear panel (material 16 mm thick)
D Front panel in any chosen material (material 6 mm thick)

Advice

Technical information, see pages 323 - 324, 346 - 361
Actro drawer runner, see page 305

1 Drawer side profile



Nominal length mm	Order no.		PU
	left	right	
270	**9 121 255**	**9 121 256**	1/15 ea.
300	**9 121 257**	**9 121 258**	1/15 ea.
350	**9 121 259**	**9 121 260**	1/15 ea.
400	**9 121 261**	**9 121 262**	1/15 ea.
450	**9 121 263**	**9 121 264**	1/15 ea.
500	**9 121 265**	**9 121 266**	1/15 ea.
550	**9 121 267**	**9 121 268**	1/15 ea.
650	**9 121 269**	**9 121 270**	1/15 ea.

2 Drawer front connector for side profile

- Steel



Mounting option	Order no.	PU
Screw on type	**9 123 011**	1/150 ea.
Knock in type	**9 123 010**	1/150 ea.

3 Front stabiliser

- For stabilising wide and/or high fronts
- Use recommended on carcases in widths of 600 mm and over and / or front panel heights of 450 mm and over
- Plastic



Order no.	PU
9 123 080	1/150 ea.

4 Cover cap

- Plastic



Finish	Order no.	PU
white with Hettich logo	**9 123 006**	1/300 ea.
white	**9 123 001**	1/300 ea.
chrome look with Hettich logo	**9 123 008**	1/300 ea.
chrome look	**9 123 003**	1/300 ea.

Cover cap with customised imprint available on request

6 Steel rear panel

- For standard carcase width



Carcase width mm	Order no.	PU
275	**9 121 453**	1/20 ea.
300	**9 121 454**	1/20 ea.
350	**9 121 456**	1/20 ea.
400	**9 121 458**	1/20 ea.
450	**9 121 460**	1/20 ea.
500	**9 121 462**	1/20 ea.
550	**9 121 464**	1/20 ea.
600	**9 121 466**	1/20 ea.
700	**9 121 468**	1/20 ea.
800	**9 121 470**	1/20 ea.
900	**9 121 472**	1/20 ea.
1000	**9 121 474**	1/10 ea.
1200	**9 121 478**	1/10 ea.

7 Aluminium rear panel

- For variable or standard carcase width
- For cutting to length
- Length 1140 mm
- 8 Rear panel connectors must be ordered separately



Order no.	PU
9 121 879	1 ea.

8 Rear panel connector

- For wooden or aluminium rear panel

Order no.		PU
left	right	
9 121 837	**9 121 838**	1/30 ea.

9 Front

- For standard carcase width
- With premounted connectors



Carcase width mm	Order no.	PU
300	**9 122 831**	1/15 ea.
400	**9 122 832**	1/15 ea.
450	**9 122 833**	1/15 ea.
500	**9 122 834**	1/15 ea.
600	**9 122 835**	1/15 ea.
800	**9 122 836**	1/15 ea.
900	**9 122 837**	1/15 ea.
1000	**9 122 838**	1/15 ea.
1200	**9 122 839**	1/15 ea.

10 Aluminium front

- For variable or standard carcase width
- For cutting to length
- Length 1140 mm
- 11 Connectors must be ordered separately

Order no.	PU
9 123 099	1 ea.

11 Connector for front

- For combining with 10 aluminium front panel or front panel in any chosen material
- When using any chosen material with a total load of up to 60 kg



Order no.	PU
9 123 087	1/15 set

12 Profile for front

- For front panel in any chosen material
- To cut to length, 2 profiles per front
- Length 1140 mm
- Aluminium
- 11 Connectors must be ordered separately



Order no.	PU
9 123 097	1 ea.

INTERFER
www.interfer.pt

INTERFER
www.interfer.pt

- **Pot-and-pan / internal pot-and-pan drawer, height 186 mm, drawer side profile height 94 mm**
- **Powder coated steel, white**












Exploded diagram



Components

1 Drawer side profile, left and right
2 Drawer front connector for side profile, 2 each
3 Front stabiliser
4 Cover cap, 2 each
5 Drawer front connector for lengthwise railing, 2 each
6 Actro drawer runner, left and right, see page 305
7 Lengthwise railing, left and right
Alternative 1:
8 TopSide
Alternative 2:
9 DesignSide in glass and
10 DesignSide adapter
Alternative 3:
D DesignSide in any chosen material and
10 DesignSide adapter and
11 DesignSide connector
12 Steel rear panel
Alternatively:
13 Aluminium rear panel or C Wooden rear panel and
14 Rear panel connector, left and right
15 Front for internal pot-and-pan drawer
Alternative 1:
16 Aluminium front panel and
17 Railing for aluminium front and
18 Connector for front
Alternative 2:
E Front panel in any chosen material and
18 Connector for front and
19 Profile for front
A Front
B Bottom panel (material 16 mm thick)
C Wooden rear panel (material 16 mm thick)
D DesignSide in any chosen material (material 8 mm thick)
E Front panel in any chosen material (material 6 mm thick)

Advice

Technical information, see pages 325 - 328, 346 - 361
Actro drawer runner, see page 305

1 Drawer side profile



Nominal length mm	Order no.		PU
	left	right	
270	**9 121 239**	**9 121 240**	1/15 ea.
300	**9 121 241**	**9 121 242**	1/15 ea.
350	**9 121 243**	**9 121 244**	1/15 ea.
400	**9 121 245**	**9 121 246**	1/15 ea.
450	**9 121 247**	**9 121 248**	1/15 ea.
500	**9 121 249**	**9 121 250**	1/15 ea.
550	**9 121 251**	**9 121 252**	1/15 ea.
650	**9 121 253**	**9 121 254**	1/15 ea.

2 Drawer front connector for side profile

- Steel



Mounting option	Order no.	PU
Screw on type	**9 123 011**	1/150 ea.
Knock in type	**9 123 010**	1/150 ea.

3 Front stabiliser

- For stabilising wide and/or high fronts
- Use recommended on carcases in widths of 600 mm and over and / or front panel heights of 450 mm and over
- Plastic



Order no.	PU
9 123 080	1/150 ea.

4 Cover cap

- Plastic



Finish	Order no.	PU
white with Hettich logo	**9 123 006**	1/300 ea.
white	**9 123 001**	1/300 ea.
chrome look with Hettich logo	**9 123 008**	1/300 ea.
chrome look	**9 123 003**	1/300 ea.

Cover cap with customised imprint available on request

5 Drawer front connector for lengthwise railing

- Plastic



Mounting option	Order no.	PU
Screw on type	**9 127 011**	1/300 ea.
Knock in type	**9 127 000**	1/300 ea.

7 Lengthwise railing



Nominal length mm	Order no.		PU
	left	right	
270	**9 121 957**	**9 121 958**	1/30 ea.
300	**9 121 967**	**9 121 968**	1/30 ea.
350	**9 121 977**	**9 121 978**	1/30 ea.
400	**9 121 987**	**9 121 988**	1/30 ea.
450	**9 121 997**	**9 121 998**	1/30 ea.
500	**9 122 007**	**9 122 008**	1/30 ea.
550	**9 122 017**	**9 122 018**	1/30 ea.
650	**9 122 037**	**9 122 038**	1/30 ea.

8 TopSide

- Includes knock in and screw on front connectors



Nominal length mm	Order no.	PU
400	**9 122 914**	1 set
450	**9 122 918**	1 set
500	**9 122 922**	1 set
550	**9 122 926**	1 set
650	**9 122 934**	1 set

9 DesignSide in glass

- Clear float glass with glued on connectors
- Material 8mm thick
- 10 DesignSide adapters must be ordered separately



Nominal length mm	Order no.	PU
270	**9 122 983**	1 set
300	**9 122 984**	1 set
350	**9 122 985**	1 set
400	**9 122 986**	1 set
450	**9 122 987**	1 set
500	**9 122 988**	1 set
550	**9 122 989**	1 set
650	**9 122 990**	1 set

10 DesignSide adapter

- Includes knock in and screw on front connectors
- For combining with 9 DesignSide in glass or 11 DesignSide connector



Order no.	PU
9 122 975	1/15 set

11 DesignSide connector

- For screwing or gluing (ø 3 x 10)
- For combining with DesignSide in any chosen material (8 mm thick material)
- 10 DesignSide adapters must be ordered separately



Order no.	PU
9 122 998	1/15 set

12 Steel rear panel

- For standard carcase width



Carcase width mm	Order no.	PU
275	**9 121 531**	1/10 ea.
300	**9 121 532**	1/10 ea.
350	**9 121 534**	1/10 ea.
400	**9 121 536**	1/10 ea.
450	**9 121 538**	1/10 ea.
500	**9 121 540**	1/10 ea.
550	**9 121 542**	1/10 ea.
600	**9 121 544**	1/10 ea.
700	**9 121 546**	1/10 ea.
800	**9 121 548**	1/10 ea.
900	**9 121 550**	1/10 ea.
1000	**9 121 552**	1/10 ea.
1200	**9 121 556**	1/10 ea.

13 Aluminium rear panel

- For variable or standard carcase width
- For cutting to length
- Length 1140 mm
- 14 Rear panel connectors must be ordered separately



Order no.	PU
9 121 883	1 ea.

14 Rear panel connector

- For wooden or aluminium rear panel



Order no.		PU
left	right	
9 121 845	**9 121 846**	1/30 ea.

15 Front

- For standard carcase width
- With premounted connectors and premounted railing



Carcase width mm	Order no.	PU
300	**9 122 858**	1/15 ea.
400	**9 122 859**	1/15 ea.
450	**9 122 860**	1/15 ea.
500	**9 122 861**	1/15 ea.
600	**9 122 862**	1/15 ea.
800	**9 122 863**	1/15 ea.
900	**9 122 864**	1/15 ea.
1000	**9 122 865**	1/15 ea.
1200	**9 122 866**	1/15 ea.

16 Aluminium front

- For variable or standard carcase width
- For cutting to length
- Length 1140 mm
- 17 Railing and 18 connectors must be ordered separately

Order no.	PU
9 123 099	1 ea.

17 Railing for aluminium front

- Steel
- For cutting to length
- Length 1140 mm

Order no.	PU
9 123 096	1 ea.

18 Connector for front

- For combining with 16 aluminium front panel and 17 railing for aluminium front panel or front panel in any chosen material
- When using any chosen material with a total load of up to 60 kg



Order no.	PU
9 123 090	1/15 set

19 Profile for front

- For front panel in any chosen material
- To cut to length, 2 profiles per front
- Length 1140 mm
- Aluminium
- 18 Connectors must be ordered separately



Order no.	PU
9 123 097	1 ea.

INTERFER
www.interfer.pt


INTERFER
www.interfer.pt

- **Pot-and-pan / internal pot-and-pan drawer, height 186 mm, drawer side profile height 126 mm**
- **Powder coated steel, white**





Exploded diagram



Components

1 Drawer side profile, left and right
2 Drawer front connector for side profile, 2 each
3 Front stabiliser
4 Cover cap, 2 each
5 Drawer front connector for lengthwise railing, 2 each
6 Actro drawer runner, left and right, see page 305
7 Lengthwise railing, left and right
8 Steel rear panel
Alternatively:
9 Aluminium rear panel or C Wooden rear panel and
10 Rear panel connector, left and right
11 Front for internal pot-and-pan drawer
Alternative 1:
12 Aluminium front panel and
13 Railing for aluminium front and
14 Connector for front
Alternative 2:
D Front panel in any chosen material and
14 Connector for front and
15 Profile for front

A Front
B Bottom panel (material 16 mm thick)
C Wooden rear panel (material 16 mm thick)
D Front panel in any chosen material (material 6 mm thick)

Advice

Technical information, see pages 329 - 330, 346 - 361
Actro drawer runner, see page 305

1 Drawer side profile



Nominal length mm	Order no.		PU
	left	right	
270	**9 121 255**	**9 121 256**	1/15 ea.
300	**9 121 257**	**9 121 258**	1/15 ea.
350	**9 121 259**	**9 121 260**	1/15 ea.
400	**9 121 261**	**9 121 262**	1/15 ea.
450	**9 121 263**	**9 121 264**	1/15 ea.
500	**9 121 265**	**9 121 266**	1/15 ea.
550	**9 121 267**	**9 121 268**	1/15 ea.
650	**9 121 269**	**9 121 270**	1/15 ea.

2 Drawer front connector for side profile

- Steel



Mounting option	Order no.	PU
Screw on type	**9 123 011**	1/150 ea.
Knock in type	**9 123 010**	1/150 ea.

3 Front stabiliser

- For stabilising wide and/or high fronts
- Use recommended on carcases in widths of 600 mm and over and / or front panel heights of 450 mm and over
- Plastic



Order no.	PU
9 123 080	1/150 ea.

4 Cover cap

- Plastic



Finish	Order no.	PU
white with Hettich logo	**9 123 006**	1/300 ea.
white	**9 123 001**	1/300 ea.
chrome look with Hettich logo	**9 123 008**	1/300 ea.
chrome look	**9 123 003**	1/300 ea.

Cover cap with customised imprint available on request

5 Drawer front connector for lengthwise railing

- Plastic



Mounting option	Order no.	PU
Screw on type	**9 127 011**	1/300 ea.
Knock in type	**9 127 000**	1/300 ea.

7 Lengthwise railing



Nominal length mm	Order no.		PU
	left	right	
270	**9 121 957**	**9 121 958**	1/30 ea.
300	**9 121 967**	**9 121 968**	1/30 ea.
350	**9 121 977**	**9 121 978**	1/30 ea.
400	**9 121 987**	**9 121 988**	1/30 ea.
450	**9 121 997**	**9 121 998**	1/30 ea.
500	**9 122 007**	**9 122 008**	1/30 ea.
550	**9 122 017**	**9 122 018**	1/30 ea.
650	**9 122 037**	**9 122 038**	1/30 ea.

8 Steel rear panel

- For standard carcase width



Carcase width mm	Order no.	PU
275	**9 121 531**	1/10 ea.
300	**9 121 532**	1/10 ea.
350	**9 121 534**	1/10 ea.
400	**9 121 536**	1/10 ea.
450	**9 121 538**	1/10 ea.
500	**9 121 540**	1/10 ea.
550	**9 121 542**	1/10 ea.
600	**9 121 544**	1/10 ea.
700	**9 121 546**	1/10 ea.
800	**9 121 548**	1/10 ea.
900	**9 121 550**	1/10 ea.
1000	**9 121 552**	1/10 ea.
1200	**9 121 556**	1/10 ea.

9 Aluminium rear panel

- For variable or standard carcase width
- For cutting to length
- Length 1140 mm
- 10 Rear panel connectors must be ordered separately



Order no.	PU
9 121 883	1 ea.

10 Rear panel connector

- For wooden or aluminium rear panel



Order no.		PU
left	right	
9 121 845	**9 121 846**	1/30 ea.

INTERFER
www.interfer.pt

11 Front

- For standard carcase width
- With premounted connectors and premounted railing



Carcase width mm	Order no.	PU
300	**9 122 858**	1/15 ea.
400	**9 122 859**	1/15 ea.
450	**9 122 860**	1/15 ea.
500	**9 122 861**	1/15 ea.
600	**9 122 862**	1/15 ea.
800	**9 122 863**	1/15 ea.
900	**9 122 864**	1/15 ea.
1000	**9 122 865**	1/15 ea.
1200	**9 122 866**	1/15 ea.

12 Aluminium front

- For variable or standard carcase width
- For cutting to length
- Length 1140 mm
- 13 Railing and 14 connectors must be ordered separately

Order no.	PU
9 123 099	1 ea.

13 Railing for aluminium front

- Steel
- For cutting to length
- Length 1140 mm

Order no.	PU
9 123 096	1 ea.

14 Connector for front

- For combining with 12 aluminium front panel and 13 railing for aluminium front panel or front panel in any chosen material
- When using any chosen material with a total load of up to 60 kg



Order no.	PU
9 123 090	1/15 set

15 Profile for front

- For front panel in any chosen material
- To cut to length, 2 profiles per front
- Length 1140 mm
- Aluminium
- 14 Connectors must be ordered separately



Order no.	PU
9 123 097	1 ea.

INTERFER
www.interfer.pt

INTERFER
www.interfer.pt

- **Pot-and-pan / internal pot-and-pan drawer, height 218 mm, drawer side profile height 94 mm**
- **Powder coated steel, white**












Exploded diagram



Components

1 Drawer side profile, left and right
2 Drawer front connector for side profile, 2 each
3 Front stabiliser
4 Cover cap, 2 each
5 Drawer front connector for lengthwise railing, 2 each
6 Actro drawer runner, left and right, see page 305
7 Lengthwise railing, left and right

Alternative 1:
8 TopSide

Alternative 2:
9 DesignSide in glass and
10 DesignSide adapter

Alternative 3:
D DesignSide in any chosen material and
10 DesignSide adapter and
11 DesignSide connector

12 Steel rear panel

Alternatively:
13 Aluminium rear panel or C Wooden rear panel and
14 Rear panel connector, left and right

15 Front for internal pot-and-pan drawer

Alternative 1:
16 Aluminium front panel and
17 Railing for aluminium front and
18 Connector for front

Alternative 2:
E Front panel in any chosen material and
18 Connector for front and
19 Profile for front

A Front
B Bottom panel (material 16 mm thick)
C Wooden rear panel (material 16 mm thick)
D DesignSide in any chosen material (material 8 mm thick)
E Front panel in any chosen material (material 6 mm thick)

Advice

Technical information, see pages 331 - 334, 346 - 361
Actro drawer runner, see page 305

1 Drawer side profile



Nominal length mm	Order no.		PU
	left	right	
270	**9 121 239**	**9 121 240**	1/15 ea.
300	**9 121 241**	**9 121 242**	1/15 ea.
350	**9 121 243**	**9 121 244**	1/15 ea.
400	**9 121 245**	**9 121 246**	1/15 ea.
450	**9 121 247**	**9 121 248**	1/15 ea.
500	**9 121 249**	**9 121 250**	1/15 ea.
550	**9 121 251**	**9 121 252**	1/15 ea.
650	**9 121 253**	**9 121 254**	1/15 ea.

2 Drawer front connector for side profile

- Steel



Mounting option	Order no.	PU
Screw on type	**9 123 011**	1/150 ea.
Knock in type	**9 123 010**	1/150 ea.

3 Front stabiliser

- For stabilising wide and/or high fronts
- Use recommended on carcases in widths of 600 mm and over and / or front panel heights of 450 mm and over
- Plastic



Order no.	PU
9 123 080	1/150 ea.

4 Cover cap

- Plastic



Finish	Order no.	PU
white with Hettich logo	**9 123 006**	1/300 ea.
white	**9 123 001**	1/300 ea.
chrome look with Hettich logo	**9 123 008**	1/300 ea.
chrome look	**9 123 003**	1/300 ea.

Cover cap with customised imprint available on request

5 Drawer front connector for lengthwise railing

- Plastic



Mounting option	Order no.	PU
Screw on type	**9 127 011**	1/300 ea.
Knock in type	**9 127 000**	1/300 ea.

7 Lengthwise railing



Nominal length mm	Order no.		PU
	left	right	
270	**9 121 957**	**9 121 958**	1/30 ea.
300	**9 121 967**	**9 121 968**	1/30 ea.
350	**9 121 977**	**9 121 978**	1/30 ea.
400	**9 121 987**	**9 121 988**	1/30 ea.
450	**9 121 997**	**9 121 998**	1/30 ea.
500	**9 122 007**	**9 122 008**	1/30 ea.
550	**9 122 017**	**9 122 018**	1/30 ea.
650	**9 122 037**	**9 122 038**	1/30 ea.

8 TopSide

- Includes knock in and screw on front connectors



Nominal length mm	Order no.	PU
400	**9 122 951**	1 set
450	**9 122 955**	1 set
500	**9 122 959**	1 set
550	**9 122 963**	1 set
650	**9 122 971**	1 set

9 DesignSide in glass

- Clear float glass with glued on connectors
- Material 8mm thick
- 10 DesignSide adapters must be ordered separately



Nominal length mm	Order no.	PU
270	**9 122 991**	1 set
300	**9 122 992**	1 set
350	**9 122 993**	1 set
400	**9 122 994**	1 set
450	**9 122 995**	1 set
500	**9 122 996**	1 set
550	**9 122 997**	1 set
650	**9 123 078**	1 set

10 DesignSide adapter

- Includes knock in and screw on front connectors
- For combining with 9 DesignSide in glass or 11 DesignSide connector



Order no.	PU
9 122 980	1/15 set

INTERFER
www.interfer.pt

11 DesignSide connector

- For screwing or gluing (ø 3 x 10)
- For combining with DesignSide in any chosen material (8 mm thick material)
- 10 DesignSide adapters must be ordered separately



Order no.	PU
9 122 998	1/15 set

12 Steel rear panel

- For standard carcase width



Carcase width mm	Order no.	PU
275	**9 121 609**	1/10 ea.
300	**9 121 610**	1/10 ea.
350	**9 121 612**	1/10 ea.
400	**9 121 614**	1/10 ea.
450	**9 121 616**	1/10 ea.
500	**9 121 618**	1/10 ea.
550	**9 121 620**	1/10 ea.
600	**9 121 622**	1/10 ea.
700	**9 121 624**	1/10 ea.
800	**9 121 626**	1/10 ea.
900	**9 121 628**	1/10 ea.
1000	**9 121 630**	1/5 ea.
1200	**9 121 634**	1/5 ea.

13 Aluminium rear panel

- For variable or standard carcase width
- For cutting to length
- Length 1140 mm
- 14 Rear panel connectors must be ordered separately



Order no.	PU
9 121 887	1 ea.

14 Rear panel connector

- For wooden or aluminium rear panel



Order no.		PU
left	right	
9 121 853	**9 121 854**	1/30 ea.

15 Front

- For standard carcase width
- With premounted connectors and premounted railing



Carcase width mm	Order no.	PU
300	**9 122 885**	1/15 ea.
400	**9 122 886**	1/15 ea.
450	**9 122 887**	1/15 ea.
500	**9 122 888**	1/15 ea.
600	**9 122 889**	1/15 ea.
800	**9 122 890**	1/15 ea.
900	**9 122 891**	1/15 ea.
1000	**9 122 892**	1/15 ea.
1200	**9 122 893**	1/15 ea.

16 Aluminium front

- For variable or standard carcase width
- For cutting to length
- Length 1140 mm
- 17 Railing and 18 connectors must be ordered separately

Order no.	PU
9 123 099	1 ea.

17 Railing for aluminium front

- Steel
- For cutting to length
- Length 1140 mm

Order no.	PU
9 123 096	1 ea.

18 Connector for front

- For combining with 16 aluminium front panel and 17 railing for aluminium front panel or front panel in any chosen material
- When using any chosen material with a total load of up to 60 kg

Order no.	PU
9 123 093	1/15 set

19 Profile for front

- For front panel in any chosen material
- To cut to length, 2 profiles per front
- Length 1140 mm
- Aluminium
- 18 Connectors must be ordered separately



Order no.	PU
9 123 097	1 ea.

INTERFER
www.interfer.pt

INTERFER
www.interfer.pt

- **Pot-and-pan / internal pot-and-pan drawer, height 218 mm, drawer side profile height 126 mm**
- **Powder coated steel, white**












Exploded diagram



Components

1 Drawer side profile, left and right
2 Drawer front connector for side profile, 2 each
3 Front stabiliser
4 Cover cap, 2 each
5 Drawer front connector for lengthwise railing, 2 each
6 Actro drawer runner, left and right, see page 305
7 Lengthwise railing, left and right
Alternative 1:
8 TopSide
Alternative 2:
9 DesignSide in glass and
10 DesignSide adapter
Alternative 3:
D DesignSide in any chosen material and
10 DesignSide adapter and
11 DesignSide connector
12 Steel rear panel
Alternatively:
13 Aluminium rear panel or C Wooden rear panel and
14 Rear panel connector, left and right
15 Front for internal pot-and-pan drawer
Alternative 1:
16 Aluminium front panel and
17 Railing for aluminium front and
18 Connector for front
Alternative 2:
E Front panel in any chosen material and
18 Connector for front and
19 Profile for front
A Front
B Bottom panel (material 16 mm thick)
C Wooden rear panel (material 16 mm thick)
D DesignSide in any chosen material (material 8 mm thick)
E Front panel in any chosen material (material 6 mm thick)

Advice

Technical information, see pages 335 - 338, 346 - 361
Actro drawer runner, see page 305

1 Drawer side profile



Nominal length mm	Order no.		PU
	left	right	
270	**9 121 255**	**9 121 256**	1/15 ea.
300	**9 121 257**	**9 121 258**	1/15 ea.
350	**9 121 259**	**9 121 260**	1/15 ea.
400	**9 121 261**	**9 121 262**	1/15 ea.
450	**9 121 263**	**9 121 264**	1/15 ea.
500	**9 121 265**	**9 121 266**	1/15 ea.
550	**9 121 267**	**9 121 268**	1/15 ea.
650	**9 121 269**	**9 121 270**	1/15 ea.

2 Drawer front connector for side profile

- Steel



Mounting option	Order no.	PU
Screw on type	**9 123 011**	1/150 ea.
Knock in type	**9 123 010**	1/150 ea.

3 Front stabiliser

- For stabilising wide and/or high fronts
- Use recommended on carcases in widths of 600 mm and over and / or front panel heights of 450 mm and over
- Plastic



Order no.	PU
9 123 080	1/150 ea.

4 Cover cap

- Plastic



Finish	Order no.	PU
white with Hettich logo	**9 123 006**	1/300 ea.
white	**9 123 001**	1/300 ea.
chrome look with Hettich logo	**9 123 008**	1/300 ea.
chrome look	**9 123 003**	1/300 ea.

Cover cap with customised imprint available on request

5 Drawer front connector for lengthwise railing

- Plastic



Mounting option	Order no.	PU
Screw on type	**9 127 011**	1/300 ea.
Knock in type	**9 127 000**	1/300 ea.

7 Lengthwise railing



Nominal length mm	Order no.		PU
	left	right	
270	**9 121 957**	**9 121 958**	1/30 ea.
300	**9 121 967**	**9 121 968**	1/30 ea.
350	**9 121 977**	**9 121 978**	1/30 ea.
400	**9 121 987**	**9 121 988**	1/30 ea.
450	**9 121 997**	**9 121 998**	1/30 ea.
500	**9 122 007**	**9 122 008**	1/30 ea.
550	**9 122 017**	**9 122 018**	1/30 ea.
650	**9 122 037**	**9 122 038**	1/30 ea.

8 TopSide

- Includes knock in and screw on front connectors



Nominal length mm	Order no.	PU
400	**9 122 914**	1 set
450	**9 122 918**	1 set
500	**9 122 922**	1 set
550	**9 122 926**	1 set
650	**9 122 934**	1 set

9 DesignSide in glass

- Clear float glass with glued on connectors
- Material 8mm thick
- 10 DesignSide adapters must be ordered separately



Nominal length mm	Order no.	PU
270	**9 122 983**	1 set
300	**9 122 984**	1 set
350	**9 122 985**	1 set
400	**9 122 986**	1 set
450	**9 122 987**	1 set
500	**9 122 988**	1 set
550	**9 122 989**	1 set
650	**9 122 990**	1 set

10 DesignSide adapter

- Includes knock in and screw on front connectors
- For combining with 9 DesignSide in glass or 11 DesignSide connector



Order no.	PU
9 122 975	1/15 set

INTERFER
www.interfer.pt

- **Pot-and-pan / internal pot-and-pan drawer, height 218 mm, drawer side profile height 126 mm**
- **Powder coated steel, white**

11 DesignSide connector



- For screwing or gluing (ø 3 x 10)
- For combining with DesignSide in any chosen material (8 mm thick material)
- 10 DesignSide adapters must be ordered separately

Order no.	PU
9 122 998	1/15 set

12 Steel rear panel



- For standard carcase width

Carcase width mm	Order no.	PU
275	**9 121 609**	1/10 ea.
300	**9 121 610**	1/10 ea.
350	**9 121 612**	1/10 ea.
400	**9 121 614**	1/10 ea.
450	**9 121 616**	1/10 ea.
500	**9 121 618**	1/10 ea.
550	**9 121 620**	1/10 ea.
600	**9 121 622**	1/10 ea.
700	**9 121 624**	1/10 ea.
800	**9 121 626**	1/10 ea.
900	**9 121 628**	1/10 ea.
1000	**9 121 630**	1/5 ea.
1200	**9 121 634**	1/5 ea.

13 Aluminium rear panel



- For variable or standard carcase width
- For cutting to length
- Length 1140 mm
- 14 Rear panel connectors must be ordered separately

Order no.	PU
9 121 887	1 ea.

14 Rear panel connector



- For wooden or aluminium rear panel

Order no.		PU
left	right	
9 121 853	**9 121 854**	1/30 ea.

15 Front



- For standard carcase width
- With premounted connectors and premounted railing

Carcase width mm	Order no.	PU
300	**9 122 885**	1/15 ea.
400	**9 122 886**	1/15 ea.
450	**9 122 887**	1/15 ea.
500	**9 122 888**	1/15 ea.
600	**9 122 889**	1/15 ea.
800	**9 122 890**	1/15 ea.
900	**9 122 891**	1/15 ea.
1000	**9 122 892**	1/15 ea.
1200	**9 122 893**	1/15 ea.

16 Aluminium front

- For variable or standard carcase width
- For cutting to length
- Length 1140 mm
- 17 Railing and 18 connectors must be ordered separately

Order no.	PU
9 123 099	1 ea.

17 Railing for aluminium front

- Steel
- For cutting to length
- Length 1140 mm

Order no.	PU
9 123 096	1 ea.

18 Connector for front

- For combining with 16 aluminium front panel and 17 railing for aluminium front panel or front panel in any chosen material
- When using any chosen material with a total load of up to 60 kg

Order no.	PU
9 123 093	1/15 set

19 Profile for front



- For front panel in any chosen material
- To cut to length, 2 profiles per front
- Length 1140 mm
- Aluminium
- 18 Connectors must be ordered separately

Order no.	PU
9 123 097	1 ea.


INTERFER
www.interfer.pt

- **Pot-and-pan drawer, height 250 mm, drawer side profile height 94 mm**
- **Powder coated steel, white**





Exploded diagram



Components

1 Drawer side profile, left and right
2 Drawer front connector for side profile, 2 each
3 Front stabiliser
4 Cover cap, 2 each
5 Drawer front connector for lengthwise railing, 2 each
6 Actro drawer runner, left and right, see page 305
7 Lengthwise railing, left and right
8 Steel rear panel
Alternatively:
C Wooden rear panel and
9 Rear panel connector, left and right
A Front
B Bottom panel (material 16 mm thick)
C Wooden rear panel (material 16 mm thick)

Advice

Technical information, see pages 339, 346 - 361
Actro drawer runner, see page 305

- **Pot-and-pan drawer, height 250 mm, drawer side profile height 94 mm**
- **Powder coated steel, white**

INTERFER
www.interfer.pt

1 Drawer side profile



Nominal length mm	Order no.		PU
	left	right	
270	**9 121 239**	**9 121 240**	1/15 ea.
300	**9 121 241**	**9 121 242**	1/15 ea.
350	**9 121 243**	**9 121 244**	1/15 ea.
400	**9 121 245**	**9 121 246**	1/15 ea.
450	**9 121 247**	**9 121 248**	1/15 ea.
500	**9 121 249**	**9 121 250**	1/15 ea.
550	**9 121 251**	**9 121 252**	1/15 ea.
650	**9 121 253**	**9 121 254**	1/15 ea.

2 Drawer front connector for side profile

- Steel



Mounting option	Order no.	PU
Screw on type	**9 123 011**	1/150 ea.
Knock in type	**9 123 010**	1/150 ea.

3 Front stabiliser

- For stabilising wide and/or high fronts
- Use recommended on carcases in widths of 600 mm and over and / or front panel heights of 450 mm and over
- Plastic



Order no.	PU
9 123 080	1/150 ea.

4 Cover cap

- Plastic



Finish	Order no.	PU
white with Hettich logo	**9 123 006**	1/300 ea.
white	**9 123 001**	1/300 ea.
chrome look with Hettich logo	**9 123 008**	1/300 ea.
chrome look	**9 123 003**	1/300 ea.

Cover cap with customised imprint available on request

5 Drawer front connector for lengthwise railing

- Plastic



Mounting option	Order no.	PU
Screw on type	**9 127 011**	1/300 ea.
Knock in type	**9 127 000**	1/300 ea.

7 Lengthwise railing



Nominal length mm	Order no.		PU
	left	right	
270	**9 121 957**	**9 121 958**	1/30 ea.
300	**9 121 967**	**9 121 968**	1/30 ea.
350	**9 121 977**	**9 121 978**	1/30 ea.
400	**9 121 987**	**9 121 988**	1/30 ea.
450	**9 121 997**	**9 121 998**	1/30 ea.
500	**9 122 007**	**9 122 008**	1/30 ea.
550	**9 122 017**	**9 122 018**	1/30 ea.
650	**9 122 037**	**9 122 038**	1/30 ea.

8 Steel rear panel

- For standard carcase width



Carcase width mm	Order no.	PU
275	**9 121 687**	1/10 ea.
300	**9 121 688**	1/10 ea.
350	**9 121 690**	1/10 ea.
400	**9 121 692**	1/10 ea.
450	**9 121 694**	1/10 ea.
500	**9 121 696**	1/10 ea.
550	**9 121 698**	1/10 ea.
600	**9 121 700**	1/10 ea.
700	**9 121 702**	1/10 ea.
800	**9 121 704**	1/10 ea.
900	**9 121 706**	1/10 ea.
1000	**9 121 708**	1/5 ea.
1200	**9 121 712**	1/5 ea.

9 Rear panel connector

- For wooden rear panel



Order no.		PU
left	right	
9 121 861	**9 121 862**	1/30 ea.

INTERFER
www.interfer.pt

- **Pot-and-pan drawer, height 250 mm, drawer side profile height 126 mm**
- **Powder coated steel, white**










Exploded diagram



Components

1 Drawer side profile, left and right
2 Drawer front connector for side profile, 2 each
3 Front stabiliser
4 Cover cap, 2 each
5 Drawer front connector for lengthwise railing, 2 each
6 Actro drawer runner, left and right, see page 305
7 Lengthwise railing, left and right

Alternative 1:
8 TopSide

Alternative 2:
9 DesignSide in glass and
10 DesignSide adapter

Alternative 3:
D DesignSide in any chosen material and
10 DesignSide adapter and
11 DesignSide connector

12 Steel rear panel

Alternatively:
C Wooden rear panel and
13 Rear panel connector, left and right

A Front
B Bottom panel (material 16 mm thick)
C Wooden rear panel (material 16 mm thick)
D DesignSide in any chosen material (material 8 mm thick)

Advice

Technical information, see pages 340 - 341, 346 - 361
Actro drawer runner, see page 305

1 Drawer side profile



Nominal length mm	Order no.		PU
	left	right	
270	**9 121 255**	**9 121 256**	1/15 ea.
300	**9 121 257**	**9 121 258**	1/15 ea.
350	**9 121 259**	**9 121 260**	1/15 ea.
400	**9 121 261**	**9 121 262**	1/15 ea.
450	**9 121 263**	**9 121 264**	1/15 ea.
500	**9 121 265**	**9 121 266**	1/15 ea.
550	**9 121 267**	**9 121 268**	1/15 ea.
650	**9 121 269**	**9 121 270**	1/15 ea.

2 Drawer front connector for side profile

- Steel



Mounting option	Order no.	PU
Screw on type	**9 123 011**	1/150 ea.
Knock in type	**9 123 010**	1/150 ea.

3 Front stabiliser

- For stabilising wide and/or high fronts
- Use recommended on carcases in widths of 600 mm and over and / or front panel heights of 450 mm and over
- Plastic



Order no.	PU
9 123 080	1/150 ea.

4 Cover cap

- Plastic



Finish	Order no.	PU
white with Hettich logo	**9 123 006**	1/300 ea.
white	**9 123 001**	1/300 ea.
chrome look with Hettich logo	**9 123 008**	1/300 ea.
chrome look	**9 123 003**	1/300 ea.

Cover cap with customised imprint available on request

5 Drawer front connector for lengthwise railing

- Plastic



Mounting option	Order no.	PU
Screw on type	**9 127 011**	1/300 ea.
Knock in type	**9 127 000**	1/300 ea.

7 Lengthwise railing



Nominal length mm	Order no.		PU
	left	right	
270	**9 121 957**	**9 121 958**	1/30 ea.
300	**9 121 967**	**9 121 968**	1/30 ea.
350	**9 121 977**	**9 121 978**	1/30 ea.
400	**9 121 987**	**9 121 988**	1/30 ea.
450	**9 121 997**	**9 121 998**	1/30 ea.
500	**9 122 007**	**9 122 008**	1/30 ea.
550	**9 122 017**	**9 122 018**	1/30 ea.
650	**9 122 037**	**9 122 038**	1/30 ea.

8 TopSide

- Includes knock in and screw on front connectors



Nominal length mm	Order no.	PU
400	**9 122 951**	1 set
450	**9 122 955**	1 set
500	**9 122 959**	1 set
550	**9 122 963**	1 set
650	**9 122 971**	1 set

9 DesignSide in glass

- Clear float glass with glued on connectors
- Material 8mm thick
- 10 DesignSide adapters must be ordered separately



Nominal length mm	Order no.	PU
270	**9 122 991**	1 set
300	**9 122 992**	1 set
350	**9 122 993**	1 set
400	**9 122 994**	1 set
450	**9 122 995**	1 set
500	**9 122 996**	1 set
550	**9 122 997**	1 set
650	**9 123 078**	1 set

10 DesignSide adapter

- Includes knock in and screw on front connectors
- For combining with 9 DesignSide in glass or 11 DesignSide connector



Order no.	PU
9 122 980	1/15 set

INTERFER
www.interfer.pt

11 DesignSide connector

- For screwing or gluing (ø 3 x 10)
- For combining with DesignSide in any chosen material (8 mm thick material)
- 10 DesignSide adapters must be ordered separately



Order no.	PU
9 122 998	1/15 set

12 Steel rear panel

- For standard carcase width



Carcase width mm	Order no.	PU
275	**9 121 687**	1/10 ea.
300	**9 121 688**	1/10 ea.
350	**9 121 690**	1/10 ea.
400	**9 121 692**	1/10 ea.
450	**9 121 694**	1/10 ea.
500	**9 121 696**	1/10 ea.
550	**9 121 698**	1/10 ea.
600	**9 121 700**	1/10 ea.
700	**9 121 702**	1/10 ea.
800	**9 121 704**	1/10 ea.
900	**9 121 706**	1/10 ea.
1000	**9 121 708**	1/5 ea.
1200	**9 121 712**	1/5 ea.

13 Rear panel connector

- For wooden rear panel



Order no.		PU
left	**right**	
9 121 861	**9 121 862**	1/30 ea.


INTERFER
www.interfer.pt

- **Pot-and-pan drawer, height 282 mm, drawer side profile height 94 mm**
- **Powder coated steel, white**





Exploded diagram



Components

1 Drawer side profile, left and right
2 Drawer front connector for side profile, 2 each
3 Front stabiliser
4 Cover cap, 2 each
5 Drawer front connector for lengthwise railing, 2 each
6 Actro drawer runner, left and right, see page 305
7 Lengthwise railing, left and right
8 Steel rear panel
Alternatively:
C Wooden rear panel and
9 Rear panel connector, left and right
A Front
B Bottom panel (material 16 mm thick)
C Wooden rear panel (material 16 mm thick)

Advice

Technical information, see pages 342, 346 - 361
Actro drawer runner, see page 305

1 Drawer side profile



Nominal length mm	Order no.		PU
	left	right	
270	**9 121 239**	**9 121 240**	1/15 ea.
300	**9 121 241**	**9 121 242**	1/15 ea.
350	**9 121 243**	**9 121 244**	1/15 ea.
400	**9 121 245**	**9 121 246**	1/15 ea.
450	**9 121 247**	**9 121 248**	1/15 ea.
500	**9 121 249**	**9 121 250**	1/15 ea.
550	**9 121 251**	**9 121 252**	1/15 ea.
650	**9 121 253**	**9 121 254**	1/15 ea.

2 Drawer front connector for side profile

- Steel



Mounting option	Order no.	PU
Screw on type	**9 123 011**	1/150 ea.
Knock in type	**9 123 010**	1/150 ea.

3 Front stabiliser

- For stabilising wide and/or high fronts
- Use recommended on carcases in widths of 600 mm and over and / or front panel heights of 450 mm and over
- Plastic



Order no.	PU
9 123 080	1/150 ea.

4 Cover cap

- Plastic



Finish	Order no.	PU
white with Hettich logo	**9 123 006**	1/300 ea.
white	**9 123 001**	1/300 ea.
chrome look with Hettich logo	**9 123 008**	1/300 ea.
chrome look	**9 123 003**	1/300 ea.

Cover cap with customised imprint available on request

5 Drawer front connector for lengthwise railing

- Plastic



Mounting option	Order no.	PU
Screw on type	**9 127 011**	1/300 ea.
Knock in type	**9 127 000**	1/300 ea.

7 Lengthwise railing



Nominal length mm	Order no.		PU
	left	right	
270	**9 121 957**	**9 121 958**	1/30 ea.
300	**9 121 967**	**9 121 968**	1/30 ea.
350	**9 121 977**	**9 121 978**	1/30 ea.
400	**9 121 987**	**9 121 988**	1/30 ea.
450	**9 121 997**	**9 121 998**	1/30 ea.
500	**9 122 007**	**9 122 008**	1/30 ea.
550	**9 122 017**	**9 122 018**	1/30 ea.
650	**9 122 037**	**9 122 038**	1/30 ea.

8 Steel rear panel

- For standard carcase width



Carcase width mm	Order no.	PU
275	**9 121 765**	1/10 ea.
300	**9 121 766**	1/10 ea.
350	**9 121 768**	1/10 ea.
400	**9 121 770**	1/10 ea.
450	**9 121 772**	1/10 ea.
500	**9 121 774**	1/10 ea.
550	**9 121 776**	1/10 ea.
600	**9 121 778**	1/10 ea.
700	**9 121 780**	1/5 ea.
800	**9 121 782**	1/5 ea.
900	**9 121 784**	1/5 ea.
1000	**9 121 786**	1/5 ea.
1200	**9 121 790**	1/5 ea.

9 Rear panel connector

- For wooden rear panel




Order no.		PU
left	right	
9 121 869	**9 121 870**	1/30 ea.

- **Pot-and-pan drawer, height 282 mm, drawer side profile height 126 mm**
- **Powder coated steel, white**





Exploded diagram



Components

1 Drawer side profile, left and right
2 Drawer front connector for side profile, 2 each
3 Front stabiliser
4 Cover cap, 2 each
5 Drawer front connector for lengthwise railing, 2 each
6 Actro drawer runner, left and right, see page 305
7 Lengthwise railing, left and right
8 Steel rear panel
Alternatively:
C Wooden rear panel and
9 Rear panel connector, left and right
A Front
B Bottom panel (material 16 mm thick)
C Wooden rear panel (material 16 mm thick)

Advice

Technical information, see pages 343, 346 - 361
Actro drawer runner, see page 305

1 Drawer side profile



Nominal length mm	Order no.		PU
	left	right	
270	**9 121 255**	**9 121 256**	1/15 ea.
300	**9 121 257**	**9 121 258**	1/15 ea.
350	**9 121 259**	**9 121 260**	1/15 ea.
400	**9 121 261**	**9 121 262**	1/15 ea.
450	**9 121 263**	**9 121 264**	1/15 ea.
500	**9 121 265**	**9 121 266**	1/15 ea.
550	**9 121 267**	**9 121 268**	1/15 ea.
650	**9 121 269**	**9 121 270**	1/15 ea.

2 Drawer front connector for side profile

- Steel



Mounting option	Order no.	PU
Screw on type	**9 123 011**	1/150 ea.
Knock in type	**9 123 010**	1/150 ea.

3 Front stabiliser

- For stabilising wide and/or high fronts
- Use recommended on carcases in widths of 600 mm and over and / or front panel heights of 450 mm and over
- Plastic



Order no.	PU
9 123 080	1/150 ea.

4 Cover cap

- Plastic



Finish	Order no.	PU
white with Hettich logo	**9 123 006**	1/300 ea.
white	**9 123 001**	1/300 ea.
chrome look with Hettich logo	**9 123 008**	1/300 ea.
chrome look	**9 123 003**	1/300 ea.

Cover cap with customised imprint available on request

5 Drawer front connector for lengthwise railing

- Plastic



Mounting option	Order no.	PU
Screw on type	**9 127 011**	1/300 ea.
Knock in type	**9 127 000**	1/300 ea.

7 Lengthwise railing



Nominal length mm	Order no.		PU
	left	right	
270	**9 121 957**	**9 121 958**	1/30 ea.
300	**9 121 967**	**9 121 968**	1/30 ea.
350	**9 121 977**	**9 121 978**	1/30 ea.
400	**9 121 987**	**9 121 988**	1/30 ea.
450	**9 121 997**	**9 121 998**	1/30 ea.
500	**9 122 007**	**9 122 008**	1/30 ea.
550	**9 122 017**	**9 122 018**	1/30 ea.
650	**9 122 037**	**9 122 038**	1/30 ea.

8 Steel rear panel

- For standard carcase width



Carcase width mm	Order no.	PU
275	**9 121 765**	1/10 ea.
300	**9 121 766**	1/10 ea.
350	**9 121 768**	1/10 ea.
400	**9 121 770**	1/10 ea.
450	**9 121 772**	1/10 ea.
500	**9 121 774**	1/10 ea.
550	**9 121 776**	1/10 ea.
600	**9 121 778**	1/10 ea.
700	**9 121 780**	1/5 ea.
800	**9 121 782**	1/5 ea.
900	**9 121 784**	1/5 ea.
1000	**9 121 786**	1/5 ea.
1200	**9 121 790**	1/5 ea.

9 Rear panel connector

- For wooden rear panel



Order no.		PU
left	right	
9 121 869	**9 121 870**	1/30 ea.


- **Drawer with bottom cutout, height 94 mm**
- **Powder coated steel, white**

INTERFER
www.interfer.pt



- For utilising the space below the sink
- Other configurations are also possible

Exploded diagram



Components

1 Drawer side profile, 2 each left and right
2 Drawer front connector for side profile, 4 each
3 Front stabiliser
4 Cover cap, 4 each
5 Actro drawer runner, left and right, see page 305
6 Aluminium rear panel or C Wooden rear panel and
7 Rear panel connector, 2 each on left and right
A Front
B Bottom panel (material 16 mm thick)
C Wooden rear panel (material 16 mm thick)

Advice

Technical information, see pages 344, 346 - 361
Actro drawer runner, see page 305

1 Drawer side profile



Nominal length mm	Order no.		PU
	left	right	
270	**9 121 239**	**9 121 240**	1/15 ea.
300	**9 121 241**	**9 121 242**	1/15 ea.
350	**9 121 243**	**9 121 244**	1/15 ea.
400	**9 121 245**	**9 121 246**	1/15 ea.
450	**9 121 247**	**9 121 248**	1/15 ea.
500	**9 121 249**	**9 121 250**	1/15 ea.
550	**9 121 251**	**9 121 252**	1/15 ea.
650	**9 121 253**	**9 121 254**	1/15 ea.

2 Drawer front connector for side profile

- Steel



Mounting option	Order no.	PU
Screw on type	**9 123 011**	1/150 ea.
Knock in type	**9 123 010**	1/150 ea.

3 Front stabiliser

- For stabilising wide and/or high fronts
- Use recommended on carcases in widths of 600 mm and over and / or front panel heights of 450 mm and over
- Plastic



Order no.	PU
9 123 080	1/150 ea.

4 Cover cap

- Plastic



Finish	Order no.	PU
white with Hettich logo	**9 123 006**	1/300 ea.
white	**9 123 001**	1/300 ea.
chrome look with Hettich logo	**9 123 008**	1/300 ea.
chrome look	**9 123 003**	1/300 ea.

Cover cap with customised imprint available on request

6 Aluminium rear panel

- For variable or standard carcase width
- For cutting to length
- Length 1140 mm
- **7** Rear panel connectors must be ordered separately



Order no.	PU
9 121 875	1 ea.

7 Rear panel connector

- For wooden or aluminium rear panel




Order no.		PU
left	right	
9 121 829	**9 121 830**	1/30 ea.

- **Pot-and-pan drawer with bottom cutout, height 186 mm, drawer side profile height 94 mm**
- **Powder coated steel, white**



- For utilising the space below the sink
- Other configurations are also possible

Exploded diagram



Components

1 Drawer side profile, 2 each left and right
2 Drawer front connector for side profile, 4 each
3 Front stabiliser
4 Cover cap, 4 each
5 Drawer front connector for lengthwise railing, 2 each
6 Actro drawer runner, left and right, see page 305
7 Lengthwise railing, left and right
C Wooden rear panel and
8 Rear panel connector, 2 each on left and right
A Front
B Bottom panel (material 16 mm thick)
C Wooden rear panel (material 16 mm thick)

Advice

Technical information, see pages 345, 346 - 361
Actro drawer runner, see page 305

INTERFER
www.interfer.pt

- **Pot-and-pan drawer with bottom cutout, height 186 mm, drawer side profile height 94 mm**
- **Powder coated steel, white**

1 Drawer side profile



Nominal length mm	Order no.		PU
	left	right	
270	**9 121 239**	**9 121 240**	1/15 ea.
300	**9 121 241**	**9 121 242**	1/15 ea.
350	**9 121 243**	**9 121 244**	1/15 ea.
400	**9 121 245**	**9 121 246**	1/15 ea.
450	**9 121 247**	**9 121 248**	1/15 ea.
500	**9 121 249**	**9 121 250**	1/15 ea.
550	**9 121 251**	**9 121 252**	1/15 ea.
650	**9 121 253**	**9 121 254**	1/15 ea.

2 Drawer front connector for side profile

- Steel



Mounting option	Order no.	PU
Screw on type	**9 123 011**	1/150 ea.
Knock in type	**9 123 010**	1/150 ea.

3 Front stabiliser

- For stabilising wide and/or high fronts
- Use recommended on carcases in widths of 600 mm and over and / or front panel heights of 450 mm and over
- Plastic



Order no.	PU
9 123 080	1/150 ea.

4 Cover cap

- Plastic



Finish	Order no.	PU
white with Hettich logo	**9 123 006**	1/300 ea.
white	**9 123 001**	1/300 ea.
chrome look with Hettich logo	**9 123 008**	1/300 ea.
chrome look	**9 123 003**	1/300 ea.

Cover cap with customised imprint available on request

5 Drawer front connector for lengthwise railing

- Plastic



Mounting option	Order no.	PU
Screw on type	**9 127 011**	1/300 ea.
Knock in type	**9 127 000**	1/300 ea.

7 Lengthwise railing



Nominal length mm	Order no.		PU
	left	right	
270	**9 121 957**	**9 121 958**	1/30 ea.
300	**9 121 967**	**9 121 968**	1/30 ea.
350	**9 121 977**	**9 121 978**	1/30 ea.
400	**9 121 987**	**9 121 988**	1/30 ea.
450	**9 121 997**	**9 121 998**	1/30 ea.
500	**9 122 007**	**9 122 008**	1/30 ea.
550	**9 122 017**	**9 122 018**	1/30 ea.
650	**9 122 037**	**9 122 038**	1/30 ea.

8 Rear panel connector


- For wooden rear panel




Height mm	Order no.		PU
	left	right	
94	**9 121 829**	**9 121 830**	1/30 ea.
186	**9 121 845**	**9 121 846**	1/30 ea.



- Carcase height 750 mm max.
- Carcase width 300 mm max.
- Actro drawer runner is required on the left and right, mounted diagonally
- Total loading capacity 20 kg max.
- Other configurations are also possible



Example application




No.	Application	see pages
1	ArciTech drawer Actro with Silent System	90 - 93 305
2	ArciTech pot-and-pan drawer Actro with Silent System	98 - 101 305



- For individual carcase heights and widths
- Optimum use of storage space
- Recommended carcase widths 300 - 600 mm
- Other configurations are also possible


Example application




No.	Application	see pages
1	ArciTech internal drawer Actro with Silent System	90 - 93 305
2	ArciTech pot-and-pan drawer Actro with Silent System	98 - 101 305
3	ArciTech internal drawer Actro with Silent System	90 - 93 305
4	ArciTech pot-and-pan drawer Actro with Silent System	98 - 101 305



- For individual carcase heights and widths
- Optimum use of storage space
- Recommended carcase widths: 450 - 1200 mm, with 2 hinged doors for carcases wider than 600 mm
- Recommended hinge: Sensys 8657i fast-assembly concealed hinge
- Other configurations are also possible



Example application



No.	Application	see pages
1	ArciTech internal drawer Actro with Silent System	90 - 93 305
2	ArciTech internal drawer Actro with Silent System	90 - 93 305
3	ArciTech internal drawer Actro with Silent System	90 - 93 305
4	ArciTech internal pot-and-pan drawer Actro with Silent System	98 - 101 305
5	ArciTech internal pot-and-pan drawer Actro with Silent System	98 - 101 305
6	ArciTech internal pot-and-pan drawer Actro with Silent System	98 - 101 305



OrgaTray 600

132 - 133



OrgaTray 400

134



OrgaTray 420

135



OrgaTray 570

136



Banio

137



OrgaStore 400

138



OrgaStore 600

139



OrgaStore 810

140 - 141



OrgaStore 220

142



Accessories

143




- Type 1: Tailored to standard carcase width,
  for carcases in widths of 300 mm, 400 mm and 450 mm,
  for drawer side profiles in a height of 94 mm, includes anti slip mat
- Types 2 and 3: Variable in width,
  for carcases in widths of 500 mm and over, for drawer side profiles in heights of 94 mm and 126 mm,
  anti slip mat must be ordered separately
- For nominal lengths of 450 and 500 mm
- Nominal lengths of 550 and 650 mm possible with insert tray and perforated panel, see page 133
- Modules preassembled


OrgaTray 600

Carcase width mm	Type	Order no. / Nominal length mm		PU
		450	500	
300	1	**9 123 119**	**9 123 128**	1 set
400	1	**9 123 120**	**9 123 129**	1 set
450	1	**9 123 121**	**9 123 130**	1 set
500 - 1200	2	**9 132 638**	**9 132 690**	1 set
500 - 1200	3	**9 132 682**	**9 132 692**	1 set

Partitioning



NL = Nominal length D = Depth W = Width CW = Carcase width



Roll holder, spice rack and knife holder



- For OrgaTray 600, with a carcase width of 600 mm and over
- Width 154 mm
- Oak oiled


Article name	Order no. / Nominal length mm		PU
	450	500	
Roll holder	**9 135 680**	**9 135 681**	1 ea.
Spice rack	**9 135 675**	**9 135 677**	1 ea.
Knife holder	**9 135 678**	**9 135 679**	1 ea.



- Complementing the OrgaTray 600 for nominal lengths of 550 and 650 mm
- Oiled oak

Insert tray






- For carcase widths of
  300, 400 und 450 mm: 1 insert tray, type 1
  500 mm: 1 insert tray, type 2, and perforated panel, see below
  600 mm: 2 insert trays, type 2
  Larger than 600 mm: 2 insert trays, type 2, and perforated panel, see below
- Length (L) = nominal length - 2

Type	Carcase width mm	Width (B) mm	Order no. / Nominal length mm		PU
			100	150	
1	300	199	**9 135 653**	**9 135 667**	1 ea.
1	400	299	**9 135 658**	**9 135 669**	1 ea.
1	450	349	**9 135 662**	**9 135 673**	1 ea.
2	500 - 1200	249	**9 135 665**	**9 135 674**	1 ea.

Perforated panel





- For adding to tray, type 2
- For cutting to size
- Material thickness 10 mm
- Dividers must be ordered separately, see below

Nominal length mm	Length (L) mm	Order no.	PU
100	98	**9 135 683**	1 ea.
150	148	**9 135 684**	1 ea.
650	622	**9 135 682**	1 ea.

Divider for perforated panel



- For adding to the perforated base
- For pushing in, with premounted pins
- Height 53 mm

Nominal length mm	Length (L) mm	Order no.	PU
100	98	**9 135 685**	1/5 ea.
150	148	**9 135 686**	1/5 ea.




- Variable in width
- For 94 mm drawer side profile height
- For nominal lengths of 450 and 500 mm
- Plastic white

OrgaTray 400


Carcase width mm	Order no. / Nominal length mm		PU
	450	500	
175	**9 135 097**	**9 135 105**	1 ea.
201	**9 135 098**	**9 135 106**	1 ea.
251	**9 135 099**	**9 135 107**	1 ea.
301	**9 135 100**	**9 135 108**	1 ea.
351	**9 135 101**	**9 135 109**	1 ea.
401	**9 135 102**	**9 135 110**	1 ea.
486	**9 135 103**	**9 135 112**	1 ea.
586		**9 135 113**	1 ea.
686		**9 135 114**	1 ea.
786		**9 135 115**	1 ea.
886		**9 135 116**	1 ea.
1086		**9 135 117**	1 ea.

Partitioning



NL = Nominal length D = Depth W = Width NB = Nominal width

Dimensions for cutting to size



- Trimmed width (B) = LB - 2 x EB - 47
- When using edge profiles, see page 143: trimmed width (B) = LB - 2 x EB - 51

- **Interior organisation system for drawers and internal drawers**
- **Powder coated steel, white**

INTERFER
www.interfer.pt




- Adapted to standard carcase width
- For 94 mm drawer side profile height
- For nominal lengths of 450 and 500 mm
- Plastic white

OrgaTray 420

Carcase width mm	Order no. / Nominal length mm		PU
	450	500	
191	**9 135 126**	**9 135 614**	1 ea.
291	**9 135 127**	**9 135 615**	1 ea.
341	**9 135 128**	**9 135 616**	1 ea.
391	**9 135 129**	**9 135 617**	1 ea.
441	**9 135 130**	**9 135 618**	1 ea.
491	**9 135 131**	**9 135 619**	1 ea.
791	**9 135 132**	**9 135 620**	1 ea.

Partitioning



NL = Nominal length D = Depth W = Width CW = Carcase width




- Adapted to standard carcase width
- For 94 mm drawer side profile height
- For nominal lengths of 400 / 450 and 500 mm
- Can be trimmed to nominal length of 400 mm.
  Cut length = nominal length (NL) - 27
- Set includes variable dividers for organising drawer in any way
- Plastic white

OrgaTray 570

Carcase width mm	Order no. / Nominal length mm		PU
	400 / 450	500	
300	**9 183 290**	**9 135 013**	1 set
350		**9 135 014**	1 set
400	**9 183 291**	**9 135 015**	1 set
450	**9 183 292**	**9 135 016**	1 set
500	**9 183 293**	**9 135 017**	1 set
550	**9 183 294**	**9 135 018**	1 set
600	**9 183 295**	**9 135 019**	1 set
800	**9 183 296**	**9 135 020**	1 set
900		**9 135 031**	1 set
1000	**9 183 297**	**9 135 032**	1 set

Partitioning



NL = Nominal length D = Depth W = Width CW = Carcase width

- **Interior organisation system for drawers and internal drawers**
- **Powder coated steel, white**

INTERFER
www.interfer.pt



- For drawer or pot-and-pan drawer
- Suitable for nominal depths up to 500 mm
- Recommended for use with carcases in widths of 600 mm and over
- Frame set and container set must be ordered separately

Banio frame set



- White plastic

Order no.	PU
9 153 385	1 set

Banio container set



- Translucent plastic

Order no.	PU
9 153 388	1 set

INTERFER
www.interfer.pt

- **Interior organisation system for pot-and-pan drawers and internal pot-and-pan drawers**
- **Powder coated steel, white**



- For pot-and-pan drawer or internal pot-and-pan drawer with railing
- Crosswise railings and lengthwise dividers must be ordered separately
- It is recommended to fit an anti slip mat

OrgaStore 400 standard carcase width



- Adapted to standard carcase width
- Lengthwise dividers must be ordered separately

Carcase width mm	Order no.	PU
300	**9 139 189**	1/30 ea.
350	**9 139 190**	1/30 ea.
400	**9 139 191**	1/30 ea.
450	**9 139 192**	1/30 ea.
500	**9 139 193**	1/30 ea.
550	**9 139 194**	1/30 ea.
600	**9 139 195**	1/30 ea.
800	**9 139 196**	1/30 ea.
900	**9 139 197**	1/30 ea.
1000	**9 139 198**	1/30 ea.
1200	**9 139 199**	1/30 ea.

OrgaStore 400 customised width



- Suitable for customised carcase widths
- Crosswise railings, adapters and lengthwise dividers must be ordered separately
- Crosswise railing length 2000 mm
- B = LB - 2 x EB - 34.5
- Adapter, white plastic

Article	Length mm	Order no.	PU
Crosswise railing	2000	**9 182 714**	1 ea.
Adapter		**9 182 223**	1/30 ea.

OrgaStore 400 lengthwise divider



- White plastic

Article name	Order no.	PU
Lengthwise divider	**9 182 227**	1/15 ea.

- **Interior organisation system for pot-and-pan drawers and internal pot-and-pan drawers**
- **Powder coated steel, white**

INTERFER
www.interfer.pt



- Adapted to standard carcase width
- For nominal lengths of 450, 500, 550 and 650 mm
- Set includes variable dividers for organising drawer in any way
- Height 145 mm
- White plastic

OrgaStore 600

Carcase width mm	Order no. / Nominal length mm				PU
	450	500	550	650	
300	**9 123 191**	**9 123 200**	**9 123 209**	**9 123 218**	1 set
400	**9 123 192**	**9 123 201**	**9 123 210**	**9 123 219**	1 set
450	**9 123 193**	**9 123 202**	**9 123 211**	**9 123 220**	1 set
500	**9 123 194**	**9 123 203**	**9 123 212**	**9 123 221**	1 set
600	**9 123 195**	**9 123 204**	**9 123 213**	**9 123 222**	1 set
800	**9 123 196**	**9 123 205**	**9 123 214**	**9 123 223**	1 set
900	**9 123 197**	**9 123 206**	**9 123 215**	**9 123 224**	1 set
1000	**9 123 198**	**9 123 207**	**9 123 216**	**9 123 225**	1 set
1200	**9 123 199**	**9 123 208**	**9 123 217**	**9 123 226**	1 set

- **Interior organisation system for pot-and-pan drawers and internal pot-and-pan drawers**
- **Powder coated steel, white**

INTERFER
www.interfer.pt




- Adapted to standard carcase width
- Can be used for nominal lengths of 300 mm and over
- Can be used for drawer side profile heights of 94 mm and 126 mm
- Plastic elements, white


Set comprises:
- 1 aluminium profile with plastic adapters
- Plastic dividing elements

OrgaStore 810

Carcase width mm	Number of dividers	Order no.	PU
300	2	**9 182 259**	1 set
450	3	**9 182 260**	1 set
600	3	**9 182 261**	1 set
900	5	**9 182 262**	1 set
1200	6	**9 182 263**	1 set


Partitioning





CW = Carcase width

Dimensions for cutting to size



- B = LB - 2 x EB - 78

INTERFER
www.interfer.pt

- **Interior organisation system for pot-and-pan drawers and internal pot-and-pan drawers**
- **Powder coated steel, white**

OrgaStore 810 adapter



- White plastic
- Plugs onto aluminium profile without the need for tools

Order no.	PU
9 182 233	1/30 ea.

OrgaStore 810 aluminium profile

- For cutting to length
- Adapters must be ordered separately
- Length 2000 mm

Order no.	PU
9 182 249	1 ea.

OrgaStore 810 divider



- White plastic
- Also available for adding to set

Order no.	PU
9 182 230	1/15 ea.



OrgaStore 220



- Adapted to standard carcase width
- For nominal lengths of 500 and 650 mm
- Can be cut to any chosen length
- Dividing rails or cross partitions must be ordered separately, see below
- Oiled oak

Carcase width mm	Nominal length mm	**Order no.**	PU
600	500	**9 135 406**	1 ea.
900	500	**9 135 407**	1 ea.
1200	650	**9 135 404**	1 ea.

Dividing rod / cross partition




Dividing rod
- Length 175 mm, ø 25 mm
- For twisting in, with premounted dowel
- Oiled oak

Cross partition
- 150 x 190 x 10 mm
- For pushing in, with premounted pins
- Oiled oak


Article name	**Order no.**	PU
Dividing rod	**9 135 405**	1/5 ea.
Cross partition	**9 138 104**	1/5 ea.

Dimensions for cutting to size



- Trimmed width (B) = LB - 2 x EB - 54
- Trimmed depth = nominal length - 27

Anti slip mat




- For inserting into the drawer or pot-and-pan drawer
- Dimensions 1076 x 623 mm
- Trimmed width (B) = inside carcase width - 2 x EB - 62
- Trimmed depth (L) = nominal length - 27
- Plastic white

Order no.	PU
9 135 621	1/5 ea.

Edge profile





- Can be used with OrgaTray 400, 420 and 570
- For clipping on at the side
- Tray width must be reduced by 4 mm
- For 500 mm nominal length
- Can be shortened as required
- Plastic chrome look

Set comprises:
- 2 edge profiles

Order no.	PU
9 135 408	1 set

INTERFER
www.interfer.pt



Drawer, height 78 mm

146 - 147



Drawer, height 94 mm

148 - 151



Internal drawer, height 94 mm

148 - 151



Drawer, height 126 mm

152 - 155



Internal drawer, height 126 mm

152 - 155



Pot-and-pan drawer, height 186 mm
Drawer side profile height 94 mm

156 - 159



Internal pot-and-pan drawer, height 186 mm
Drawer side profile height 94 mm

156 - 159



Pot-and-pan drawer, height 186 mm
Drawer side profile height 126 mm

160 - 163



Internal pot-and-pan drawer, height 186 mm
Drawer side profile height 126 mm

160 - 163



Pot-and-pan drawer, height 218 mm
Drawer side profile height 94 mm

164 - 167



Internal pot-and-pan drawer, height 218 mm
Drawer side profile height 94 mm

164 - 167



Pot-and-pan drawer, height 218 mm
Drawer side profile height 126 mm

168 - 171

INTERFER
www.interfer.pt



Internal pot-and-pan drawer, height 218 mm
Drawer side profile height 126 mm
168 - 171



Pot-and-pan drawer, height 250 mm
Drawer side profile height 94 mm
172 - 173



Pot-and-pan drawer, height 250 mm
Drawer side profile height 126 mm
174 - 177



Pot-and-pan drawer, height 282 mm
Drawer side profile height 94 mm
178 - 179



Pot-and-pan drawer, height 282 mm
Drawer side profile height 126 mm
180 - 181



Drawer, height 94 mm
with bottom cutout
182 - 183



Pot-and-pan drawer, height 186 mm
with bottom cutout
184 - 185




Narrow base unit
186



Tall unit / pantry
187 - 188



Interior organisation system for drawers / internal drawers
189




Interior organisation system for pot-and-pan drawers / internal pot-and-pan drawers
189

- **Drawer height 78 mm**
- **Powder coated steel, anthracite**



Exploded diagram



Components

1 Drawer side profile, left and right
2 Drawer front connector for side profile, 2 each
3 Front stabiliser
4 Cover cap, 2 each
5 Actro drawer runner, left and right, see page 305
6 Steel rear panel
Alternatively:
C Wooden rear panel and
7 Rear panel connector, left and right
A Front
B Bottom panel (material 16 mm thick)
C Wooden rear panel (material 16 mm thick)

Advice

Technical information, see pages 320, 346 - 361
Actro drawer runner, see page 305

1 Drawer side profile

- E.g. for such applications as oven bottom drawer



Nominal length mm	Order no.		PU
	left	right	
500	**9 121 277**	**9 121 278**	1/15 ea.

2 Drawer front connector for side profile

- Only for 78 mm height
- Can only be fitted with insertion aid, see page 384
- Plastic



Mounting option	Order no.	PU
Knock in type	**9 123 081**	1/150 ea.

3 Front stabiliser

- For stabilising wide and/or high fronts
- Use recommended on carcases in widths of 600 mm and over and / or front panel heights of 450 mm and over
- Plastic



Order no.	PU
9 123 080	1/150 ea.

4 Cover cap

- Plastic



Finish	Order no.	PU
anthracite with Hettich logo	**9 123 005**	1/300 ea.
anthracite	**9 123 000**	1/300 ea.
stainless steel look with Hettich logo	**9 123 007**	1/300 ea.
stainless steel look	**9 123 002**	1/300 ea.

Cover cap with customised imprint available on request

6 Steel rear panel

- For standard carcase width
- Use self tapping screw 3.5 x 6 DIN 7500 for fitting to drawer side profile, see page 318



Carcase width mm	Order no.	PU
600	**9 121 347**	1/20 ea.
900	**9 121 348**	1/20 ea.

7 Rear panel connector

- For wooden rear panel
- Use self tapping screw 3.5 x 6 DIN 7500 for fitting to drawer side profile, see page 318




Order no.		PU
left	right	
9 121 823	**9 121 824**	1/30 ea.

anthracite





Exploded diagram



Components

1 Drawer side profile, left and right
2 Drawer front connector for side profile, 2 each
3 Front stabiliser
4 Cover cap, 2 each
5 Actro drawer runner, left and right, see page 305
6 Steel rear panel
Alternatively:
7 Aluminium rear panel or C Wooden rear panel and
8 Rear panel connector, left and right
9 Front for internal drawer
Alternative 1:
10 Aluminium front panel and
11 Connector for front
Alternative 2:
D Front panel in any chosen material and
11 Connector for front and
12 Profile for front
A Front
B Bottom panel (material 16 mm thick)
C Wooden rear panel (material 16 mm thick)
D Front panel in any chosen material (material 6 mm thick)

Advice

Technical information, see pages 321 - 322, 346 - 361
Actro drawer runner, see page 305

1 Drawer side profile



Nominal length mm	Order no.		PU
	left	right	
270	**9 121 281**	**9 121 282**	1/15 ea.
300	**9 121 283**	**9 121 284**	1/15 ea.
350	**9 121 285**	**9 121 286**	1/15 ea.
400	**9 121 287**	**9 121 288**	1/15 ea.
450	**9 121 289**	**9 121 290**	1/15 ea.
500	**9 121 291**	**9 121 292**	1/15 ea.
550	**9 121 293**	**9 121 294**	1/15 ea.
650	**9 121 295**	**9 121 296**	1/15 ea.

2 Drawer front connector for side profile

- Steel



Mounting option	Order no.	PU
Screw on type	**9 123 011**	1/150 ea.
Knock in type	**9 123 010**	1/150 ea.

3 Front stabiliser

- For stabilising wide and/or high fronts
- Use recommended on carcases in widths of 600 mm and over and / or front panel heights of 450 mm and over
- Plastic



Order no.	PU
9 123 080	1/150 ea.

4 Cover cap

- Plastic



Finish	Order no.	PU
anthracite with Hettich logo	**9 123 005**	1/300 ea.
anthracite	**9 123 000**	1/300 ea.
stainless steel look with Hettich logo	**9 123 007**	1/300 ea.
stainless steel look	**9 123 002**	1/300 ea.

Cover cap with customised imprint available on request

6 Steel rear panel

- For standard carcase width



Carcase width mm	Order no.	PU
275	**9 121 401**	1/20 ea.
300	**9 121 402**	1/20 ea.
350	**9 121 404**	1/20 ea.
400	**9 121 406**	1/20 ea.
450	**9 121 408**	1/20 ea.
500	**9 121 410**	1/20 ea.
550	**9 121 412**	1/20 ea.
600	**9 121 414**	1/20 ea.
700	**9 121 416**	1/20 ea.
800	**9 121 418**	1/20 ea.
900	**9 121 420**	1/20 ea.
1000	**9 121 422**	1/20 ea.
1200	**9 121 426**	1/20 ea.

7 Aluminium rear panel

- For variable or standard carcase width
- For cutting to length
- Length 1140 mm
- 8 Rear panel connectors must be ordered separately



Order no.	PU
9 121 876	1 ea.

8 Rear panel connector

- For wooden or aluminium rear panel



Order no.		PU
left	right	
9 121 831	**9 121 832**	1/30 ea.

9 Front

- For standard carcase width
- With premounted connectors



Carcase width mm	Order no.	PU
300	**9 140 085**	1/15 ea.
400	**9 140 086**	1/15 ea.
450	**9 140 087**	1/15 ea.
500	**9 140 088**	1/15 ea.
600	**9 140 089**	1/15 ea.
800	**9 140 090**	1/15 ea.
900	**9 140 091**	1/15 ea.
1000	**9 140 092**	1/15 ea.
1200	**9 140 093**	1/15 ea.

INTERFER
www.interfer.pt

10 Aluminium front

- For variable or standard carcase width
- For cutting to length
- Length 1140 mm
- 11 Connectors must be ordered separately



Order no.	PU
9 139 894	1 ea.

11 Connector for front

- For combining with 10 aluminium front panel or front panel in any chosen material
- When using any chosen material with a total load of up to 60 kg



Order no.	PU
9 140 121	1/15 set

12 Profile for front

- For front panel in any chosen material
- To cut to length, 2 profiles per front
- Length 1140 mm
- Aluminium
- 11 Connectors must be ordered separately




Order no.	PU
9 123 097	1 ea.

INTERFER
www.interfer.pt





Exploded diagram



Components

1 Drawer side profile, left and right
2 Drawer front connector for side profile, 2 each
3 Front stabiliser
4 Cover cap, 2 each
5 Actro drawer runner, left and right, see page 305
6 Steel rear panel
Alternatively:
7 Aluminium rear panel or C Wooden rear panel and
8 Rear panel connector, left and right
9 Front for internal drawer
Alternative 1:
10 Aluminium front panel and
11 Connector for front
Alternative 2:
D Front panel in any chosen material and
11 Connector for front and
12 Profile for front
A Front
B Bottom panel (material 16 mm thick)
C Wooden rear panel (material 16 mm thick)
D Front panel in any chosen material (material 6 mm thick)

Advice

Technical information, see pages 323 - 324, 346 - 361
Actro drawer runner, see page 305

1 Drawer side profile



Nominal length mm	Order no.		PU
	left	right	
270	**9 121 297**	**9 121 298**	1/15 ea.
300	**9 121 299**	**9 121 300**	1/15 ea.
350	**9 121 301**	**9 121 302**	1/15 ea.
400	**9 121 303**	**9 121 304**	1/15 ea.
450	**9 121 305**	**9 121 306**	1/15 ea.
500	**9 121 307**	**9 121 308**	1/15 ea.
550	**9 121 309**	**9 121 310**	1/15 ea.
650	**9 121 311**	**9 121 312**	1/15 ea.

2 Drawer front connector for side profile

- Steel



Mounting option	Order no.	PU
Screw on type	**9 123 011**	1/150 ea.
Knock in type	**9 123 010**	1/150 ea.

3 Front stabiliser

- For stabilising wide and/or high fronts
- Use recommended on carcases in widths of 600 mm and over and / or front panel heights of 450 mm and over
- Plastic



Order no.	PU
9 123 080	1/150 ea.

4 Cover cap

- Plastic



Finish	Order no.	PU
anthracite with Hettich logo	**9 123 005**	1/300 ea.
anthracite	**9 123 000**	1/300 ea.
stainless steel look with Hettich logo	**9 123 007**	1/300 ea.
stainless steel look	**9 123 002**	1/300 ea.

Cover cap with customised imprint available on request

6 Steel rear panel

- For standard carcase width



Carcase width mm	Order no.	PU
275	**9 121 479**	1/20 ea.
300	**9 121 480**	1/20 ea.
350	**9 121 482**	1/20 ea.
400	**9 121 484**	1/20 ea.
450	**9 121 486**	1/20 ea.
500	**9 121 488**	1/20 ea.
550	**9 121 490**	1/20 ea.
600	**9 121 492**	1/20 ea.
700	**9 121 494**	1/20 ea.
800	**9 121 496**	1/20 ea.
900	**9 121 498**	1/20 ea.
1000	**9 121 500**	1/10 ea.
1200	**9 121 504**	1/10 ea.

7 Aluminium rear panel

- For variable or standard carcase width
- For cutting to length
- Length 1140 mm
- 8 Rear panel connectors must be ordered separately



Order no.	PU
9 121 880	1 ea.

8 Rear panel connector

- For wooden or aluminium rear panel



Order no.		PU
left	right	
9 121 839	**9 121 840**	1/30 ea.

9 Front

- For standard carcase width
- With premounted connectors



Carcase width mm	Order no.	PU
300	**9 140 094**	1/15 ea.
400	**9 140 095**	1/15 ea.
450	**9 140 096**	1/15 ea.
500	**9 140 097**	1/15 ea.
600	**9 140 098**	1/15 ea.
800	**9 140 099**	1/15 ea.
900	**9 140 100**	1/15 ea.
1000	**9 140 101**	1/15 ea.
1200	**9 140 102**	1/15 ea.

INTERFER
www.interfer.pt

10 Aluminium front

- For variable or standard carcase width
- For cutting to length
- Length 1140 mm
- 11 Connectors must be ordered separately



Order no.	PU
9 139 894	1 ea.

11 Connector for front

- For combining with 10 aluminium front panel or front panel in any chosen material
- When using any chosen material with a total load of up to 60 kg



Order no.	PU
9 140 122	1/15 set

12 Profile for front

- For front panel in any chosen material
- To cut to length, 2 profiles per front
- Length 1140 mm
- Aluminium
- 11 Connectors must be ordered separately



Order no.	PU
9 123 097	1 ea.

INTERFER
www.interfer.pt

INTERFER
www.interfer.pt

- **Pot-and-pan / internal pot-and-pan drawer, height 186 mm, drawer side profile height 94 mm**
- **Powder coated steel, anthracite**












Exploded diagram



Components

1 Drawer side profile, left and right
2 Drawer front connector for side profile, 2 each
3 Front stabiliser
4 Cover cap, 2 each
5 Drawer front connector for lengthwise railing, 2 each
6 Actro drawer runner, left and right, see page 305
7 Lengthwise railing, left and right
Alternative 1:
8 TopSide
Alternative 2:
9 DesignSide in glass and
10 DesignSide adapter
Alternative 3:
D DesignSide in any chosen material and
10 DesignSide adapter and
11 DesignSide connector
12 Steel rear panel
Alternatively:
13 Aluminium rear panel or C Wooden rear panel and
14 Rear panel connector, left and right
15 Front for internal pot-and-pan drawer
Alternative 1:
16 Aluminium front panel and
17 Railing for aluminium front and
18 Connector for front
Alternative 2:
E Front panel in any chosen material and
18 Connector for front and
19 Profile for front
A Front
B Bottom panel (material 16 mm thick)
C Wooden rear panel (material 16 mm thick)
D DesignSide in any chosen material (material 8 mm thick)
E Front panel in any chosen material (material 6 mm thick)

Advice

Technical information, see pages 325 - 328, 346 - 361
Actro drawer runner, see page 305

1 Drawer side profile



Nominal length mm	Order no.		PU
	left	right	
270	**9 121 281**	**9 121 282**	1/15 ea.
300	**9 121 283**	**9 121 284**	1/15 ea.
350	**9 121 285**	**9 121 286**	1/15 ea.
400	**9 121 287**	**9 121 288**	1/15 ea.
450	**9 121 289**	**9 121 290**	1/15 ea.
500	**9 121 291**	**9 121 292**	1/15 ea.
550	**9 121 293**	**9 121 294**	1/15 ea.
650	**9 121 295**	**9 121 296**	1/15 ea.

2 Drawer front connector for side profile

- Steel



Mounting option	Order no.	PU
Screw on type	**9 123 011**	1/150 ea.
Knock in type	**9 123 010**	1/150 ea.

3 Front stabiliser

- For stabilising wide and/or high fronts
- Use recommended on carcases in widths of 600 mm and over and / or front panel heights of 450 mm and over
- Plastic



Order no.	PU
9 123 080	1/150 ea.

4 Cover cap

- Plastic



Finish	Order no.	PU
anthracite with Hettich logo	**9 123 005**	1/300 ea.
anthracite	**9 123 000**	1/300 ea.
stainless steel look with Hettich logo	**9 123 007**	1/300 ea.
stainless steel look	**9 123 002**	1/300 ea.

Cover cap with customised imprint available on request

5 Drawer front connector for lengthwise railing

- Plastic



Mounting option	Order no.	PU
Screw on type	**9 127 011**	1/300 ea.
Knock in type	**9 127 000**	1/300 ea.

7 Lengthwise railing



Nominal length mm	Order no.		PU
	left	right	
270	**9 121 955**	**9 121 956**	1/30 ea.
300	**9 121 965**	**9 121 966**	1/30 ea.
350	**9 121 975**	**9 121 976**	1/30 ea.
400	**9 121 985**	**9 121 986**	1/30 ea.
450	**9 121 995**	**9 121 996**	1/30 ea.
500	**9 122 005**	**9 122 006**	1/30 ea.
550	**9 122 015**	**9 122 016**	1/30 ea.
650	**9 122 035**	**9 122 036**	1/30 ea.

8 TopSide

- Includes knock in and screw on front connectors



Nominal length mm	Order no.	PU
400	**9 122 913**	1 set
450	**9 122 917**	1 set
500	**9 122 921**	1 set
550	**9 122 925**	1 set
650	**9 122 933**	1 set

9 DesignSide in glass

- Clear float glass with glued on connectors
- Material 8 mm thick
- 10 DesignSide adapters must be ordered separately



Nominal length mm	Order no.	PU
270	**9 122 983**	1 set
300	**9 122 984**	1 set
350	**9 122 985**	1 set
400	**9 122 986**	1 set
450	**9 122 987**	1 set
500	**9 122 988**	1 set
550	**9 122 989**	1 set
650	**9 122 990**	1 set

10 DesignSide adapter

- Includes knock in and screw on front connectors
- For combining with 9 DesignSide in glass or 11 DesignSide connector



Order no.	PU
9 122 974	1/15 set

11 DesignSide connector

- For screwing or gluing (ø 3 x 10)
- For combining with DesignSide in any chosen material (8 mm thick material)
- 10 DesignSide adapters must be ordered separately



Order no.	PU
9 122 998	1/15 set

12 Steel rear panel

- For standard carcase width



Carcase width mm	Order no.	PU
275	**9 121 557**	1/10 ea.
300	**9 121 558**	1/10 ea.
350	**9 121 560**	1/10 ea.
400	**9 121 562**	1/10 ea.
450	**9 121 564**	1/10 ea.
500	**9 121 566**	1/10 ea.
550	**9 121 568**	1/10 ea.
600	**9 121 570**	1/10 ea.
700	**9 121 572**	1/10 ea.
800	**9 121 574**	1/10 ea.
900	**9 121 576**	1/10 ea.
1000	**9 121 578**	1/10 ea.
1200	**9 121 582**	1/10 ea.

13 Aluminium rear panel

- For variable or standard carcase width
- For cutting to length
- Length 1140 mm
- 14 Rear panel connectors must be ordered separately



Order no.	PU
9 121 884	1 ea.

14 Rear panel connector

- For wooden or aluminium rear panel



Order no.		PU
left	right	
9 121 847	**9 121 848**	1/30 ea.

15 Front

- For standard carcase width
- With premounted connectors and premounted railing



Carcase width mm	Order no.	PU
300	**9 140 103**	1/15 ea.
400	**9 140 104**	1/15 ea.
450	**9 140 105**	1/15 ea.
500	**9 140 106**	1/15 ea.
600	**9 140 107**	1/15 ea.
800	**9 140 108**	1/15 ea.
900	**9 140 109**	1/15 ea.
1000	**9 140 110**	1/15 ea.
1200	**9 140 111**	1/15 ea.

16 Aluminium front

- For variable or standard carcase width
- For cutting to length
- Length 1140 mm
- 17 Railing and 18 connectors must be ordered separately



Order no.	PU
9 139 894	1 ea.

17 Railing for aluminium front

- Steel
- For cutting to length
- Length 1140 mm



Order no.	PU
9 141 713	1 ea.

18 Connector for front

- For combining with 16 aluminium front panel and 17 railing for aluminium front panel or front panel in any chosen material
- When using any chosen material with a total load of up to 60 kg



Order no.	PU
9 140 123	1/15 set

19 Profile for front

- For front panel in any chosen material
- To cut to length, 2 profiles per front
- Length 1140 mm
- Aluminium
- 18 Connectors must be ordered separately



Order no.	PU
9 123 097	1 ea.

INTERFER
www.interfer.pt


INTERFER
www.interfer.pt

- **Pot-and-pan / internal pot-and-pan drawer, height 186 mm, drawer side profile height 126 mm**
- **Powder coated steel, anthracite**





Exploded diagram



Components

1 Drawer side profile, left and right
2 Drawer front connector for side profile, 2 each
3 Front stabiliser
4 Cover cap, 2 each
5 Drawer front connector for lengthwise railing, 2 each
6 Actro drawer runner, left and right, see page 305
7 Lengthwise railing, left and right
8 Steel rear panel
Alternatively:
9 Aluminium rear panel or C Wooden rear panel and
10 Rear panel connector, left and right
11 Front for internal pot-and-pan drawer
Alternative 1:
12 Aluminium front panel and
13 Railing for aluminium front and
14 Connector for front
Alternative 2:
D Front panel in any chosen material and
14 Connector for front and
15 Profile for front

A Front
B Bottom panel (material 16 mm thick)
C Wooden rear panel (material 16 mm thick)
D Front panel in any chosen material (material 6 mm thick)

Advice

Technical information, see pages 329 - 330, 346 - 361
Actro drawer runner, see page 305

1 Drawer side profile



Nominal length mm	Order no.		PU
	left	right	
270	**9 121 297**	**9 121 298**	1/15 ea.
300	**9 121 299**	**9 121 300**	1/15 ea.
350	**9 121 301**	**9 121 302**	1/15 ea.
400	**9 121 303**	**9 121 304**	1/15 ea.
450	**9 121 305**	**9 121 306**	1/15 ea.
500	**9 121 307**	**9 121 308**	1/15 ea.
550	**9 121 309**	**9 121 310**	1/15 ea.
650	**9 121 311**	**9 121 312**	1/15 ea.

2 Drawer front connector for side profile

- Steel



Mounting option	Order no.	PU
Screw on type	**9 123 011**	1/150 ea.
Knock in type	**9 123 010**	1/150 ea.

3 Front stabiliser

- For stabilising wide and/or high fronts
- Use recommended on carcases in widths of 600 mm and over and / or front panel heights of 450 mm and over
- Plastic



Order no.	PU
9 123 080	1/150 ea.

4 Cover cap

- Plastic



Finish	Order no.	PU
anthracite with Hettich logo	**9 123 005**	1/300 ea.
anthracite	**9 123 000**	1/300 ea.
stainless steel look with Hettich logo	**9 123 007**	1/300 ea.
stainless steel look	**9 123 002**	1/300 ea.

Cover cap with customised imprint available on request

5 Drawer front connector for lengthwise railing

- Plastic



Mounting option	Order no.	PU
Screw on type	**9 127 011**	1/300 ea.
Knock in type	**9 127 000**	1/300 ea.

7 Lengthwise railing



Nominal length mm	Order no.		PU
	left	right	
270	**9 121 955**	**9 121 956**	1/30 ea.
300	**9 121 965**	**9 121 966**	1/30 ea.
350	**9 121 975**	**9 121 976**	1/30 ea.
400	**9 121 985**	**9 121 986**	1/30 ea.
450	**9 121 995**	**9 121 996**	1/30 ea.
500	**9 122 005**	**9 122 006**	1/30 ea.
550	**9 122 015**	**9 122 016**	1/30 ea.
650	**9 122 035**	**9 122 036**	1/30 ea.

8 Steel rear panel

- For standard carcase width



Carcase width mm	Order no.	PU
275	**9 121 557**	1/10 ea.
300	**9 121 558**	1/10 ea.
350	**9 121 560**	1/10 ea.
400	**9 121 562**	1/10 ea.
450	**9 121 564**	1/10 ea.
500	**9 121 566**	1/10 ea.
550	**9 121 568**	1/10 ea.
600	**9 121 570**	1/10 ea.
700	**9 121 572**	1/10 ea.
800	**9 121 574**	1/10 ea.
900	**9 121 576**	1/10 ea.
1000	**9 121 578**	1/10 ea.
1200	**9 121 582**	1/10 ea.

9 Aluminium rear panel

- For variable or standard carcase width
- For cutting to length
- Length 1140 mm
- 10 Rear panel connectors must be ordered separately



Order no.	PU
9 121 884	1 ea.

10 Rear panel connector

- For wooden or aluminium rear panel



Order no.		PU
left	right	
9 121 847	**9 121 848**	1/30 ea.

INTERFER
www.interfer.pt

11 Front

- For standard carcase width
- With premounted connectors and premounted railing



Carcase width mm	Order no.	PU
300	**9 140 103**	1/15 ea.
400	**9 140 104**	1/15 ea.
450	**9 140 105**	1/15 ea.
500	**9 140 106**	1/15 ea.
600	**9 140 107**	1/15 ea.
800	**9 140 108**	1/15 ea.
900	**9 140 109**	1/15 ea.
1000	**9 140 110**	1/15 ea.
1200	**9 140 111**	1/15 ea.

12 Aluminium front

- For variable or standard carcase width
- For cutting to length
- Length 1140 mm
- 14 Connectors must be ordered separately



Order no.	PU
9 139 894	1 ea.

13 Railing for aluminium front

- Steel
- For cutting to length
- Length 1140 mm



Order no.	PU
9 141 713	1 ea.

14 Connector for front

- For combining with 12 aluminium front panel and 13 railing for aluminium front panel or front panel in any chosen material
- When using any chosen material with a total load of up to 60 kg



Order no.	PU
9 140 123	1/15 set

15 Profile for front

- For front panel in any chosen material
- To cut to length, 2 profiles per front
- Length 1140 mm
- Aluminium
- 14 Connectors must be ordered separately



Order no.	PU
9 123 097	1 ea.

INTERFER
www.interfer.pt


INTERFER
www.interfer.pt

- **Pot-and-pan / internal pot-and-pan drawer, height 218 mm, drawer side profile height 94 mm**
- **Powder coated steel, anthracite**












Exploded diagram



Components

1 Drawer side profile, left and right
2 Drawer front connector for side profile, 2 each
3 Front stabiliser
4 Cover cap, 2 each
5 Drawer front connector for lengthwise railing, 2 each
6 Actro drawer runner, left and right, see page 305
7 Lengthwise railing, left and right

Alternative 1:
8 TopSide

Alternative 2:
9 DesignSide in glass and
10 DesignSide adapter

Alternative 3:
D DesignSide in any chosen material and
10 DesignSide adapter and
11 DesignSide connector

12 Steel rear panel

Alternatively:
13 Aluminium rear panel or C Wooden rear panel and
14 Rear panel connector, left and right

15 Front for internal pot-and-pan drawer

Alternative 1:
16 Aluminium front panel and
17 Railing for aluminium front and
18 Connector for front

Alternative 2:
E Front panel in any chosen material and
18 Connector for front and
19 Profile for front

A Front
B Bottom panel (material 16 mm thick)
C Wooden rear panel (material 16 mm thick)
D DesignSide in any chosen material (material 8 mm thick)
E Front panel in any chosen material (material 6 mm thick)

Advice

Technical information, see pages 331 - 334, 346 - 361
Actro drawer runner, see page 305

1 Drawer side profile



Nominal length mm	Order no.		PU
	left	right	
270	**9 121 281**	**9 121 282**	1/15 ea.
300	**9 121 283**	**9 121 284**	1/15 ea.
350	**9 121 285**	**9 121 286**	1/15 ea.
400	**9 121 287**	**9 121 288**	1/15 ea.
450	**9 121 289**	**9 121 290**	1/15 ea.
500	**9 121 291**	**9 121 292**	1/15 ea.
550	**9 121 293**	**9 121 294**	1/15 ea.
650	**9 121 295**	**9 121 296**	1/15 ea.

2 Drawer front connector for side profile

- Steel



Mounting option	Order no.	PU
Screw on type	**9 123 011**	1/150 ea.
Knock in type	**9 123 010**	1/150 ea.

3 Front stabiliser

- For stabilising wide and/or high fronts
- Use recommended on carcases in widths of 600 mm and over and / or front panel heights of 450 mm and over
- Plastic



Order no.	PU
9 123 080	1/150 ea.

4 Cover cap

- Plastic



Finish	Order no.	PU
anthracite with Hettich logo	**9 123 005**	1/300 ea.
anthracite	**9 123 000**	1/300 ea.
stainless steel look with Hettich logo	**9 123 007**	1/300 ea.
stainless steel look	**9 123 002**	1/300 ea.

Cover cap with customised imprint available on request

5 Drawer front connector for lengthwise railing

- Plastic



Mounting option	Order no.	PU
Screw on type	**9 127 011**	1/300 ea.
Knock in type	**9 127 000**	1/300 ea.

7 Lengthwise railing



Nominal length mm	Order no.		PU
	left	right	
270	**9 121 955**	**9 121 956**	1/30 ea.
300	**9 121 965**	**9 121 966**	1/30 ea.
350	**9 121 975**	**9 121 976**	1/30 ea.
400	**9 121 985**	**9 121 986**	1/30 ea.
450	**9 121 995**	**9 121 996**	1/30 ea.
500	**9 122 005**	**9 122 006**	1/30 ea.
550	**9 122 015**	**9 122 016**	1/30 ea.
650	**9 122 035**	**9 122 036**	1/30 ea.

8 TopSide

- Includes knock in and screw on front connectors



Nominal length mm	Order no.	PU
400	**9 122 950**	1 set
450	**9 122 954**	1 set
500	**9 122 958**	1 set
550	**9 122 962**	1 set
650	**9 122 970**	1 set

9 DesignSide in glass

- Clear float glass with glued on connectors
- Material 8 mm thick
- 10 DesignSide adapters must be ordered separately



Nominal length mm	Order no.	PU
270	**9 122 991**	1 set
300	**9 122 992**	1 set
350	**9 122 993**	1 set
400	**9 122 994**	1 set
450	**9 122 995**	1 set
500	**9 122 996**	1 set
550	**9 122 997**	1 set
650	**9 123 078**	1 set

10 DesignSide adapter

- Includes knock in and screw on front connectors
- For combining with 9 DesignSide in glass or 11 DesignSide connector



Order no.	PU
9 122 979	1/15 set

11 DesignSide connector

- For screwing or gluing (ø 3 x 10)
- For combining with DesignSide in any chosen material (8 mm thick material)
- 10 DesignSide adapters must be ordered separately



Order no.	PU
9 122 998	1/15 set

12 Steel rear panel

- For standard carcase width



Carcase width mm	Order no.	PU
275	**9 121 635**	1/10 ea.
300	**9 121 636**	1/10 ea.
350	**9 121 638**	1/10 ea.
400	**9 121 640**	1/10 ea.
450	**9 121 642**	1/10 ea.
500	**9 121 644**	1/10 ea.
550	**9 121 646**	1/10 ea.
600	**9 121 648**	1/10 ea.
700	**9 121 650**	1/10 ea.
800	**9 121 652**	1/10 ea.
900	**9 121 654**	1/10 ea.
1000	**9 121 656**	1/5 ea.
1200	**9 121 660**	1/5 ea.

13 Aluminium rear panel

- For variable or standard carcase width
- For cutting to length
- Length 1140 mm
- 14 Rear panel connectors must be ordered separately



Order no.	PU
9 121 888	1 ea.

14 Rear panel connector

- For wooden or aluminium rear panel



Order no.		PU
left	right	
9 121 855	**9 121 856**	1/30 ea.

15 Front

- For standard carcase width
- With premounted connectors and premounted railing



Carcase width mm	Order no.	PU
300	**9 140 112**	1/15 ea.
400	**9 140 113**	1/15 ea.
450	**9 140 114**	1/15 ea.
500	**9 140 115**	1/15 ea.
600	**9 140 116**	1/15 ea.
800	**9 140 117**	1/15 ea.
900	**9 140 118**	1/15 ea.
1000	**9 140 119**	1/15 ea.
1200	**9 140 120**	1/15 ea.

16 Aluminium front

- For variable or standard carcase width
- For cutting to length
- Length 1140 mm
- 18 Connectors must be ordered separately



Order no.	PU
9 139 894	1 ea.

17 Railing for aluminium front

- Steel
- For cutting to length
- Length 1140 mm



Order no.	PU
9 141 713	1 ea.

18 Connector for front

- For combining with 16 aluminium front panel and 17 railing for aluminium front panel or front panel in any chosen material
- When using any chosen material with a total load of up to 60 kg



Order no.	PU
9 140 124	1/15 set

19 Profile for front

- For front panel in any chosen material
- To cut to length, 2 profiles per front
- Length 1140 mm
- Aluminium
- 18 Connectors must be ordered separately



Order no.	PU
9 123 097	1 ea.

INTERFER
www.interfer.pt

INTERFER
www.interfer.pt

- **Pot-and-pan / internal pot-and-pan drawer, height 218 mm, drawer side profile height 126 mm**
- **Powder coated steel, anthracite**












Exploded diagram



Components

1 Drawer side profile, left and right
2 Drawer front connector for side profile, 2 each
3 Front stabiliser
4 Cover cap, 2 each
5 Drawer front connector for lengthwise railing, 2 each
6 Actro drawer runner, left and right, see page 305
7 Lengthwise railing, left and right
Alternative 1:
8 TopSide
Alternative 2:
9 DesignSide in glass and
10 DesignSide adapter
Alternative 3:
D DesignSide in any chosen material and
10 DesignSide adapter and
11 DesignSide connector
12 Steel rear panel
Alternatively:
13 Aluminium rear panel or C Wooden rear panel and
14 Rear panel connector, left and right
15 Front for internal pot-and-pan drawer
Alternative 1:
16 Aluminium front panel and
17 Railing for aluminium front and
18 Connector for front
Alternative 2:
E Front panel in any chosen material and
18 Connector for front and
19 Profile for front
A Front
B Bottom panel (material 16 mm thick)
C Wooden rear panel (material 16 mm thick)
D DesignSide in any chosen material (material 8 mm thick)
E Front panel in any chosen material (material 6 mm thick)

Advice

Technical information, see pages 335 - 338, 346 - 361
Actro drawer runner, see page 305

INTERFER
www.interfer.pt

- **Pot-and-pan / internal pot-and-pan drawer, height 218 mm, drawer side profile height 126 mm**
- **Powder coated steel, anthracite**

1 Drawer side profile



Nominal length mm	Order no.		PU
	left	right	
270	**9 121 297**	**9 121 298**	1/15 ea.
300	**9 121 299**	**9 121 300**	1/15 ea.
350	**9 121 301**	**9 121 302**	1/15 ea.
400	**9 121 303**	**9 121 304**	1/15 ea.
450	**9 121 305**	**9 121 306**	1/15 ea.
500	**9 121 307**	**9 121 308**	1/15 ea.
550	**9 121 309**	**9 121 310**	1/15 ea.
650	**9 121 311**	**9 121 312**	1/15 ea.

2 Drawer front connector for side profile

- Steel



Mounting option	Order no.	PU
Screw on type	**9 123 011**	1/150 ea.
Knock in type	**9 123 010**	1/150 ea.

3 Front stabiliser

- For stabilising wide and/or high fronts
- Use recommended on carcases in widths of 600 mm and over and / or front panel heights of 450 mm and over
- Plastic



Order no.	PU
9 123 080	1/150 ea.

4 Cover cap

- Plastic



Finish	Order no.	PU
anthracite with Hettich logo	**9 123 005**	1/300 ea.
anthracite	**9 123 000**	1/300 ea.
stainless steel look with Hettich logo	**9 123 007**	1/300 ea.
stainless steel look	**9 123 002**	1/300 ea.

Cover cap with customised imprint available on request

5 Drawer front connector for lengthwise railing

- Plastic



Mounting option	Order no.	PU
Screw on type	**9 127 011**	1/300 ea.
Knock in type	**9 127 000**	1/300 ea.

7 Lengthwise railing



Nominal length mm	Order no.		PU
	left	right	
270	**9 121 955**	**9 121 956**	1/30 ea.
300	**9 121 965**	**9 121 966**	1/30 ea.
350	**9 121 975**	**9 121 976**	1/30 ea.
400	**9 121 985**	**9 121 986**	1/30 ea.
450	**9 121 995**	**9 121 996**	1/30 ea.
500	**9 122 005**	**9 122 006**	1/30 ea.
550	**9 122 015**	**9 122 016**	1/30 ea.
650	**9 122 035**	**9 122 036**	1/30 ea.

8 TopSide

- Includes knock in and screw on front connectors



Nominal length mm	Order no.	PU
400	**9 122 913**	1 set
450	**9 122 917**	1 set
500	**9 122 921**	1 set
550	**9 122 925**	1 set
650	**9 122 933**	1 set

9 DesignSide in glass

- Clear float glass with glued on connectors
- Material 8 mm thick
- 10 DesignSide adapters must be ordered separately



Nominal length mm	Order no.	PU
270	**9 122 983**	1 set
300	**9 122 984**	1 set
350	**9 122 985**	1 set
400	**9 122 986**	1 set
450	**9 122 987**	1 set
500	**9 122 988**	1 set
550	**9 122 989**	1 set
650	**9 122 990**	1 set

10 DesignSide adapter

- Includes knock in and screw on front connectors
- For combining with 9 DesignSide in glass or 11 DesignSide connector



Order no.	PU
9 122 974	1/15 set

11 DesignSide connector

- For screwing or gluing (ø 3 x 10)
- For combining with DesignSide in any chosen material (8 mm thick material)
- 10 DesignSide adapters must be ordered separately



Order no.	PU
9 122 998	1/15 set

12 Steel rear panel

- For standard carcase width



Carcase width mm	Order no.	PU
275	**9 121 635**	1/10 ea.
300	**9 121 636**	1/10 ea.
350	**9 121 638**	1/10 ea.
400	**9 121 640**	1/10 ea.
450	**9 121 642**	1/10 ea.
500	**9 121 644**	1/10 ea.
550	**9 121 646**	1/10 ea.
600	**9 121 648**	1/10 ea.
700	**9 121 650**	1/10 ea.
800	**9 121 652**	1/10 ea.
900	**9 121 654**	1/10 ea.
1000	**9 121 656**	1/5 ea.
1200	**9 121 660**	1/5 ea.

13 Aluminium rear panel

- For variable or standard carcase width
- For cutting to length
- Length 1140 mm
- 14 Rear panel connectors must be ordered separately



Order no.	PU
9 121 888	1 ea.

14 Rear panel connector

- For wooden or aluminium rear panel



Order no.		PU
left	right	
9 121 855	**9 121 856**	1/30 ea.

15 Front

- For standard carcase width
- With premounted connectors and premounted railing



Carcase width mm	Order no.	PU
300	**9 140 112**	1/15 ea.
400	**9 140 113**	1/15 ea.
450	**9 140 114**	1/15 ea.
500	**9 140 115**	1/15 ea.
600	**9 140 116**	1/15 ea.
800	**9 140 117**	1/15 ea.
900	**9 140 118**	1/15 ea.
1000	**9 140 119**	1/15 ea.
1200	**9 140 120**	1/15 ea.

16 Aluminium front

- For variable or standard carcase width
- For cutting to length
- Length 1140 mm
- 18 Connectors must be ordered separately



Order no.	PU
9 139 894	1 ea.

17 Railing for aluminium front

- Steel
- For cutting to length
- Length 1140 mm



Order no.	PU
9 141 713	1 ea.

18 Connector for front

- For combining with 16 aluminium front panel and 17 railing for aluminium front panel or front panel in any chosen material
- When using any chosen material with a total load of up to 60 kg



Order no.	PU
9 140 124	1/15 set

19 Profile for front

- For front panel in any chosen material
- To cut to length, 2 profiles per front
- Length 1140 mm
- Aluminium
- 18 Connectors must be ordered separately




Order no.	PU
9 123 097	1 ea.

INTERFER
www.interfer.pt


INTERFER
www.interfer.pt

- **Pot-and-pan drawer, height 250 mm, drawer side profile height 94 mm**
- **Powder coated steel, anthracite**





Exploded diagram



Components

1 Drawer side profile, left and right
2 Drawer front connector for side profile, 2 each
3 Front stabiliser
4 Cover cap, 2 each
5 Drawer front connector for lengthwise railing, 2 each
6 Actro drawer runner, left and right, see page 305
7 Lengthwise railing, left and right
8 Steel rear panel
Alternatively:
C Wooden rear panel and
9 Rear panel connector, left and right
A Front
B Bottom panel (material 16 mm thick)
C Wooden rear panel (material 16 mm thick)

Advice

Technical information, see pages 339, 346 - 361
Actro drawer runner, see page 305

1 Drawer side profile



Nominal length mm	Order no.		PU
	left	right	
270	**9 121 281**	**9 121 282**	1/15 ea.
300	**9 121 283**	**9 121 284**	1/15 ea.
350	**9 121 285**	**9 121 286**	1/15 ea.
400	**9 121 287**	**9 121 288**	1/15 ea.
450	**9 121 289**	**9 121 290**	1/15 ea.
500	**9 121 291**	**9 121 292**	1/15 ea.
550	**9 121 293**	**9 121 294**	1/15 ea.
650	**9 121 295**	**9 121 296**	1/15 ea.

2 Drawer front connector for side profile

- Steel



Mounting option	Order no.	PU
Screw on type	**9 123 011**	1/150 ea.
Knock in type	**9 123 010**	1/150 ea.

3 Front stabiliser

- For stabilising wide and/or high fronts
- Use recommended on carcases in widths of 600 mm and over and / or front panel heights of 450 mm and over
- Plastic



Order no.	PU
9 123 080	1/150 ea.

4 Cover cap

- Plastic



Finish	Order no.	PU
anthracite with Hettich logo	**9 123 005**	1/300 ea.
anthracite	**9 123 000**	1/300 ea.
stainless steel look with Hettich logo	**9 123 007**	1/300 ea.
stainless steel look	**9 123 002**	1/300 ea.

Cover cap with customised imprint available on request

5 Drawer front connector for lengthwise railing

- Plastic



Mounting option	Order no.	PU
Screw on type	**9 127 011**	1/300 ea.
Knock in type	**9 127 000**	1/300 ea.

7 Lengthwise railing



Nominal length mm	Order no.		PU
	left	right	
270	**9 121 955**	**9 121 956**	1/30 ea.
300	**9 121 965**	**9 121 966**	1/30 ea.
350	**9 121 975**	**9 121 976**	1/30 ea.
400	**9 121 985**	**9 121 986**	1/30 ea.
450	**9 121 995**	**9 121 996**	1/30 ea.
500	**9 122 005**	**9 122 006**	1/30 ea.
550	**9 122 015**	**9 122 016**	1/30 ea.
650	**9 122 035**	**9 122 036**	1/30 ea.

8 Steel rear panel

- For standard carcase width



Carcase width mm	Order no.	PU
275	**9 121 713**	1/10 ea.
300	**9 121 714**	1/10 ea.
350	**9 121 716**	1/10 ea.
400	**9 121 718**	1/10 ea.
450	**9 121 720**	1/10 ea.
500	**9 121 722**	1/10 ea.
550	**9 121 724**	1/10 ea.
600	**9 121 726**	1/10 ea.
700	**9 121 728**	1/10 ea.
800	**9 121 730**	1/10 ea.
900	**9 121 732**	1/10 ea.
1000	**9 121 734**	1/5 ea.
1200	**9 121 738**	1/5 ea.

9 Rear panel connector

- For wooden rear panel



Order no.		PU
left	right	
9 121 863	**9 121 864**	1/30 ea.

INTERFER
www.interfer.pt

- **Pot-and-pan drawer, height 250 mm, drawer side profile height 126 mm**
- **Powder coated steel, anthracite**










Exploded diagram



Components

1 Drawer side profile, left and right
2 Drawer front connector for side profile, 2 each
3 Front stabiliser
4 Cover cap, 2 each
5 Drawer front connector for lengthwise railing, 2 each
6 Actro drawer runner, left and right, see page 305
7 Lengthwise railing, left and right

Alternative 1:
8 TopSide

Alternative 2:
9 DesignSide in glass and
10 DesignSide adapter

Alternative 3:
D DesignSide in any chosen material and
10 DesignSide adapter and
11 DesignSide connector

12 Steel rear panel

Alternatively:
C Wooden rear panel and
13 Rear panel connector, left and right

A Front
B Bottom panel (material 16 mm thick)
C Wooden rear panel (material 16 mm thick)
D DesignSide in any chosen material (material 8 mm thick)

Advice

Technical information, see pages 340 - 341, 346 - 361
Actro drawer runner, see page 305

1 Drawer side profile



Nominal length mm	Order no.		PU
	left	right	
270	**9 121 297**	**9 121 298**	1/15 ea.
300	**9 121 299**	**9 121 300**	1/15 ea.
350	**9 121 301**	**9 121 302**	1/15 ea.
400	**9 121 303**	**9 121 304**	1/15 ea.
450	**9 121 305**	**9 121 306**	1/15 ea.
500	**9 121 307**	**9 121 308**	1/15 ea.
550	**9 121 309**	**9 121 310**	1/15 ea.
650	**9 121 311**	**9 121 312**	1/15 ea.

2 Drawer front connector for side profile

- Steel



Mounting option	Order no.	PU
Screw on type	**9 123 011**	1/150 ea.
Knock in type	**9 123 010**	1/150 ea.

3 Front stabiliser

- For stabilising wide and/or high fronts
- Use recommended on carcases in widths of 600 mm and over and / or front panel heights of 450 mm and over
- Plastic



Order no.	PU
9 123 080	1/150 ea.

4 Cover cap

- Plastic



Finish	Order no.	PU
anthracite with Hettich logo	**9 123 005**	1/300 ea.
anthracite	**9 123 000**	1/300 ea.
stainless steel look with Hettich logo	**9 123 007**	1/300 ea.
stainless steel look	**9 123 002**	1/300 ea.

Cover cap with customised imprint available on request

5 Drawer front connector for lengthwise railing

- Plastic



Mounting option	Order no.	PU
Screw on type	**9 127 011**	1/300 ea.
Knock in type	**9 127 000**	1/300 ea.

7 Lengthwise railing



Nominal length mm	Order no.		PU
	left	right	
270	**9 121 955**	**9 121 956**	1/30 ea.
300	**9 121 965**	**9 121 966**	1/30 ea.
350	**9 121 975**	**9 121 976**	1/30 ea.
400	**9 121 985**	**9 121 986**	1/30 ea.
450	**9 121 995**	**9 121 996**	1/30 ea.
500	**9 122 005**	**9 122 006**	1/30 ea.
550	**9 122 015**	**9 122 016**	1/30 ea.
650	**9 122 035**	**9 122 036**	1/30 ea.

8 TopSide

- Includes knock in and screw on front connectors



Nominal length mm	Order no.	PU
400	**9 122 950**	1 set
450	**9 122 954**	1 set
500	**9 122 958**	1 set
550	**9 122 962**	1 set
650	**9 122 970**	1 set

9 DesignSide in glass

- Clear float glass with glued on connectors
- Material 8 mm thick
- 10 DesignSide adapters must be ordered separately



Nominal length mm	Order no.	PU
270	**9 122 991**	1 set
300	**9 122 992**	1 set
350	**9 122 993**	1 set
400	**9 122 994**	1 set
450	**9 122 995**	1 set
500	**9 122 996**	1 set
550	**9 122 997**	1 set
650	**9 123 078**	1 set

10 DesignSide adapter

- Includes knock in and screw on front connectors
- For combining with 9 DesignSide in glass or 11 DesignSide connector



Order no.	PU
9 122 979	1/15 set

anthracite

11 DesignSide connector

- For screwing or gluing (ø 3 x 10)
- For combining with DesignSide in any chosen material (8 mm thick material)
- 10 DesignSide adapters must be ordered separately



Order no.	PU
9 122 998	1/15 set

12 Steel rear panel

- For standard carcase width



Carcase width mm	Order no.	PU
275	**9 121 713**	1/10 ea.
300	**9 121 714**	1/10 ea.
350	**9 121 716**	1/10 ea.
400	**9 121 718**	1/10 ea.
450	**9 121 720**	1/10 ea.
500	**9 121 722**	1/10 ea.
550	**9 121 724**	1/10 ea.
600	**9 121 726**	1/10 ea.
700	**9 121 728**	1/10 ea.
800	**9 121 730**	1/10 ea.
900	**9 121 732**	1/10 ea.
1000	**9 121 734**	1/5 ea.
1200	**9 121 738**	1/5 ea.

13 Rear panel connector

- For wooden rear panel



Order no.		PU
left	**right**	
9 121 863	**9 121 864**	1/30 ea.

INTERFER
www.interfer.pt


INTERFER
www.interfer.pt

- **Pot-and-pan drawer, height 282 mm, drawer side profile height 94 mm**
- **Powder coated steel, anthracite**





Exploded diagram



Components

1 Drawer side profile, left and right
2 Drawer front connector for side profile, 2 each
3 Front stabiliser
4 Cover cap, 2 each
5 Drawer front connector for lengthwise railing, 2 each
6 Actro drawer runner, left and right, see page 305
7 Lengthwise railing, left and right
8 Steel rear panel
Alternatively:
C Wooden rear panel and
9 Rear panel connector, left and right
A Front
B Bottom panel (material 16 mm thick)
C Wooden rear panel (material 16 mm thick)

Advice

Technical information, see pages 342, 346 - 361
Actro drawer runner, see page 305

1 Drawer side profile



Nominal length mm	Order no.		PU
	left	right	
270	**9 121 281**	**9 121 282**	1/15 ea.
300	**9 121 283**	**9 121 284**	1/15 ea.
350	**9 121 285**	**9 121 286**	1/15 ea.
400	**9 121 287**	**9 121 288**	1/15 ea.
450	**9 121 289**	**9 121 290**	1/15 ea.
500	**9 121 291**	**9 121 292**	1/15 ea.
550	**9 121 293**	**9 121 294**	1/15 ea.
650	**9 121 295**	**9 121 296**	1/15 ea.

2 Drawer front connector for side profile

- Steel



Mounting option	Order no.	PU
Screw on type	**9 123 011**	1/150 ea.
Knock in type	**9 123 010**	1/150 ea.

3 Front stabiliser

- For stabilising wide and/or high fronts
- Use recommended on carcases in widths of 600 mm and over and / or front panel heights of 450 mm and over
- Plastic



Order no.	PU
9 123 080	1/150 ea.

4 Cover cap

- Plastic



Finish	Order no.	PU
anthracite with Hettich logo	**9 123 005**	1/300 ea.
anthracite	**9 123 000**	1/300 ea.
stainless steel look with Hettich logo	**9 123 007**	1/300 ea.
stainless steel look	**9 123 002**	1/300 ea.

Cover cap with customised imprint available on request

5 Drawer front connector for lengthwise railing

- Plastic



Mounting option	Order no.	PU
Screw on type	**9 127 011**	1/300 ea.
Knock in type	**9 127 000**	1/300 ea.

7 Lengthwise railing



Nominal length mm	Order no.		PU
	left	right	
270	**9 121 955**	**9 121 956**	1/30 ea.
300	**9 121 965**	**9 121 966**	1/30 ea.
350	**9 121 975**	**9 121 976**	1/30 ea.
400	**9 121 985**	**9 121 986**	1/30 ea.
450	**9 121 995**	**9 121 996**	1/30 ea.
500	**9 122 005**	**9 122 006**	1/30 ea.
550	**9 122 015**	**9 122 016**	1/30 ea.
650	**9 122 035**	**9 122 036**	1/30 ea.

8 Steel rear panel

- For standard carcase width



Carcase width mm	Order no.	PU
275	**9 121 791**	1/10 ea.
300	**9 121 792**	1/10 ea.
350	**9 121 794**	1/10 ea.
400	**9 121 796**	1/10 ea.
450	**9 121 798**	1/10 ea.
500	**9 121 800**	1/10 ea.
550	**9 121 802**	1/10 ea.
600	**9 121 804**	1/10 ea.
700	**9 121 806**	1/5 ea.
800	**9 121 808**	1/5 ea.
900	**9 121 810**	1/5 ea.
1000	**9 121 812**	1/5 ea.
1200	**9 121 816**	1/5 ea.

9 Rear panel connector

- For wooden rear panel



Order no.		PU
left	right	
9 121 871	**9 121 872**	1/30 ea.

anthracite


INTERFER
www.interfer.pt

- **Pot-and-pan drawer, height 282 mm, drawer side profile height 126 mm**
- **Powder coated steel, anthracite**





Exploded diagram



Components

1 Drawer side profile, left and right
2 Drawer front connector for side profile, 2 each
3 Front stabiliser
4 Cover cap, 2 each
5 Drawer front connector for lengthwise railing, 2 each
6 Actro drawer runner, left and right, see page 305
7 Lengthwise railing, left and right
8 Steel rear panel
Alternatively:
C Wooden rear panel and
9 Rear panel connector, left and right
A Front
B Bottom panel (material 16 mm thick)
C Wooden rear panel (material 16 mm thick)

Advice

Technical information, see pages 343, 346 - 361
Actro drawer runner, see page 305

1 Drawer side profile



Nominal length mm	Order no.		PU
	left	right	
270	**9 121 297**	**9 121 298**	1/15 ea.
300	**9 121 299**	**9 121 300**	1/15 ea.
350	**9 121 301**	**9 121 302**	1/15 ea.
400	**9 121 303**	**9 121 304**	1/15 ea.
450	**9 121 305**	**9 121 306**	1/15 ea.
500	**9 121 307**	**9 121 308**	1/15 ea.
550	**9 121 309**	**9 121 310**	1/15 ea.
650	**9 121 311**	**9 121 312**	1/15 ea.

2 Drawer front connector for side profile

- Steel



Mounting option	Order no.	PU
Screw on type	**9 123 011**	1/150 ea.
Knock in type	**9 123 010**	1/150 ea.

3 Front stabiliser

- For stabilising wide and/or high fronts
- Use recommended on carcases in widths of 600 mm and over and / or front panel heights of 450 mm and over
- Plastic



Order no.	PU
9 123 080	1/150 ea.

4 Cover cap

- Plastic



Finish	Order no.	PU
anthracite with Hettich logo	**9 123 005**	1/300 ea.
anthracite	**9 123 000**	1/300 ea.
stainless steel look with Hettich logo	**9 123 007**	1/300 ea.
stainless steel look	**9 123 002**	1/300 ea.

Cover cap with customised imprint available on request

5 Drawer front connector for lengthwise railing

- Plastic



Mounting option	Order no.	PU
Screw on type	**9 127 011**	1/300 ea.
Knock in type	**9 127 000**	1/300 ea.

7 Lengthwise railing



Nominal length mm	Order no.		PU
	left	right	
270	**9 121 955**	**9 121 956**	1/30 ea.
300	**9 121 965**	**9 121 966**	1/30 ea.
350	**9 121 975**	**9 121 976**	1/30 ea.
400	**9 121 985**	**9 121 986**	1/30 ea.
450	**9 121 995**	**9 121 996**	1/30 ea.
500	**9 122 005**	**9 122 006**	1/30 ea.
550	**9 122 015**	**9 122 016**	1/30 ea.
650	**9 122 035**	**9 122 036**	1/30 ea.

8 Steel rear panel

- For standard carcase width



Carcase width mm	Order no.	PU
275	**9 121 791**	1/10 ea.
300	**9 121 792**	1/10 ea.
350	**9 121 794**	1/10 ea.
400	**9 121 796**	1/10 ea.
450	**9 121 798**	1/10 ea.
500	**9 121 800**	1/10 ea.
550	**9 121 802**	1/10 ea.
600	**9 121 804**	1/10 ea.
700	**9 121 806**	1/5 ea.
800	**9 121 808**	1/5 ea.
900	**9 121 810**	1/5 ea.
1000	**9 121 812**	1/5 ea.
1200	**9 121 816**	1/5 ea.

9 Rear panel connector

- For wooden rear panel



Order no.		PU
left	right	
9 121 871	**9 121 872**	1/30 ea.

anthracite


- **Drawer with bottom cutout, height 94 mm**
- **Powder coated steel, anthracite**

INTERFER
www.interfer.pt



- For utilising the space below the sink
- Other configurations are also possible

Exploded diagram



Components

1 Drawer side profile, 2 each left and right
2 Drawer front connector for side profile, 4 each
3 Front stabiliser
4 Cover cap, 4 each
5 Actro drawer runner, left and right, see page 305
6 Aluminium rear panel or C Wooden rear panel and
7 Rear panel connector, 2 each on left and right
A Front
B Bottom panel (material 16 mm thick)
C Wooden rear panel (material 16 mm thick)

Advice

Technical information, see pages 344, 346 - 361
Actro drawer runner, see page 305

1 Drawer side profile



Nominal length mm	Order no.		PU
	left	right	
270	**9 121 281**	**9 121 282**	1/15 ea.
300	**9 121 283**	**9 121 284**	1/15 ea.
350	**9 121 285**	**9 121 286**	1/15 ea.
400	**9 121 287**	**9 121 288**	1/15 ea.
450	**9 121 289**	**9 121 290**	1/15 ea.
500	**9 121 291**	**9 121 292**	1/15 ea.
550	**9 121 293**	**9 121 294**	1/15 ea.
650	**9 121 295**	**9 121 296**	1/15 ea.

2 Drawer front connector for side profile

- Steel



Mounting option	Order no.	PU
Screw on type	**9 123 011**	1/150 ea.
Knock in type	**9 123 010**	1/150 ea.

3 Front stabiliser

- For stabilising wide and/or high fronts
- Use recommended on carcases in widths of 600 mm and over and / or front panel heights of 450 mm and over
- Plastic



Order no.	PU
9 123 080	1/150 ea.

4 Cover cap

- Plastic



Finish	Order no.	PU
anthracite with Hettich logo	**9 123 005**	1/300 ea.
anthracite	**9 123 000**	1/300 ea.
stainless steel look with Hettich logo	**9 123 007**	1/300 ea.
stainless steel look	**9 123 002**	1/300 ea.

Cover cap with customised imprint available on request

6 Aluminium rear panel

- For variable or standard carcase width
- For cutting to length
- Length 1140 mm
- **7** Rear panel connectors must be ordered separately



Order no.	PU
9 121 876	1 ea.

7 Rear panel connector

- For wooden or aluminium rear panel



Order no.		PU
left	right	
9 121 831	**9 121 832**	1/30 ea.

anthracite


INTERFER
www.interfer.pt

- **Pot-and-pan drawer with bottom cutout, height 186 mm, drawer side profile height 94 mm**
- **Powder coated steel, anthracite**



- For utilising the space below the sink
- Other configurations are also possible

Exploded diagram



Components

1 Drawer side profile, 2 each left and right
2 Drawer front connector for side profile, 4 each
3 Front stabiliser
4 Cover cap, 4 each
5 Drawer front connector for lengthwise railing, 2 each
6 Actro drawer runner, left and right, see page 305
7 Lengthwise railing, left and right
C Wooden rear panel and
8 Rear panel connector, 2 each on left and right
A Front
B Bottom panel (material 16 mm thick)
C Wooden rear panel (material 16 mm thick)

Advice

Technical information, see pages 345, 346 - 361
Actro drawer runner, see page 305

INTERFER
www.interfer.pt

- **Pot-and-pan drawer with bottom cutout, height 186 mm, drawer side profile height 94 mm**
- **Powder coated steel, anthracite**

1 Drawer side profile



Nominal length mm	Order no.		PU
	left	right	
270	**9 121 281**	**9 121 282**	1/15 ea.
300	**9 121 283**	**9 121 284**	1/15 ea.
350	**9 121 285**	**9 121 286**	1/15 ea.
400	**9 121 287**	**9 121 288**	1/15 ea.
450	**9 121 289**	**9 121 290**	1/15 ea.
500	**9 121 291**	**9 121 292**	1/15 ea.
550	**9 121 293**	**9 121 294**	1/15 ea.
650	**9 121 295**	**9 121 296**	1/15 ea.

2 Drawer front connector for side profile

- Steel



Mounting option	Order no.	PU
Screw on type	**9 123 011**	1/150 ea.
Knock in type	**9 123 010**	1/150 ea.

3 Front stabiliser

- For stabilising wide and/or high fronts
- Use recommended on carcases in widths of 600 mm and over and / or front panel heights of 450 mm and over
- Plastic



Order no.	PU
9 123 080	1/150 ea.

4 Cover cap

- Plastic



Finish	Order no.	PU
anthracite with Hettich logo	**9 123 005**	1/300 ea.
anthracite	**9 123 000**	1/300 ea.
stainless steel look with Hettich logo	**9 123 007**	1/300 ea.
stainless steel look	**9 123 002**	1/300 ea.

Cover cap with customised imprint available on request

5 Drawer front connector for lengthwise railing

- Plastic



Mounting option	Order no.	PU
Screw on type	**9 127 011**	1/300 ea.
Knock in type	**9 127 000**	1/300 ea.

7 Lengthwise railing



Nominal length mm	Order no.		PU
	left	right	
270	**9 121 955**	**9 121 956**	1/30 ea.
300	**9 121 965**	**9 121 966**	1/30 ea.
350	**9 121 975**	**9 121 976**	1/30 ea.
400	**9 121 985**	**9 121 986**	1/30 ea.
450	**9 121 995**	**9 121 996**	1/30 ea.
500	**9 122 005**	**9 122 006**	1/30 ea.
550	**9 122 015**	**9 122 016**	1/30 ea.
650	**9 122 035**	**9 122 036**	1/30 ea.

8 Rear panel connector


- For wooden rear panel




Height mm	Order no.		PU
	left	right	
94	**9 121 831**	**9 121 832**	1/30 ea.
186	**9 121 847**	**9 121 848**	1/30 ea.



- Carcase height 750 mm max.
- Carcase width 300 mm max.
- Actro drawer runner is required on the left and right, mounted diagonally
- Total loading capacity 20 kg max.
- Other configurations are also possible



Example application




No.	Application	see pages
1	ArciTech drawer Actro with Silent System	148 - 151 305
2	ArciTech pot-and-pan drawer Actro with Silent System	156 - 159 305



- For individual carcase heights and widths
- Optimum use of storage space
- Recommended carcase widths 300 - 600 mm
- Other configurations are also possible


Example application




No.	Application	see pages
1	ArciTech internal drawer Actro with Silent System	148 - 151 305
2	ArciTech pot-and-pan drawer Actro with Silent System	156 - 159 305
3	ArciTech internal drawer Actro with Silent System	148 - 151 305
4	ArciTech pot-and-pan drawer Actro with Silent System	156 - 159 305



- For individual carcase heights and widths
- Optimum use of storage space
- Recommended carcase widths: 450 - 1200 mm, with 2 hinged doors for carcases wider than 600 mm
- Recommended hinge: Sensys 8657i fast-assembly concealed hinge
- Other configurations are also possible



Example application



No.	Application	see pages
1	ArciTech internal drawer Actro with Silent System	148 - 151 305
2	ArciTech internal drawer Actro with Silent System	148 - 151 305
3	ArciTech internal drawer Actro with Silent System	148 - 151 305
4	ArciTech internal pot-and-pan drawer Actro with Silent System	156 - 159 305
5	ArciTech internal pot-and-pan drawer Actro with Silent System	156 - 159 305
6	ArciTech internal pot-and-pan drawer Actro with Silent System	156 - 159 305



OrgaTray 600

190 - 191




OrgaTray 570

192



Banio

193



OrgaStore 400

194



OrgaStore 600

195




OrgaStore 810

196 - 197



OrgaStore 220

198



Accessories

199




- Type 1: Tailored to standard carcase width, for carcases in widths of 300 mm, 400 mm and 450 mm, for drawer side profiles in a height of 94 mm, includes anti slip mat
- Types 2 and 3: Variable in width, for carcases in widths of 500 mm and over, for drawer side profiles in heights of 94 mm and 126 mm, anti slip mat must be ordered separately
- For nominal lengths of 450 and 500 mm
- Nominal lengths of 550 and 650 mm possible with insert tray and perforated panel, see page 191
- Modules preassembled


OrgaTray 600

Carcase width mm	Type	Order no. / Nominal length mm		PU
		450	500	
300	1	**9 184 508**	**9 184 552**	1 set
400	1	**9 184 509**	**9 184 553**	1 set
450	1	**9 184 551**	**9 184 554**	1 set
500 - 1200	2	**9 179 793**	**9 183 159**	1 set
500 - 1200	3	**9 179 795**	**9 183 161**	1 set

Partitioning



NL = Nominal length D = Depth W = Width CW = Carcase width



Roll holder, spice rack and knife holder



- For OrgaTray 600, with a carcase width of 600 mm and over
- Width 154 mm
- Oak oiled


Article name	Order no. / Nominal length mm		PU
	450	500	
Roll holder	**9 135 680**	**9 135 681**	1 ea.
Spice rack	**9 135 675**	**9 135 677**	1 ea.
Knife holder	**9 135 678**	**9 135 679**	1 ea.



- Complementing the OrgaTray 600 for nominal lengths of 550 and 650 mm
- Oiled oak

Insert tray






- For carcase widths of
  300, 400 und 450 mm: 1 insert tray, type 1
  500 mm: 1 insert tray, type 2, and perforated panel, see below
  600 mm: 2 insert trays, type 2
  Larger than 600 mm: 2 insert trays, type 2, and perforated panel, see below
- Length (L) = nominal length - 2

Type	Carcase width mm	Width (B) mm	Order no. / Nominal length mm		PU
			100	150	
1	300	199	**9 135 653**	**9 135 667**	1 ea.
1	400	299	**9 135 658**	**9 135 669**	1 ea.
1	450	349	**9 135 662**	**9 135 673**	1 ea.
2	500 - 1200	249	**9 135 665**	**9 135 674**	1 ea.

Perforated panel





- For adding to tray, type 2
- For cutting to size
- Material thickness 10 mm
- Dividers must be ordered separately, see below

Nominal length mm	Length (L) mm	Order no.	PU
100	98	**9 135 683**	1 ea.
150	148	**9 135 684**	1 ea.
650	622	**9 135 682**	1 ea.

Divider for perforated panel



- For adding to the perforated base
- For pushing in, with premounted pins
- Height 53 mm

Nominal length mm	Length (L) mm	Order no.	PU
100	98	**9 135 685**	1/5 ea.
150	148	**9 135 686**	1/5 ea.

- **Interior organisation system for drawers and internal drawers**
- **Powder coated steel, anthracite**

INTERFER
www.interfer.pt




- Adapted to standard carcase width
- For 94 mm drawer side profile height
- For nominal lengths of 400 / 450 and 500 mm
- Can be trimmed to nominal length of 400 mm.
  Cut length = nominal length (NL) - 27
- Set includes variable dividers for organising drawer in any way
- Plastic anthracite

OrgaTray 570

Carcase width mm	Order no. / Nominal length mm		PU
	400 / 450	500	
300	**9 183 317**	**9 183 326**	1 set
350		**9 183 327**	1 set
400	**9 183 318**	**9 183 328**	1 set
450	**9 183 319**	**9 183 329**	1 set
500	**9 183 320**	**9 183 330**	1 set
550	**9 183 321**	**9 183 331**	1 set
600	**9 183 323**	**9 183 332**	1 set
800	**9 183 324**	**9 183 333**	1 set
900		**9 183 334**	1 set
1000	**9 183 325**	**9 183 335**	1 set

Partitioning



NL = Nominal length D = Depth W = Width CW = Carcase width



- For drawer or pot-and-pan drawer
- Suitable for nominal depths up to 500 mm
- Recommended for use with carcases in widths of 600 mm and over
- Frame set and container set must be ordered separately

Banio frame set



- Plastic, grey

Order no.	PU
9 153 387	1 set

Banio container set



- Translucent plastic

Order no.	PU
9 153 388	1 set

INTERFER
www.interfer.pt

- **Interior organisation system for pot-and-pan drawers and internal pot-and-pan drawers**
- **Powder coated steel, anthracite**



- For pot-and-pan drawer or internal pot-and-pan drawer with railing
- Crosswise railings and lengthwise dividers must be ordered separately
- It is recommended to fit an anti slip mat

OrgaStore 400 standard carcase width



- Adapted to standard carcase width
- Lengthwise dividers must be ordered separately

Carcase width mm	Order no.	PU
300	**9 139 157**	1/30 ea.
350	**9 139 158**	1/30 ea.
400	**9 139 159**	1/30 ea.
450	**9 139 160**	1/30 ea.
500	**9 139 181**	1/30 ea.
550	**9 139 182**	1/30 ea.
600	**9 139 183**	1/30 ea.
800	**9 139 184**	1/30 ea.
900	**9 139 185**	1/30 ea.
1000	**9 139 186**	1/30 ea.
1200	**9 139 187**	1/30 ea.

OrgaStore 400 customised width



- Suitable for customised carcase widths
- Crosswise railings, adapters and lengthwise dividers must be ordered separately
- Crosswise railing length 2000 mm
- B = LB - 2 x EB - 34.5
- Adapter, plastic, anthracite

Article name	Length mm	Order no.	PU
Crosswise railing	2000	**9 182 712**	1 ea.
Adapter		**9 182 222**	1/30 ea.

OrgaStore 400 lengthwise divider



- Plastic, anthracite

Article name	Order no.	PU
Lengthwise divider	**9 182 225**	1/15 ea.

INTERFER
www.interfer.pt

- **Interior organisation system for pot-and-pan drawers and internal pot-and-pan drawers**
- **Powder coated steel, anthracite**



- Adapted to standard carcase width
- For nominal lengths of 450, 500, 550 and 650 mm
- Set includes variable dividers for organising drawer in any way
- Grey / anthracite plastic
- Height 145 mm

OrgaStore 600

Carcase width mm	Order no. / Nominal length mm				PU
	450	500	550	650	
300	**9 123 155**	**9 123 164**	**9 123 173**	**9 123 182**	1 set
400	**9 123 156**	**9 123 165**	**9 123 174**	**9 123 183**	1 set
450	**9 123 157**	**9 123 166**	**9 123 175**	**9 123 184**	1 set
500	**9 123 158**	**9 123 167**	**9 123 176**	**9 123 185**	1 set
600	**9 123 159**	**9 123 168**	**9 123 177**	**9 123 186**	1 set
800	**9 123 160**	**9 123 169**	**9 123 178**	**9 123 187**	1 set
900	**9 123 161**	**9 123 170**	**9 123 179**	**9 123 188**	1 set
1000	**9 123 162**	**9 123 171**	**9 123 180**	**9 123 189**	1 set
1200	**9 123 163**	**9 123 172**	**9 123 181**	**9 123 190**	1 set

- **Interior organisation system for pot-and-pan drawers and internal pot-and-pan drawers**
- **Powder coated steel, anthracite**

INTERFER
www.interfer.pt




- Adapted to standard carcase width
- Can be used for nominal lengths of 300 mm and over
- Can be used for drawer side profile heights of 94 mm and 126 mm
- Plastic elements, anthracite


Set comprises:
- 1 aluminium profile with plastic adapters
- Plastic dividing elements

OrgaStore 810

Carcase width mm	Number of dividers	Order no.	PU
300	2	**9 182 264**	1 set
450	3	**9 182 265**	1 set
600	3	**9 182 266**	1 set
900	5	**9 182 267**	1 set
1200	6	**9 182 268**	1 set


Partitioning





CW = Carcase width

Dimensions for cutting to size



- B = LB - 2 x EB - 78

OrgaStore 810 adapter



- Plastic, anthracite
- Plugs onto aluminium profile without the need for tools

Order no.	PU
9 182 234	1/30 ea.

OrgaStore 810 aluminium profile



- For cutting to length
- Adapters must be ordered separately
- Length 2000 mm

Order no.	PU
9 182 250	1 ea.

OrgaStore 810 divider



- Plastic, anthracite
- Also available for adding to set

Order no.	PU
9 182 231	1/15 ea.

- **Interior organisation system for pot-and-pan drawers and internal pot-and-pan drawers**
- **Powder coated steel, anthracite**



OrgaStore 220



- Adapted to standard carcase width
- For nominal lengths of 500 and 650 mm
- Can be cut to any chosen length
- Dividing rails or cross partitions must be ordered separately, see below
- Oiled oak

Carcase width mm	Nominal length mm	**Order no.**	PU
600	500	**9 135 406**	1 ea.
900	500	**9 135 407**	1 ea.
1200	650	**9 135 404**	1 ea.

Dividing rod / cross partition




Dividing rod
- Length 175 mm, ø 25 mm
- For twisting in, with premounted dowel
- Oiled oak

Cross partition
- 150 x 190 x 10 mm
- For pushing in, with premounted pins
- Oiled oak

Article name	**Order no.**	PU
Dividing rod	**9 135 405**	1/5 ea.
Cross partition	**9 138 104**	1/5 ea.


Dimensions for cutting to size



- Trimmed width (B) = LB - 2 x EB - 54
- Trimmed depth = nominal length - 27

Anti slip mat





- For inserting into the drawer or pot-and-pan drawer
- Dimensions 1076 x 623 mm
- Trimmed width (B) = inside carcase width - 2 x EB - 62
- Trimmed depth (L) = nominal length - 27
- Plastic anthracite

Order no.	PU
9 135 622	1/5 ea.

INTERFER
www.interfer.pt



Drawer, height 78 mm

202 - 203



Drawer, height 94 mm

204 - 207



Internal drawer, height 94 mm

204 - 207



Drawer, height 126 mm

208 - 211



Internal drawer, height 126 mm

208 - 211



Pot-and-pan drawer, height 186 mm
Drawer side profile height 94 mm

212 - 215



Internal pot-and-pan drawer, height 186 mm
Drawer side profile height 94 mm

212 - 215



Pot-and-pan drawer, height 186 mm
Drawer side profile height 126 mm

216 - 219



Internal pot-and-pan drawer, height 186 mm
Drawer side profile height 126 mm

216 - 219



Pot-and-pan drawer, height 218 mm
Drawer side profile height 94 mm

220 - 223



Internal pot-and-pan drawer, height 218 mm
Drawer side profile height 94 mm

220 - 223



Pot-and-pan drawer, height 218 mm
Drawer side profile height 126 mm

224 - 227

INTERFER
www.interfer.pt



Internal pot-and-pan drawer, height 218 mm
Drawer side profile height 126 mm
224 - 227



Pot-and-pan drawer, height 250 mm
Drawer side profile height 94 mm
228 - 229



Pot-and-pan drawer, height 250 mm
Drawer side profile height 126 mm
230 - 233



Pot-and-pan drawer, height 282 mm
Drawer side profile height 94 mm
234 - 235



Pot-and-pan drawer, height 282 mm
Drawer side profile height 126 mm
236 - 237



Drawer, height 94 mm
with bottom cutout
238 - 239



Pot-and-pan drawer, height 186 mm
with bottom cutout
240 - 241



Narrow base unit
242



Tall unit / pantry
243 - 244



Interior organisation system for drawers / internal drawers
245




Interior organisation system for pot-and-pan drawers / internal pot-and-pan drawers
245

- **Drawer height 78 mm**
- **Powder coated steel, champagne**



Exploded diagram



Components

1 Drawer side profile, left and right
2 Drawer front connector for side profile, 2 each
3 Front stabiliser
4 Cover cap, 2 each
5 Actro drawer runner, left and right, see page 305
6 Steel rear panel
Alternatively:
C Wooden rear panel and
7 Rear panel connector, left and right
A Front
B Bottom panel (material 16 mm thick)
C Wooden rear panel (material 16 mm thick)

Advice

Technical information, see pages 320, 346 - 361
Actro drawer runner, see page 305

1 Drawer side profile

- E.g. for such applications as oven bottom drawer



Nominal length mm	Order no.		PU
	left	right	
500	**9 140 013**	**9 140 014**	1/15 ea.

2 Drawer front connector for side profile

- Only for 78 mm height
- Can only be fitted with insertion aid, see page 384
- Plastic



Mounting option	Order no.	PU
Knock in type	**9 123 081**	1/150 ea.

3 Front stabiliser

- For stabilising wide and/or high fronts
- Use recommended on carcases in widths of 600 mm and over and / or front panel heights of 450 mm and over
- Plastic



Order no.	PU
9 123 080	1/150 ea.

4 Cover cap

- Plastic



Finish	Order no.	PU
quartz grey with Hettich logo	**9 134 967**	1/300 ea.
quartz grey	**9 134 966**	1/300 ea.
stainless steel look with Hettich logo	**9 123 007**	1/300 ea.
stainless steel look	**9 123 002**	1/300 ea.

Cover cap with customised imprint available on request

6 Steel rear panel

- For standard carcase width
- Use self tapping screw 3.5 x 6 DIN 7500 for fitting to drawer side profile, see page 318



Carcase width mm	Order no.	PU
600	**9 132 170**	1/20 ea.
900	**9 132 171**	1/20 ea.

7 Rear panel connector

- For wooden rear panel
- Use self tapping screw 3.5 x 6 DIN 7500 for fitting to drawer side profile, see page 318



Order no.		PU
left	right	
9 132 250	**9 132 251**	1/30 ea.


champagne

- **Drawer / internal drawer, height 94 mm**
- **Powder coated steel, champagne**





Exploded diagram



Components

1 Drawer side profile, left and right
2 Drawer front connector for side profile, 2 each
3 Front stabiliser
4 Cover cap, 2 each
5 Actro drawer runner, left and right, see page 305
6 Steel rear panel
Alternatively:
7 Aluminium rear panel or C Wooden rear panel and
8 Rear panel connector, left and right
9 Front for internal drawer
Alternative 1:
10 Aluminium front panel and
11 Connector for front
Alternative 2:
D Front panel in any chosen material and
11 Connector for front and
12 Profile for front
A Front
B Bottom panel (material 16 mm thick)
C Wooden rear panel (material 16 mm thick)
D Front panel in any chosen material (material 6 mm thick)

Advice

Technical information, see pages 321 - 322, 346 - 361
Actro drawer runner, see page 305

1 Drawer side profile



Nominal length mm	Order no.		PU
	left	right	
270	**9 169 462**	**9 169 463**	1/15 ea.
300	**9 140 015**	**9 140 016**	1/15 ea.
350	**9 161 815**	**9 161 816**	1/15 ea.
400	**9 159 086**	**9 159 088**	1/15 ea.
450	**9 160 602**	**9 160 603**	1/15 ea.
500	**9 160 604**	**9 160 605**	1/15 ea.
550	**9 169 464**	**9 169 465**	1/15 ea.
650	**9 140 021**	**9 140 022**	1/15 ea.

2 Drawer front connector for side profile

- Steel



Mounting option	Order no.	PU
Screw on type	**9 123 011**	1/150 ea.
Knock in type	**9 123 010**	1/150 ea.

3 Front stabiliser

- For stabilising wide and/or high fronts
- Use recommended on carcases in widths of 600 mm and over and / or front panel heights of 450 mm and over
- Plastic



Order no.	PU
9 123 080	1/150 ea.

4 Cover cap

- Plastic



Finish	Order no.	PU
quartz grey with Hettich logo	**9 134 967**	1/300 ea.
quartz grey	**9 134 966**	1/300 ea.
stainless steel look with Hettich logo	**9 123 007**	1/300 ea.
stainless steel look	**9 123 002**	1/300 ea.

Cover cap with customised imprint available on request

6 Steel rear panel

- For standard carcase width



Carcase width mm	Order no.	PU
275	**9 132 172**	1/20 ea.
300	**9 132 173**	1/20 ea.
350	**9 132 174**	1/20 ea.
400	**9 132 175**	1/20 ea.
450	**9 132 176**	1/20 ea.
500	**9 132 177**	1/20 ea.
550	**9 132 178**	1/20 ea.
600	**9 132 179**	1/20 ea.
700	**9 132 180**	1/20 ea.
800	**9 132 181**	1/20 ea.
900	**9 132 182**	1/20 ea.
1000	**9 132 183**	1/20 ea.
1200	**9 132 184**	1/20 ea.

7 Aluminium rear panel

- For variable or standard carcase width
- For cutting to length
- Length 1140 mm
- 8 Rear panel connectors must be ordered separately



Order no.	PU
9 132 264	1 ea.

8 Rear panel connector

- For wooden or aluminium rear panel



Order no.		PU
left	right	
9 132 252	**9 132 253**	1/30 ea.

9 Front

- For standard carcase width
- With premounted connectors



Carcase width mm	Order no.	PU
300	**9 122 813**	1/15 ea.
400	**9 122 814**	1/15 ea.
450	**9 122 815**	1/15 ea.
500	**9 122 816**	1/15 ea.
600	**9 122 817**	1/15 ea.
800	**9 122 818**	1/15 ea.
900	**9 122 819**	1/15 ea.
1000	**9 122 820**	1/15 ea.
1200	**9 122 821**	1/15 ea.

INTERFER
www.interfer.pt

10 Aluminium front

- For variable or standard carcase width
- For cutting to length
- Length 1140 mm
- 11 Connectors must be ordered separately



Order no.	PU
9 123 100	1 ea.

11 Connector for front

- For combining with 10 aluminium front panel or front panel in any chosen material
- When using any chosen material with a total load of up to 60 kg



Order no.	PU
9 123 085	1/15 set

12 Profile for front

- For front panel in any chosen material
- To cut to length, 2 profiles per front
- Length 1140 mm
- Aluminium
- 11 Connectors must be ordered separately




Order no.	PU
9 123 097	1 ea.

INTERFER
www.interfer.pt





Exploded diagram



Components

1 Drawer side profile, left and right
2 Drawer front connector for side profile, 2 each
3 Front stabiliser
4 Cover cap, 2 each
5 Actro drawer runner, left and right, see page 305
6 Steel rear panel
Alternatively:
7 Aluminium rear panel or C Wooden rear panel and
8 Rear panel connector, left and right
9 Front for internal drawer
Alternative 1:
10 Aluminium front panel and
11 Connector for front
Alternative 2:
D Front panel in any chosen material and
11 Connector for front and
12 Profile for front
A Front
B Bottom panel (material 16 mm thick)
C Wooden rear panel (material 16 mm thick)
D Front panel in any chosen material (material 6 mm thick)

Advice

Technical information, see pages 323 - 324, 346 - 361
Actro drawer runner, see page 305

1 Drawer side profile



Nominal length mm	Order no.		PU
	left	right	
270	**9 169 466**	**9 169 467**	1/15 ea.
300	**9 169 468**	**9 169 470**	1/15 ea.
350	**9 169 471**	**9 169 472**	1/15 ea.
400	**9 169 473**	**9 169 474**	1/15 ea.
450	**9 161 817**	**9 161 818**	1/15 ea.
500	**9 161 819**	**9 161 820**	1/15 ea.
550	**9 169 475**	**9 169 476**	1/15 ea.
650	**9 169 477**	**9 169 478**	1/15 ea.

2 Drawer front connector for side profile

- Steel



Mounting option	Order no.	PU
Screw on type	**9 123 011**	1/150 ea.
Knock in type	**9 123 010**	1/150 ea.

3 Front stabiliser

- For stabilising wide and/or high fronts
- Use recommended on carcases in widths of 600 mm and over and / or front panel heights of 450 mm and over
- Plastic



Order no.	PU
9 123 080	1/150 ea.

4 Cover cap

- Plastic



Finish	Order no.	PU
quartz grey with Hettich logo	**9 134 967**	1/300 ea.
quartz grey	**9 134 966**	1/300 ea.
stainless steel look with Hettich logo	**9 123 007**	1/300 ea.
stainless steel look	**9 123 002**	1/300 ea.

Cover cap with customised imprint available on request

6 Steel rear panel

- For standard carcase width



Carcase width mm	Order no.	PU
275	**9 132 185**	1/20 ea.
300	**9 132 186**	1/20 ea.
350	**9 132 187**	1/20 ea.
400	**9 132 188**	1/20 ea.
450	**9 132 189**	1/20 ea.
500	**9 132 190**	1/20 ea.
550	**9 132 191**	1/20 ea.
600	**9 132 192**	1/20 ea.
700	**9 132 193**	1/20 ea.
800	**9 132 194**	1/20 ea.
900	**9 132 195**	1/20 ea.
1000	**9 132 196**	1/10 ea.
1200	**9 132 197**	1/10 ea.

7 Aluminium rear panel

- For variable or standard carcase width
- For cutting to length
- Length 1140 mm
- 8 Rear panel connectors must be ordered separately



Order no.	PU
9 132 265	1 ea.

8 Rear panel connector

- For wooden or aluminium rear panel



Order no.		PU
left	right	
9 132 254	**9 132 255**	1/30 ea.

9 Front

- For standard carcase width
- With premounted connectors



Carcase width mm	Order no.	PU
300	**9 122 840**	1/15 ea.
400	**9 122 841**	1/15 ea.
450	**9 122 842**	1/15 ea.
500	**9 122 843**	1/15 ea.
600	**9 122 844**	1/15 ea.
800	**9 122 845**	1/15 ea.
900	**9 122 846**	1/15 ea.
1000	**9 122 847**	1/15 ea.
1200	**9 122 848**	1/15 ea.

INTERFER
www.interfer.pt

10 Aluminium front

- For variable or standard carcase width
- For cutting to length
- Length 1140 mm
- 11 Connectors must be ordered separately



Order no.	PU
9 123 100	1 ea.

11 Connector for front

- For combining with 10 aluminium front panel or front panel in any chosen material
- When using any chosen material with a total load of up to 60 kg



Order no.	PU
9 123 088	1/15 set

12 Profile for front

- For front panel in any chosen material
- To cut to length, 2 profiles per front
- Length 1140 mm
- Aluminium
- 11 Connectors must be ordered separately



Order no.	PU
9 123 097	1 ea.

INTERFER
www.interfer.pt


- **Pot-and-pan / internal pot-and-pan drawer, height 186 mm, drawer side profile height 94 mm**
- **Powder coated steel, champagne**







Exploded diagram



Components

1 Drawer side profile, left and right
2 Drawer front connector for side profile, 2 each
3 Front stabiliser
4 Cover cap, 2 each
5 Drawer front connector for lengthwise railing, 2 each
6 Actro drawer runner, left and right, see page 305
7 Lengthwise railing, left and right
Alternative 1:
8 TopSide
Alternative 2:
9 DesignSide in glass and
10 DesignSide adapter
Alternative 3:
D DesignSide in any chosen material and
10 DesignSide adapter and
11 DesignSide connector
12 Steel rear panel
Alternatively:
13 Aluminium rear panel or C Wooden rear panel and
14 Rear panel connector, left and right
15 Front for internal pot-and-pan drawer
Alternative 1:
16 Aluminium front panel and
17 Railing for aluminium front and
18 Connector for front
Alternative 2:
E Front panel in any chosen material and
18 Connector for front and
19 Profile for front
A Front
B Bottom panel (material 16 mm thick)
C Wooden rear panel (material 16 mm thick)
D DesignSide in any chosen material (material 8 mm thick)
E Front panel in any chosen material (material 6 mm thick)

Advice

Technical information, see pages 325 - 328, 346 - 361
Actro drawer runner, see page 305

INTERFER
www.interfer.pt

- **Pot-and-pan / internal pot-and-pan drawer, height 186 mm, drawer side profile height 94 mm**
- **Powder coated steel, champagne**

1 Drawer side profile



Nominal length mm	Order no.		PU
	left	right	
270	**9 169 462**	**9 169 463**	1/15 ea.
300	**9 140 015**	**9 140 016**	1/15 ea.
350	**9 161 815**	**9 161 816**	1/15 ea.
400	**9 159 086**	**9 159 088**	1/15 ea.
450	**9 160 602**	**9 160 603**	1/15 ea.
500	**9 160 604**	**9 160 605**	1/15 ea.
550	**9 169 464**	**9 169 465**	1/15 ea.
650	**9 140 021**	**9 140 022**	1/15 ea.

2 Drawer front connector for side profile

- Steel



Mounting option	Order no.	PU
Screw on type	**9 123 011**	1/150 ea.
Knock in type	**9 123 010**	1/150 ea.

3 Front stabiliser

- For stabilising wide and/or high fronts
- Use recommended on carcases in widths of 600 mm and over and / or front panel heights of 450 mm and over
- Plastic



Order no.	PU
9 123 080	1/150 ea.

4 Cover cap

- Plastic



Finish	Order no.	PU
quartz grey with Hettich logo	**9 134 967**	1/300 ea.
quartz grey	**9 134 966**	1/300 ea.
stainless steel look with Hettich logo	**9 123 007**	1/300 ea.
stainless steel look	**9 123 002**	1/300 ea.

Cover cap with customised imprint available on request

5 Drawer front connector for lengthwise railing

- Plastic



Mounting option	Order no.	PU
Screw on type	**9 127 011**	1/300 ea.
Knock in type	**9 127 000**	1/300 ea.

7 Lengthwise railing



Nominal length mm	Order no.		PU
	left	right	
270	**9 169 406**	**9 169 407**	1/30 ea.
300	**9 140 063**	**9 140 064**	1/30 ea.
350	**9 162 083**	**9 162 084**	1/30 ea.
400	**9 140 065**	**9 140 066**	1/30 ea.
450	**9 160 531**	**9 160 532**	1/30 ea.
500	**9 140 067**	**9 140 068**	1/30 ea.
550	**9 169 408**	**9 169 409**	1/30 ea.
650	**9 140 069**	**9 140 070**	1/30 ea.

8 TopSide

- Includes knock in and screw on front connectors



Nominal length mm	Order no.	PU
400	**9 144 526**	1 set
450	**9 169 410**	1 set
500	**9 144 527**	1 set
550	**9 169 451**	1 set
650	**9 144 573**	1 set

9 DesignSide in glass

- Clear float glass with glued on connectors
- Material 8mm thick
- 10 DesignSide adapters must be ordered separately



Nominal length mm	Order no.	PU
270	**9 122 983**	1 set
300	**9 122 984**	1 set
350	**9 122 985**	1 set
400	**9 122 986**	1 set
450	**9 122 987**	1 set
500	**9 122 988**	1 set
550	**9 122 989**	1 set
650	**9 122 990**	1 set

10 DesignSide adapter

- Includes knock in and screw on front connectors
- For combining with 9 DesignSide in glass or 11 DesignSide connector



Order no.	PU
9 141 689	1/15 set

champagne

11 DesignSide connector

- For screwing or gluing (ø 3 x 10)
- For combining with DesignSide in any chosen material (8 mm thick material)
- 10 DesignSide adapters must be ordered separately



Order no.	PU
9 122 998	1/15 set

12 Steel rear panel

- For standard carcase width



Carcase width mm	Order no.	PU
275	**9 132 198**	1/10 ea.
300	**9 132 199**	1/10 ea.
350	**9 132 200**	1/10 ea.
400	**9 132 201**	1/10 ea.
450	**9 132 202**	1/10 ea.
500	**9 132 203**	1/10 ea.
550	**9 132 204**	1/10 ea.
600	**9 132 205**	1/10 ea.
700	**9 132 206**	1/10 ea.
800	**9 132 207**	1/10 ea.
900	**9 132 208**	1/10 ea.
1000	**9 132 209**	1/10 ea.
1200	**9 132 210**	1/10 ea.

13 Aluminium rear panel

- For variable or standard carcase width
- For cutting to length
- Length 1140 mm
- 14 Rear panel connectors must be ordered separately



Order no.	PU
9 132 266	1 ea.

14 Rear panel connector

- For wooden or aluminium rear panel



Order no.		PU
left	right	
9 132 256	**9 132 257**	1/30 ea.

15 Front

- For standard carcase width
- With premounted connectors and premounted railing



Carcase width mm	Order no.	PU
300	**9 122 867**	1/15 ea.
400	**9 122 868**	1/15 ea.
450	**9 122 869**	1/15 ea.
500	**9 122 870**	1/15 ea.
600	**9 122 871**	1/15 ea.
800	**9 122 872**	1/15 ea.
900	**9 122 873**	1/15 ea.
1000	**9 122 874**	1/15 ea.
1200	**9 122 875**	1/15 ea.

16 Aluminium front

- For variable or standard carcase width
- For cutting to length
- Length 1140 mm
- 18 Connectors must be ordered separately



Order no.	PU
9 123 100	1 ea.

17 Railing for aluminium front

- Steel
- For cutting to length
- Length 1140 mm



Order no.	PU
9 123 352	1 ea.

18 Connector for front

- For combining with 16 aluminium front panel and 17 railing for aluminium front panel or front panel in any chosen material
- When using any chosen material with a total load of up to 60 kg



Order no.	PU
9 123 091	1/15 set

19 Profile for front

- For front panel in any chosen material
- To cut to length, 2 profiles per front
- Length 1140 mm
- Aluminium
- 18 Connectors must be ordered separately



Order no.	PU
9 123 097	1 ea.


INTERFER
www.interfer.pt

- **Pot-and-pan / internal pot-and-pan drawer, height 186 mm, drawer side profile height 126 mm**
- **Powder coated steel, champagne**





Exploded diagram



Components

1 Drawer side profile, left and right
2 Drawer front connector for side profile, 2 each
3 Front stabiliser
4 Cover cap, 2 each
5 Drawer front connector for lengthwise railing, 2 each
6 Actro drawer runner, left and right, see page 305
7 Lengthwise railing, left and right
8 Steel rear panel
Alternatively:
9 Aluminium rear panel or C Wooden rear panel and
10 Rear panel connector, left and right
11 Front for internal pot-and-pan drawer
Alternative 1:
12 Aluminium front panel and
13 Railing for aluminium front and
14 Connector for front
Alternative 2:
D Front panel in any chosen material and
14 Connector for front and
15 Profile for front

A Front
B Bottom panel (material 16 mm thick)
C Wooden rear panel (material 16 mm thick)
D Front panel in any chosen material (material 6 mm thick)

Advice

Technical information, see pages 329 - 330, 346 - 361
Actro drawer runner, see page 305

- **Pot-and-pan / internal pot-and-pan drawer, height 186 mm, drawer side profile height 126 mm**
- **Powder coated steel, champagne**

INTERFER
www.interfer.pt

1 Drawer side profile



Nominal length mm	Order no.		PU
	left	right	
270	**9 169 466**	**9 169 467**	1/15 ea.
300	**9 169 468**	**9 169 470**	1/15 ea.
350	**9 169 471**	**9 169 472**	1/15 ea.
400	**9 169 473**	**9 169 474**	1/15 ea.
450	**9 161 817**	**9 161 818**	1/15 ea.
500	**9 161 819**	**9 161 820**	1/15 ea.
550	**9 169 475**	**9 169 476**	1/15 ea.
650	**9 169 477**	**9 169 478**	1/15 ea.

2 Drawer front connector for side profile

- Steel



Mounting option	Order no.	PU
Screw on type	**9 123 011**	1/150 ea.
Knock in type	**9 123 010**	1/150 ea.

3 Front stabiliser

- For stabilising wide and/or high fronts
- Use recommended on carcases in widths of 600 mm and over and / or front panel heights of 450 mm and over
- Plastic



Order no.	PU
9 123 080	1/150 ea.

4 Cover cap

- Plastic



Finish	Order no.	PU
quartz grey with Hettich logo	**9 134 967**	1/300 ea.
quartz grey	**9 134 966**	1/300 ea.
stainless steel look with Hettich logo	**9 123 007**	1/300 ea.
stainless steel look	**9 123 002**	1/300 ea.

Cover cap with customised imprint available on request

5 Drawer front connector for lengthwise railing

- Plastic



Mounting option	Order no.	PU
Screw on type	**9 127 011**	1/300 ea.
Knock in type	**9 127 000**	1/300 ea.

7 Lengthwise railing



Nominal length mm	Order no.		PU
	left	right	
270	**9 169 406**	**9 169 407**	1/30 ea.
300	**9 140 063**	**9 140 064**	1/30 ea.
350	**9 162 083**	**9 162 084**	1/30 ea.
400	**9 140 065**	**9 140 066**	1/30 ea.
450	**9 160 531**	**9 160 532**	1/30 ea.
500	**9 140 067**	**9 140 068**	1/30 ea.
550	**9 169 408**	**9 169 409**	1/30 ea.
650	**9 140 069**	**9 140 070**	1/30 ea.

8 Steel rear panel

- For standard carcase width



Carcase width mm	Order no.	PU
275	**9 132 198**	1/10 ea.
300	**9 132 199**	1/10 ea.
350	**9 132 200**	1/10 ea.
400	**9 132 201**	1/10 ea.
450	**9 132 202**	1/10 ea.
500	**9 132 203**	1/10 ea.
550	**9 132 204**	1/10 ea.
600	**9 132 205**	1/10 ea.
700	**9 132 206**	1/10 ea.
800	**9 132 207**	1/10 ea.
900	**9 132 208**	1/10 ea.
1000	**9 132 209**	1/10 ea.
1200	**9 132 210**	1/10 ea.

9 Aluminium rear panel

- For variable or standard carcase width
- For cutting to length
- Length 1140 mm
- 10 Rear panel connectors must be ordered separately



Order no.	PU
9 132 266	1 ea.

10 Rear panel connector

- For wooden or aluminium rear panel



Order no.		PU
left	right	
9 132 256	**9 132 257**	1/30 ea.

champagne

INTERFER
www.interfer.pt

11 Front

- For standard carcase width
- With premounted connectors and premounted railing



Carcase width mm	Order no.	PU
300	**9 122 867**	1/15 ea.
400	**9 122 868**	1/15 ea.
450	**9 122 869**	1/15 ea.
500	**9 122 870**	1/15 ea.
600	**9 122 871**	1/15 ea.
800	**9 122 872**	1/15 ea.
900	**9 122 873**	1/15 ea.
1000	**9 122 874**	1/15 ea.
1200	**9 122 875**	1/15 ea.

12 Aluminium front

- For variable or standard carcase width
- For cutting to length
- Length 1140 mm
- 14 Connectors must be ordered separately



Order no.	PU
9 123 100	1 ea.

13 Railing for aluminium front

- Steel
- For cutting to length
- Length 1140 mm



Order no.	PU
9 123 352	1 ea.

14 Connector for front

- For combining with 12 aluminium front panel and 13 railing for aluminium front panel or front panel in any chosen material
- When using any chosen material with a total load of up to 60 kg



Order no.	PU
9 123 091	1/15 set

15 Profile for front

- For front panel in any chosen material
- To cut to length, 2 profiles per front
- Length 1140 mm
- Aluminium
- 14 Connectors must be ordered separately



Order no.	PU
9 123 097	1 ea.

INTERFER
www.interfer.pt

INTERFER
www.interfer.pt

- **Pot-and-pan / internal pot-and-pan drawer, height 218 mm, drawer side profile height 94 mm**
- **Powder coated steel, champagne**












Exploded diagram



Components

1 Drawer side profile, left and right
2 Drawer front connector for side profile, 2 each
3 Front stabiliser
4 Cover cap, 2 each
5 Drawer front connector for lengthwise railing, 2 each
6 Actro drawer runner, left and right, see page 305
7 Lengthwise railing, left and right
Alternative 1:
8 TopSide
Alternative 2:
9 DesignSide in glass and
10 DesignSide adapter
Alternative 3:
D DesignSide in any chosen material and
10 DesignSide adapter and
11 DesignSide connector
12 Steel rear panel
Alternatively:
13 Aluminium rear panel or C Wooden rear panel and
14 Rear panel connector, left and right
15 Front for internal pot-and-pan drawer
Alternative 1:
16 Aluminium front panel and
17 Railing for aluminium front and
18 Connector for front
Alternative 2:
E Front panel in any chosen material and
18 Connector for front and
19 Profile for front
A Front
B Bottom panel (material 16 mm thick)
C Wooden rear panel (material 16 mm thick)
D DesignSide in any chosen material (material 8 mm thick)
E Front panel in any chosen material (material 6 mm thick)

Advice

Technical information, see pages 331 - 334, 346 - 361
Actro drawer runner, see page 305

INTERFER
www.interfer.pt

- **Pot-and-pan / internal pot-and-pan drawer, height 218 mm, drawer side profile height 94 mm**
- **Powder coated steel, champagne**

1 Drawer side profile



Nominal length mm	Order no.		PU
	left	right	
270	**9 169 462**	**9 169 463**	1/15 ea.
300	**9 140 015**	**9 140 016**	1/15 ea.
350	**9 161 815**	**9 161 816**	1/15 ea.
400	**9 159 086**	**9 159 088**	1/15 ea.
450	**9 160 602**	**9 160 603**	1/15 ea.
500	**9 160 604**	**9 160 605**	1/15 ea.
550	**9 169 464**	**9 169 465**	1/15 ea.
650	**9 140 021**	**9 140 022**	1/15 ea.

2 Drawer front connector for side profile

- Steel



Mounting option	Order no.	PU
Screw on type	**9 123 011**	1/150 ea.
Knock in type	**9 123 010**	1/150 ea.

3 Front stabiliser

- For stabilising wide and/or high fronts
- Use recommended on carcases in widths of 600 mm and over and / or front panel heights of 450 mm and over
- Plastic



Order no.	PU
9 123 080	1/150 ea.

4 Cover cap

- Plastic



Finish	Order no.	PU
quartz grey with Hettich logo	**9 134 967**	1/300 ea.
quartz grey	**9 134 966**	1/300 ea.
stainless steel look with Hettich logo	**9 123 007**	1/300 ea.
stainless steel look	**9 123 002**	1/300 ea.

Cover cap with customised imprint available on request

5 Drawer front connector for lengthwise railing

- Plastic



Mounting option	Order no.	PU
Screw on type	**9 127 011**	1/300 ea.
Knock in type	**9 127 000**	1/300 ea.

7 Lengthwise railing



Nominal length mm	Order no.		PU
	left	right	
270	**9 169 406**	**9 169 407**	1/30 ea.
300	**9 140 063**	**9 140 064**	1/30 ea.
350	**9 162 083**	**9 162 084**	1/30 ea.
400	**9 140 065**	**9 140 066**	1/30 ea.
450	**9 160 531**	**9 160 532**	1/30 ea.
500	**9 140 067**	**9 140 068**	1/30 ea.
550	**9 169 408**	**9 169 409**	1/30 ea.
650	**9 140 069**	**9 140 070**	1/30 ea.

8 TopSide

- Includes knock in and screw on front connectors



Nominal length mm	Order no.	PU
400	**9 169 452**	1 set
450	**9 162 332**	1 set
500	**9 162 331**	1 set
550	**9 169 455**	1 set
650	**9 169 456**	1 set

9 DesignSide in glass

- Clear float glass with glued on connectors
- Material 8 mm thick
- 10 DesignSide adapters must be ordered separately



Nominal length mm	Order no.	PU
270	**9 122 991**	1 set
300	**9 122 992**	1 set
350	**9 122 993**	1 set
400	**9 122 994**	1 set
450	**9 122 995**	1 set
500	**9 122 996**	1 set
550	**9 122 997**	1 set
650	**9 123 078**	1 set

10 DesignSide adapter

- Includes knock in and screw on front connectors
- For combining with 9 DesignSide in glass or 11 DesignSide connector



Order no.	PU
9 161 767	1/15 set

champagne

INTERFER
www.interfer.pt

11 DesignSide connector

- For screwing or gluing (ø 3 x 10)
- For combining with DesignSide in any chosen material (8 mm thick material)
- 10 DesignSide adapters must be ordered separately



Order no.	PU
9 122 998	1/15 set

12 Steel rear panel

- For standard carcase width



Carcase width mm	Order no.	PU
275	**9 132 211**	1/10 ea.
300	**9 132 212**	1/10 ea.
350	**9 132 213**	1/10 ea.
400	**9 132 214**	1/10 ea.
450	**9 132 215**	1/10 ea.
500	**9 132 216**	1/10 ea.
550	**9 132 217**	1/10 ea.
600	**9 132 218**	1/10 ea.
700	**9 132 219**	1/10 ea.
800	**9 132 220**	1/10 ea.
900	**9 132 221**	1/10 ea.
1000	**9 132 222**	1/5 ea.
1200	**9 132 223**	1/5 ea.

13 Aluminium rear panel

- For variable or standard carcase width
- For cutting to length
- Length 1140 mm
- 14 Rear panel connectors must be ordered separately



Order no.	PU
9 132 267	1 ea.

14 Rear panel connector

- For wooden or aluminium rear panel



Order no.		PU
left	right	
9 132 258	**9 132 259**	1/30 ea.

15 Front

- For standard carcase width
- With premounted connectors and premounted railing



Carcase width mm	Order no.	PU
300	**9 122 894**	1/15 ea.
400	**9 122 895**	1/15 ea.
450	**9 122 896**	1/15 ea.
500	**9 122 897**	1/15 ea.
600	**9 122 898**	1/15 ea.
800	**9 122 899**	1/15 ea.
900	**9 122 900**	1/15 ea.
1000	**9 122 901**	1/15 ea.
1200	**9 122 902**	1/15 ea.

16 Aluminium front

- For variable or standard carcase width
- For cutting to length
- Length 1140 mm
- 18 Connectors must be ordered separately



Order no.	PU
9 123 100	1 ea.

17 Railing for aluminium front

- Steel
- For cutting to length
- Length 1140 mm



Order no.	PU
9 123 352	1 ea.

18 Connector for front

- For combining with 16 aluminium front panel and 17 railing for aluminium front panel or front panel in any chosen material
- When using any chosen material with a total load of up to 60 kg



Order no.	PU
9 123 094	1/15 set

19 Profile for front

- For front panel in any chosen material
- To cut to length, 2 profiles per front
- Length 1140 mm
- Aluminium
- 18 Connectors must be ordered separately



Order no.	PU
9 123 097	1 ea.

INTERFER
www.interfer.pt

INTERFER
www.interfer.pt

- **Pot-and-pan / internal pot-and-pan drawer, height 218 mm, drawer side profile height 126 mm**
- **Powder coated steel, champagne**












Exploded diagram



Components

1 Drawer side profile, left and right
2 Drawer front connector for side profile, 2 each
3 Front stabiliser
4 Cover cap, 2 each
5 Drawer front connector for lengthwise railing, 2 each
6 Actro drawer runner, left and right, see page 305
7 Lengthwise railing, left and right
Alternative 1:
8 TopSide
Alternative 2:
9 DesignSide in glass and
10 DesignSide adapter
Alternative 3:
D DesignSide in any chosen material and
10 DesignSide adapter and
11 DesignSide connector
12 Steel rear panel
Alternatively:
13 Aluminium rear panel or C Wooden rear panel and
14 Rear panel connector, left and right
15 Front for internal pot-and-pan drawer
Alternative 1:
16 Aluminium front panel and
17 Railing for aluminium front and
18 Connector for front
Alternative 2:
E Front panel in any chosen material and
18 Connector for front and
19 Profile for front
A Front
B Bottom panel (material 16 mm thick)
C Wooden rear panel (material 16 mm thick)
D DesignSide in any chosen material (material 8 mm thick)
E Front panel in any chosen material (material 6 mm thick)

Advice

Technical information, see pages 335 - 338, 346 - 361
Actro drawer runner, see page 305

INTERFER
www.interfer.pt

- **Pot-and-pan / internal pot-and-pan drawer, height 218 mm, drawer side profile height 126 mm**
- **Powder coated steel, champagne**

1 Drawer side profile



Nominal length mm	Order no.		PU
	left	right	
270	**9 169 466**	**9 169 467**	1/15 ea.
300	**9 169 468**	**9 169 470**	1/15 ea.
350	**9 169 471**	**9 169 472**	1/15 ea.
400	**9 169 473**	**9 169 474**	1/15 ea.
450	**9 161 817**	**9 161 818**	1/15 ea.
500	**9 161 819**	**9 161 820**	1/15 ea.
550	**9 169 475**	**9 169 476**	1/15 ea.
650	**9 169 477**	**9 169 478**	1/15 ea.

2 Drawer front connector for side profile

- Steel



Mounting option	Order no.	PU
Screw on type	**9 123 011**	1/150 ea.
Knock in type	**9 123 010**	1/150 ea.

3 Front stabiliser

- For stabilising wide and/or high fronts
- Use recommended on carcases in widths of 600 mm and over and / or front panel heights of 450 mm and over
- Plastic



Order no.	PU
9 123 080	1/150 ea.

4 Cover cap

- Plastic



Finish	Order no.	PU
quartz grey with Hettich logo	**9 134 967**	1/300 ea.
quartz grey	**9 134 966**	1/300 ea.
stainless steel look with Hettich logo	**9 123 007**	1/300 ea.
stainless steel look	**9 123 002**	1/300 ea.

Cover cap with customised imprint available on request

5 Drawer front connector for lengthwise railing

- Plastic



Mounting option	Order no.	PU
Screw on type	**9 127 011**	1/300 ea.
Knock in type	**9 127 000**	1/300 ea.

7 Lengthwise railing



Nominal length mm	Order no.		PU
	left	right	
270	**9 169 406**	**9 169 407**	1/30 ea.
300	**9 140 063**	**9 140 064**	1/30 ea.
350	**9 162 083**	**9 162 084**	1/30 ea.
400	**9 140 065**	**9 140 066**	1/30 ea.
450	**9 160 531**	**9 160 532**	1/30 ea.
500	**9 140 067**	**9 140 068**	1/30 ea.
550	**9 169 408**	**9 169 409**	1/30 ea.
650	**9 140 069**	**9 140 070**	1/30 ea.

8 TopSide

- Includes knock in and screw on front connectors



Nominal length mm	Order no.	PU
400	**9 144 526**	1 set
450	**9 169 410**	1 set
500	**9 144 527**	1 set
550	**9 169 451**	1 set
650	**9 144 573**	1 set

9 DesignSide in glass

- Clear float glass with glued on connectors
- Material 8 mm thick
- 10 DesignSide adapters must be ordered separately



Nominal length mm	Order no.	PU
270	**9 122 983**	1 set
300	**9 122 984**	1 set
350	**9 122 985**	1 set
400	**9 122 986**	1 set
450	**9 122 987**	1 set
500	**9 122 988**	1 set
550	**9 122 989**	1 set
650	**9 122 990**	1 set

10 DesignSide adapter

- Includes knock in and screw on front connectors
- For combining with 9 DesignSide in glass or 11 DesignSide connector



Order no.	PU
9 141 689	1/15 set

INTERFER
www.interfer.pt

11 DesignSide connector

- For screwing or gluing (ø 3 x 10)
- For combining with DesignSide in any chosen material (8 mm thick material)
- 10 DesignSide adapters must be ordered separately



Order no.	PU
9 122 998	1/15 set

12 Steel rear panel

- For standard carcase width



Carcase width mm	Order no.	PU
275	**9 132 211**	1/10 ea.
300	**9 132 212**	1/10 ea.
350	**9 132 213**	1/10 ea.
400	**9 132 214**	1/10 ea.
450	**9 132 215**	1/10 ea.
500	**9 132 216**	1/10 ea.
550	**9 132 217**	1/10 ea.
600	**9 132 218**	1/10 ea.
700	**9 132 219**	1/10 ea.
800	**9 132 220**	1/10 ea.
900	**9 132 221**	1/10 ea.
1000	**9 132 222**	1/5 ea.
1200	**9 132 223**	1/5 ea.

13 Aluminium rear panel

- For variable or standard carcase width
- For cutting to length
- Length 1140 mm
- 14 Rear panel connectors must be ordered separately



Order no.	PU
9 132 267	1 ea.

14 Rear panel connector

- For wooden or aluminium rear panel



Order no.		PU
left	right	
9 132 258	**9 132 259**	1/30 ea.

15 Front

- For standard carcase width
- With premounted connectors and premounted railing



Carcase width mm	Order no.	PU
300	**9 122 894**	1/15 ea.
400	**9 122 895**	1/15 ea.
450	**9 122 896**	1/15 ea.
500	**9 122 897**	1/15 ea.
600	**9 122 898**	1/15 ea.
800	**9 122 899**	1/15 ea.
900	**9 122 900**	1/15 ea.
1000	**9 122 901**	1/15 ea.
1200	**9 122 902**	1/15 ea.

16 Aluminium front

- For variable or standard carcase width
- For cutting to length
- Length 1140 mm
- 18 Connectors must be ordered separately



Order no.	PU
9 123 100	1 ea.

17 Railing for aluminium front

- Steel
- For cutting to length
- Length 1140 mm



Order no.	PU
9 123 352	1 ea.

18 Connector for front

- For combining with 16 aluminium front panel and 17 railing for aluminium front panel or front panel in any chosen material
- When using any chosen material with a total load of up to 60 kg



Order no.	PU
9 123 094	1/15 set

19 Profile for front

- For front panel in any chosen material
- To cut to length, 2 profiles per front
- Length 1140 mm
- Aluminium
- 18 Connectors must be ordered separately



Order no.	PU
9 123 097	1 ea.

INTERFER
www.interfer.pt


INTERFER
www.interfer.pt

- **Pot-and-pan drawer, height 250 mm, drawer side profile height 94 mm**
- **Powder coated steel, champagne**





Exploded diagram



Components

1 Drawer side profile, left and right
2 Drawer front connector for side profile, 2 each
3 Front stabiliser
4 Cover cap, 2 each
5 Drawer front connector for lengthwise railing, 2 each
6 Actro drawer runner, left and right, see page 305
7 Lengthwise railing, left and right
8 Steel rear panel
Alternatively:
C Wooden rear panel and
9 Rear panel connector, left and right
A Front
B Bottom panel (material 16 mm thick)
C Wooden rear panel (material 16 mm thick)

Advice

Technical information, see pages 339, 346 - 361
Actro drawer runner, see page 305

- **Pot-and-pan drawer, height 250 mm, drawer side profile height 94 mm**
- **Powder coated steel, champagne**

INTERFER
www.interfer.pt

1 Drawer side profile



Nominal length mm	Order no.		PU
	left	right	
270	**9 169 462**	**9 169 463**	1/15 ea.
300	**9 140 015**	**9 140 016**	1/15 ea.
350	**9 161 815**	**9 161 816**	1/15 ea.
400	**9 159 086**	**9 159 088**	1/15 ea.
450	**9 160 602**	**9 160 603**	1/15 ea.
500	**9 160 604**	**9 160 605**	1/15 ea.
550	**9 169 464**	**9 169 465**	1/15 ea.
650	**9 140 021**	**9 140 022**	1/15 ea.

2 Drawer front connector for side profile

- Steel



Mounting option	Order no.	PU
Screw on type	**9 123 011**	1/150 ea.
Knock in type	**9 123 010**	1/150 ea.

3 Front stabiliser

- For stabilising wide and/or high fronts
- Use recommended on carcases in widths of 600 mm and over and / or front panel heights of 450 mm and over
- Plastic



Order no.	PU
9 123 080	1/150 ea.

4 Cover cap

- Plastic



Finish	Order no.	PU
quartz grey with Hettich logo	**9 134 967**	1/300 ea.
quartz grey	**9 134 966**	1/300 ea.
stainless steel look with Hettich logo	**9 123 007**	1/300 ea.
stainless steel look	**9 123 002**	1/300 ea.

Cover cap with customised imprint available on request

5 Drawer front connector for lengthwise railing

- Plastic



Mounting option	Order no.	PU
Screw on type	**9 127 011**	1/300 ea.
Knock in type	**9 127 000**	1/300 ea.

7 Lengthwise railing



Nominal length mm	Order no.		PU
	left	right	
270	**9 169 406**	**9 169 407**	1/30 ea.
300	**9 140 063**	**9 140 064**	1/30 ea.
350	**9 162 083**	**9 162 084**	1/30 ea.
400	**9 140 065**	**9 140 066**	1/30 ea.
450	**9 160 531**	**9 160 532**	1/30 ea.
500	**9 140 067**	**9 140 068**	1/30 ea.
550	**9 169 408**	**9 169 409**	1/30 ea.
650	**9 140 069**	**9 140 070**	1/30 ea.

8 Steel rear panel

- For standard carcase width



Carcase width mm	Order no.	PU
275	**9 132 224**	1/10 ea.
300	**9 132 225**	1/10 ea.
350	**9 132 226**	1/10 ea.
400	**9 132 227**	1/10 ea.
450	**9 132 228**	1/10 ea.
500	**9 132 229**	1/10 ea.
550	**9 132 230**	1/10 ea.
600	**9 132 231**	1/10 ea.
700	**9 132 232**	1/10 ea.
800	**9 132 233**	1/10 ea.
900	**9 132 234**	1/10 ea.
1000	**9 132 235**	1/5 ea.
1200	**9 132 236**	1/5 ea.

9 Rear panel connector

- For wooden rear panel



Order no.		PU
left	right	
9 132 260	**9 132 261**	1/30 ea.

champagne

- **Pot-and-pan drawer, height 250 mm, drawer side profile height 126 mm**
- **Powder coated steel, champagne**










Exploded diagram



Components

1 Drawer side profile, left and right
2 Drawer front connector for side profile, 2 each
3 Front stabiliser
4 Cover cap, 2 each
5 Drawer front connector for lengthwise railing, 2 each
6 Actro drawer runner, left and right, see page 305
7 Lengthwise railing, left and right

Alternative 1:
8 TopSide

Alternative 2:
9 DesignSide in glass and
10 DesignSide adapter

Alternative 3:
D DesignSide in any chosen material and
10 DesignSide adapter and
11 DesignSide connector

12 Steel rear panel

Alternatively:
C Wooden rear panel and
13 Rear panel connector, left and right

A Front
B Bottom panel (material 16 mm thick)
C Wooden rear panel (material 16 mm thick)
D DesignSide in any chosen material (material 8 mm thick)

Advice

Technical information, see pages 340 - 341, 346 - 361
Actro drawer runner, see page 305

- **Pot-and-pan drawer, height 250 mm, drawer side profile height 126 mm**
- **Powder coated steel, champagne**

1 Drawer side profile



Nominal length mm	Order no.		PU
	left	right	
270	**9 169 466**	**9 169 467**	1/15 ea.
300	**9 169 468**	**9 169 470**	1/15 ea.
350	**9 169 471**	**9 169 472**	1/15 ea.
400	**9 169 473**	**9 169 474**	1/15 ea.
450	**9 161 817**	**9 161 818**	1/15 ea.
500	**9 161 819**	**9 161 820**	1/15 ea.
550	**9 169 475**	**9 169 476**	1/15 ea.
650	**9 169 477**	**9 169 478**	1/15 ea.

2 Drawer front connector for side profile

- Steel



Mounting option	Order no.	PU
Screw on type	**9 123 011**	1/150 ea.
Knock in type	**9 123 010**	1/150 ea.

3 Front stabiliser

- For stabilising wide and/or high fronts
- Use recommended on carcases in widths of 600 mm and over and / or front panel heights of 450 mm and over
- Plastic



Order no.	PU
9 123 080	1/150 ea.

4 Cover cap

- Plastic



Finish	Order no.	PU
quartz grey with Hettich logo	**9 134 967**	1/300 ea.
quartz grey	**9 134 966**	1/300 ea.
stainless steel look with Hettich logo	**9 123 007**	1/300 ea.
stainless steel look	**9 123 002**	1/300 ea.

Cover cap with customised imprint available on request

5 Drawer front connector for lengthwise railing

- Plastic



Mounting option	Order no.	PU
Screw on type	**9 127 011**	1/300 ea.
Knock in type	**9 127 000**	1/300 ea.

7 Lengthwise railing



Nominal length mm	Order no.		PU
	left	right	
270	**9 169 406**	**9 169 407**	1/30 ea.
300	**9 140 063**	**9 140 064**	1/30 ea.
350	**9 162 083**	**9 162 084**	1/30 ea.
400	**9 140 065**	**9 140 066**	1/30 ea.
450	**9 160 531**	**9 160 532**	1/30 ea.
500	**9 140 067**	**9 140 068**	1/30 ea.
550	**9 169 408**	**9 169 409**	1/30 ea.
650	**9 140 069**	**9 140 070**	1/30 ea.

8 TopSide

- Includes knock in and screw on front connectors



Nominal length mm	Order no.	PU
400	**9 169 452**	1 set
450	**9 162 332**	1 set
500	**9 162 331**	1 set
550	**9 169 455**	1 set
650	**9 169 456**	1 set

9 DesignSide in glass

- Clear float glass with glued on connectors
- Material 8 mm thick
- 10 DesignSide adapters must be ordered separately



Nominal length mm	Order no.	PU
270	**9 122 991**	1 set
300	**9 122 992**	1 set
350	**9 122 993**	1 set
400	**9 122 994**	1 set
450	**9 122 995**	1 set
500	**9 122 996**	1 set
550	**9 122 997**	1 set
650	**9 123 078**	1 set

10 DesignSide adapter

- Includes knock in and screw on front connectors
- For combining with 9 DesignSide in glass or 11 DesignSide connector



Order no.	PU
9 161 767	1/15 set

champagne

INTERFER
www.interfer.pt

11 DesignSide connector

- For screwing or gluing (ø 3 x 10)
- For combining with DesignSide in any chosen material (8 mm thick material)
- 10 DesignSide adapters must be ordered separately



Order no.	PU
9 122 998	1/15 set

12 Steel rear panel

- For standard carcase width



Carcase width mm	Order no.	PU
275	**9 132 224**	1/10 ea.
300	**9 132 225**	1/10 ea.
350	**9 132 226**	1/10 ea.
400	**9 132 227**	1/10 ea.
450	**9 132 228**	1/10 ea.
500	**9 132 229**	1/10 ea.
550	**9 132 230**	1/10 ea.
600	**9 132 231**	1/10 ea.
700	**9 132 232**	1/10 ea.
800	**9 132 233**	1/10 ea.
900	**9 132 234**	1/10 ea.
1000	**9 132 235**	1/5 ea.
1200	**9 132 236**	1/5 ea.

13 Rear panel connector

- For wooden rear panel



Order no.		PU
left	**right**	
9 132 260	**9 132 261**	1/30 ea.

INTERFER
www.interfer.pt


INTERFER
www.interfer.pt

- **Pot-and-pan drawer, height 282 mm, drawer side profile height 94 mm**
- **Powder coated steel, champagne**





Exploded diagram



Components

1 Drawer side profile, left and right
2 Drawer front connector for side profile, 2 each
3 Front stabiliser
4 Cover cap, 2 each
5 Drawer front connector for lengthwise railing, 2 each
6 Actro drawer runner, left and right, see page 305
7 Lengthwise railing, left and right
8 Steel rear panel
Alternatively:
C Wooden rear panel and
9 Rear panel connector, left and right
A Front
B Bottom panel (material 16 mm thick)
C Wooden rear panel (material 16 mm thick)

Advice

Technical information, see pages 342, 346 - 361
Actro drawer runner, see page 305

- **Pot-and-pan drawer, height 282 mm, drawer side profile height 94 mm**
- **Powder coated steel, champagne**

INTERFER
www.interfer.pt

1 Drawer side profile



Nominal length mm	Order no.		PU
	left	right	
270	**9 169 462**	**9 169 463**	1/15 ea.
300	**9 140 015**	**9 140 016**	1/15 ea.
350	**9 161 815**	**9 161 816**	1/15 ea.
400	**9 159 086**	**9 159 088**	1/15 ea.
450	**9 160 602**	**9 160 603**	1/15 ea.
500	**9 160 604**	**9 160 605**	1/15 ea.
550	**9 169 464**	**9 169 465**	1/15 ea.
650	**9 140 021**	**9 140 022**	1/15 ea.

2 Drawer front connector for side profile

- Steel



Mounting option	Order no.	PU
Screw on type	**9 123 011**	1/150 ea.
Knock in type	**9 123 010**	1/150 ea.

3 Front stabiliser

- For stabilising wide and/or high fronts
- Use recommended on carcases in widths of 600 mm and over and / or front panel heights of 450 mm and over
- Plastic



Order no.	PU
9 123 080	1/150 ea.

4 Cover cap

- Plastic



Finish	Order no.	PU
quartz grey with Hettich logo	**9 134 967**	1/300 ea.
quartz grey	**9 134 966**	1/300 ea.
stainless steel look with Hettich logo	**9 123 007**	1/300 ea.
stainless steel look	**9 123 002**	1/300 ea.

Cover cap with customised imprint available on request

5 Drawer front connector for lengthwise railing

- Plastic



Mounting option	Order no.	PU
Screw on type	**9 127 011**	1/300 ea.
Knock in type	**9 127 000**	1/300 ea.

7 Lengthwise railing



Nominal length mm	Order no.		PU
	left	right	
270	**9 169 406**	**9 169 407**	1/30 ea.
300	**9 140 063**	**9 140 064**	1/30 ea.
350	**9 162 083**	**9 162 084**	1/30 ea.
400	**9 140 065**	**9 140 066**	1/30 ea.
450	**9 160 531**	**9 160 532**	1/30 ea.
500	**9 140 067**	**9 140 068**	1/30 ea.
550	**9 169 408**	**9 169 409**	1/30 ea.
650	**9 140 069**	**9 140 070**	1/30 ea.

8 Steel rear panel

- For standard carcase width



Carcase width mm	Order no.	PU
275	**9 132 237**	1/10 ea.
300	**9 132 238**	1/10 ea.
350	**9 132 239**	1/10 ea.
400	**9 132 240**	1/10 ea.
450	**9 132 241**	1/10 ea.
500	**9 132 242**	1/10 ea.
550	**9 132 243**	1/10 ea.
600	**9 132 244**	1/10 ea.
700	**9 132 245**	1/5 ea.
800	**9 132 246**	1/5 ea.
900	**9 132 247**	1/5 ea.
1000	**9 132 248**	1/5 ea.
1200	**9 132 249**	1/5 ea.

9 Rear panel connector

- For wooden rear panel



Order no.		PU
left	right	
9 132 262	**9 132 263**	1/30 ea.

champagne


INTERFER
www.interfer.pt

- **Pot-and-pan drawer, height 282 mm, drawer side profile height 126 mm**
- **Powder coated steel, champagne**





Exploded diagram



Components

1 Drawer side profile, left and right
2 Drawer front connector for side profile, 2 each
3 Front stabiliser
4 Cover cap, 2 each
5 Drawer front connector for lengthwise railing, 2 each
6 Actro drawer runner, left and right, see page 305
7 Lengthwise railing, left and right
8 Steel rear panel
Alternatively:
C Wooden rear panel and
9 Rear panel connector, left and right
A Front
B Bottom panel (material 16 mm thick)
C Wooden rear panel (material 16 mm thick)

Advice

Technical information, see pages 343, 346 - 361
Actro drawer runner, see page 305

- **Pot-and-pan drawer, height 282 mm, drawer side profile height 126 mm**
- **Powder coated steel, champagne**

INTERFER
www.interfer.pt

1 Drawer side profile



Nominal length mm	Order no.		PU
	left	right	
270	**9 169 466**	**9 169 467**	1/15 ea.
300	**9 169 468**	**9 169 470**	1/15 ea.
350	**9 169 471**	**9 169 472**	1/15 ea.
400	**9 169 473**	**9 169 474**	1/15 ea.
450	**9 161 817**	**9 161 818**	1/15 ea.
500	**9 161 819**	**9 161 820**	1/15 ea.
550	**9 169 475**	**9 169 476**	1/15 ea.
650	**9 169 477**	**9 169 478**	1/15 ea.

2 Drawer front connector for side profile

- Steel



Mounting option	Order no.	PU
Screw on type	**9 123 011**	1/150 ea.
Knock in type	**9 123 010**	1/150 ea.

3 Front stabiliser

- For stabilising wide and/or high fronts
- Use recommended on carcases in widths of 600 mm and over and / or front panel heights of 450 mm and over
- Plastic



Order no.	PU
9 123 080	1/150 ea.

4 Cover cap

- Plastic



Finish	Order no.	PU
quartz grey with Hettich logo	**9 134 967**	1/300 ea.
quartz grey	**9 134 966**	1/300 ea.
stainless steel look with Hettich logo	**9 123 007**	1/300 ea.
stainless steel look	**9 123 002**	1/300 ea.

Cover cap with customised imprint available on request

5 Drawer front connector for lengthwise railing

- Plastic



Mounting option	Order no.	PU
Screw on type	**9 127 011**	1/300 ea.
Knock in type	**9 127 000**	1/300 ea.

7 Lengthwise railing



Nominal length mm	Order no.		PU
	left	right	
270	**9 169 406**	**9 169 407**	1/30 ea.
300	**9 140 063**	**9 140 064**	1/30 ea.
350	**9 162 083**	**9 162 084**	1/30 ea.
400	**9 140 065**	**9 140 066**	1/30 ea.
450	**9 160 531**	**9 160 532**	1/30 ea.
500	**9 140 067**	**9 140 068**	1/30 ea.
550	**9 169 408**	**9 169 409**	1/30 ea.
650	**9 140 069**	**9 140 070**	1/30 ea.

8 Steel rear panel

- For standard carcase width



Carcase width mm	Order no.	PU
275	**9 132 237**	1/10 ea.
300	**9 132 238**	1/10 ea.
350	**9 132 239**	1/10 ea.
400	**9 132 240**	1/10 ea.
450	**9 132 241**	1/10 ea.
500	**9 132 242**	1/10 ea.
550	**9 132 243**	1/10 ea.
600	**9 132 244**	1/10 ea.
700	**9 132 245**	1/5 ea.
800	**9 132 246**	1/5 ea.
900	**9 132 247**	1/5 ea.
1000	**9 132 248**	1/5 ea.
1200	**9 132 249**	1/5 ea.

9 Rear panel connector

- For wooden rear panel



Order no.		PU
left	right	
9 132 262	**9 132 263**	1/30 ea.

champagne


- **Drawer with bottom cutout, height 94 mm**
- **Powder coated steel, champagne**

INTERFER
www.interfer.pt



- For utilising the space below the sink
- Other configurations are also possible

Exploded diagram



Components

1 Drawer side profile, 2 each left and right
2 Drawer front connector for side profile, 4 each
3 Front stabiliser
4 Cover cap, 4 each
5 Actro drawer runner, left and right, see page 305
6 Aluminium rear panel or C Wooden rear panel and
7 Rear panel connector, 2 each on left and right
A Front
B Bottom panel (material 16 mm thick)
C Wooden rear panel (material 16 mm thick)

Advice

Technical information, see pages 344, 346 - 361
Actro drawer runner, see page 305

1 Drawer side profile



Nominal length mm	Order no.		PU
	left	right	
270	**9 169 462**	**9 169 463**	1/15 ea.
300	**9 140 015**	**9 140 016**	1/15 ea.
350	**9 161 815**	**9 161 816**	1/15 ea.
400	**9 159 086**	**9 159 088**	1/15 ea.
450	**9 160 602**	**9 160 603**	1/15 ea.
500	**9 160 604**	**9 160 605**	1/15 ea.
550	**9 169 464**	**9 169 465**	1/15 ea.
650	**9 140 021**	**9 140 022**	1/15 ea.

2 Drawer front connector for side profile

- Steel



Mounting option	Order no.	PU
Screw on type	**9 123 011**	1/150 ea.
Knock in type	**9 123 010**	1/150 ea.

3 Front stabiliser

- For stabilising wide and/or high fronts
- Use recommended on carcases in widths of 600 mm and over and / or front panel heights of 450 mm and over
- Plastic



Order no.	PU
9 123 080	1/150 ea.

4 Cover cap

- Plastic



Finish	Order no.	PU
quartz grey with Hettich logo	**9 134 967**	1/300 ea.
quartz grey	**9 134 966**	1/300 ea.
stainless steel look with Hettich logo	**9 123 007**	1/300 ea.
stainless steel look	**9 123 002**	1/300 ea.

Cover cap with customised imprint available on request

6 Aluminium rear panel

- For variable or standard carcase width
- For cutting to length
- Length 1140 mm
- **7** Rear panel connectors must be ordered separately



Order no.	PU
9 132 264	1 ea.

7 Rear panel connector

- For wooden or aluminium rear panel



Order no.		PU
left	right	
9 132 252	**9 132 253**	1/30 ea.

champagne


- **Pot-and-pan drawer with bottom cutout, height 186 mm, drawer side profile height 94 mm**
- **Powder coated steel, champagne**

INTERFER
www.interfer.pt



- For utilising the space below the sink
- Other configurations are also possible

Exploded diagram



Components

1 Drawer side profile, 2 each left and right
2 Drawer front connector for side profile, 4 each
3 Front stabiliser
4 Cover cap, 4 each
5 Drawer front connector for lengthwise railing, 2 each
6 Actro drawer runner, left and right, see page 305
7 Lengthwise railing, left and right
C Wooden rear panel and
8 Rear panel connector, 2 each on left and right
A Front
B Bottom panel (material 16 mm thick)
C Wooden rear panel (material 16 mm thick)

Advice

Technical information, see pages 345, 346 - 361
Actro drawer runner, see page 305

INTERFER
www.interfer.pt

- **Pot-and-pan drawer with bottom cutout, height 186 mm, drawer side profile height 94 mm**
- **Powder coated steel, champagne**

1 Drawer side profile



Nominal length mm	Order no.		PU
	left	right	
270	**9 169 462**	**9 169 463**	1/15 ea.
300	**9 140 015**	**9 140 016**	1/15 ea.
350	**9 161 815**	**9 161 816**	1/15 ea.
400	**9 159 086**	**9 159 088**	1/15 ea.
450	**9 160 602**	**9 160 603**	1/15 ea.
500	**9 160 604**	**9 160 605**	1/15 ea.
550	**9 169 464**	**9 169 465**	1/15 ea.
650	**9 140 021**	**9 140 022**	1/15 ea.

2 Drawer front connector for side profile

- Steel



Mounting option	Order no.	PU
Screw on type	**9 123 011**	1/150 ea.
Knock in type	**9 123 010**	1/150 ea.

3 Front stabiliser

- For stabilising wide and/or high fronts
- Use recommended on carcases in widths of 600 mm and over and / or front panel heights of 450 mm and over
- Plastic



Order no.	PU
9 123 080	1/150 ea.

4 Cover cap

- Plastic



Finish	Order no.	PU
quartz grey with Hettich logo	**9 134 967**	1/300 ea.
quartz grey	**9 134 966**	1/300 ea.
stainless steel look with Hettich logo	**9 123 007**	1/300 ea.
stainless steel look	**9 123 002**	1/300 ea.

Cover cap with customised imprint available on request

5 Drawer front connector for lengthwise railing

- Plastic



Mounting option	Order no.	PU
Screw on type	**9 127 011**	1/300 ea.
Knock in type	**9 127 000**	1/300 ea.

7 Lengthwise railing



Nominal length mm	Order no.		PU
	left	right	
270	**9 169 406**	**9 169 407**	1/30 ea.
300	**9 140 063**	**9 140 064**	1/30 ea.
350	**9 162 083**	**9 162 084**	1/30 ea.
400	**9 140 065**	**9 140 066**	1/30 ea.
450	**9 160 531**	**9 160 532**	1/30 ea.
500	**9 140 067**	**9 140 068**	1/30 ea.
550	**9 169 408**	**9 169 409**	1/30 ea.
650	**9 140 069**	**9 140 070**	1/30 ea.

8 Rear panel connector


- For wooden rear panel




Hight mm	Order no.		PU
	left	right	
94	**9 132 252**	**9 132 253**	1/30 ea.
186	**9 132 256**	**9 132 257**	1/30 ea.



- Carcase height 750 mm max.
- Carcase width 300 mm max.
- Actro drawer runner is required on the left and right, mounted diagonally
- Total loading capacity 20 kg max.
- Other configurations are also possible



Example application




No.	Application	see pages
1	ArciTech drawer Actro with Silent System	204 - 207 305
2	ArciTech pot-and-pan drawer Actro with Silent System	212 - 215 305



- For individual carcase heights and widths
- Optimum use of storage space
- Recommended carcase widths 300 - 600 mm
- Other configurations are also possible

Example application




No.	Application	see pages
1	ArciTech internal drawer Actro with Silent System	204 - 207 305
2	ArciTech pot-and-pan drawer Actro with Silent System	212 - 215 305
3	ArciTech internal drawer Actro with Silent System	204 - 207 305
4	ArciTech pot-and-pan drawer Actro with Silent System	212 - 215 305


INTERFER
www.interfer.pt



- For individual carcase heights and widths
- Optimum use of storage space
- Recommended carcase widths: 450 - 1200 mm, with 2 hinged doors for carcases wider than 600 mm
- Recommended hinge: Sensys 8657i fast-assembly concealed hinge
- Other configurations are also possible



Example application



No.	Application	see pages
1	ArciTech internal drawer Actro with Silent System	204 - 207 305
2	ArciTech internal drawer Actro with Silent System	204 - 207 305
3	ArciTech internal drawer Actro with Silent System	204 - 207 305
4	ArciTech internal pot-and-pan drawer Actro with Silent System	212 - 215 305
5	ArciTech internal pot-and-pan drawer Actro with Silent System	212 - 215 305
6	ArciTech internal pot-and-pan drawer Actro with Silent System	212 - 215 305

INTERFER
www.interfer.pt



OrgaTray 600

246 - 247



OrgaTray 570

248



Banio

249



OrgaStore 400

250




OrgaStore 810

251 - 252



OrgaStore 220

253



Accessories

254




- Type 1: Tailored to standard carcase width, for carcases in widths of 300 mm, 400 mm and 450 mm, for drawer side profiles in a height of 94 mm, includes anti slip mat
- Types 2 and 3: Variable in width, for carcases in widths of 500 mm and over, for drawer side profiles in heights of 94 mm and 126 mm, anti slip mat must be ordered separately
- For nominal lengths of 450 and 500 mm
- Nominal lengths of 550 and 650 mm possible with insert tray and perforated panel, see page 247
- Modules preassembled


OrgaTray 600

Carcase width mm	Type	Order no. / Nominal length mm		PU
		450	500	
300	1	**9 184 557**	**9 184 560**	1 set
400	1	**9 184 558**	**9 184 561**	1 set
450	1	**9 184 559**	**9 184 562**	1 set
500 - 1200	2	**9 183 157**	**9 179 796**	1 set
500 - 1200	3	**9 183 158**	**9 179 797**	1 set

Partitioning



NL = Nominal length D = Depth W = Width CW = Carcase width



Roll holder, spice rack and knife holder



- For OrgaTray 600, with a carcase width of 600 mm and over
- Width 154 mm
- Oak oiled


Article	Order no. / Nominal length mm		PU
	450	500	
Roll holder	**9 135 680**	**9 135 681**	1 ea.
Spice rack	**9 135 675**	**9 135 677**	1 ea.
Knife holder	**9 135 678**	**9 135 679**	1 ea.



- Complementing the OrgaTray 600 for nominal lengths of 550 and 650 mm
- Oiled oak

Insert tray






- For carcase widths of
  300, 400 und 450 mm: 1 insert tray, type 1
  500 mm: 1 insert tray, type 2, and perforated panel, see below
  600 mm: 2 insert trays, type 2
  Larger than 600 mm: 2 insert trays, type 2, and perforated panel, see below
- Length (L) = nominal length - 2

Type	Carcase width mm	Width (B) mm	Order no. / Nominal length mm		PU
			100	150	
1	300	199	**9 135 653**	**9 135 667**	1 ea.
1	400	299	**9 135 658**	**9 135 669**	1 ea.
1	450	349	**9 135 662**	**9 135 673**	1 ea.
2	500 - 1200	249	**9 135 665**	**9 135 674**	1 ea.

Perforated panel





- For adding to tray, type 2
- For cutting to size
- Material thickness 10 mm
- Dividers must be ordered separately, see below

Nominal length mm	Length (L) mm	Order no.	PU
100	98	**9 135 683**	1 ea.
150	148	**9 135 684**	1 ea.
650	622	**9 135 682**	1 ea.

Divider for perforated panel



- For adding to the perforated base
- For pushing in, with premounted pins
- Height 53 mm

Nominal length mm	Length (L) mm	Order no.	PU
100	98	**9 135 685**	1/5 ea.
150	148	**9 135 686**	1/5 ea.

- **Interior organisation system for drawers and internal drawers**
- **Powder coated steel, champagne**




- Adapted to standard carcase width
- For 94 mm drawer side profile height
- For nominal lengths of 400 / 450 and 500 mm
- Can be trimmed to nominal length of 400 mm.
  Cut length = nominal length (NL) - 27
- Set includes variable dividers for organising drawer in any way
- Plastic champagne

OrgaTray 570

Carcase width mm	Order no. / Nominal length mm		PU
	400 / 450	500	
300	**9 183 298**	**9 183 306**	1 set
350		**9 183 307**	1 set
400	**9 183 299**	**9 183 308**	1 set
450	**9 183 300**	**9 183 309**	1 set
500	**9 183 301**	**9 183 310**	1 set
550	**9 183 302**	**9 183 311**	1 set
600	**9 183 303**	**9 183 312**	1 set
800	**9 183 304**	**9 183 313**	1 set
900		**9 183 314**	1 set
1000	**9 183 305**	**9 183 315**	1 set

Partitioning



NL = Nominal length D = Depth W = Width CW = Carcase width

- **Interior organisation system for drawers and internal drawers**
- **Powder coated steel, champagne**

INTERFER
www.interfer.pt



- For drawer or pot-and-pan drawer
- Suitable for nominal depths up to 500 mm
- Recommended for use with carcases in widths of 600 mm and over
- Frame set and container set must be ordered separately

Banio frame set



- White plastic

Order no.	PU
9 153 385	1 set

Banio container set




- Translucent plastic

Order no.	PU
9 153 388	1 set

INTERFER
www.interfer.pt

- **Interior organisation system for pot-and-pan drawers and internal pot-and-pan drawers**
- **Powder coated steel, champagne**



- For pot-and-pan drawer or internal pot-and-pan drawer with railing
- Crosswise railings and lengthwise dividers must be ordered separately
- It is recommended to fit an anti slip mat

OrgaStore 400 standard carcase width



- Adapted to standard carcase width
- Lengthwise dividers must be ordered separately

Carcase width mm	Order no.	PU
300	**9 143 035**	1/30 ea.
350	**9 143 036**	1/30 ea.
400	**9 143 038**	1/30 ea.
450	**9 143 039**	1/30 ea.
500	**9 143 040**	1/30 ea.
550	**9 143 041**	1/30 ea.
600	**9 143 042**	1/30 ea.
800	**9 143 043**	1/30 ea.
900	**9 143 044**	1/30 ea.
1000	**9 143 045**	1/30 ea.
1200	**9 143 046**	1/30 ea.

OrgaStore 400 customised width



- Suitable for customised carcase widths
- Crosswise railings, adapters and lengthwise dividers must be ordered separately
- Crosswise railing length 2000 mm
- B = LB - 2 x EB - 34.5
- Adapter, plastic; champagne

Article	Length mm	Order no.	PU
Crosswise railing	2000	**9 182 716**	1 ea.
Adapter		**9 182 224**	1/30 ea.

OrgaStore 400 lengthwise divider



- Plastic, champagne

Order no.	PU
9 182 228	1/15 ea.

- **Interior organisation system for pot-and-pan drawers and internal pot-and-pan drawers**
- **Powder coated steel, champagne**

INTERFER
www.interfer.pt




- Adapted to standard carcase width
- Can be used for nominal lengths of 300 mm and over
- Can be used for drawer side profile heights of 94 mm and 126 mm
- Plastic elements, quartz grey


Set comprises:
- 1 aluminium profile with plastic adapters
- Plastic dividing elements

OrgaStore 810

Carcase width mm	Number of dividers	Order no.	PU
300	2	**9 182 269**	1 set
450	3	**9 182 270**	1 set
600	3	**9 182 271**	1 set
900	5	**9 182 272**	1 set
1200	6	**9 182 273**	1 set


Partitioning





CW = Carcase width

Dimensions for cutting to size



- B = LB - 2 x EB - 78

INTERFER
www.interfer.pt

OrgaStore 810 adapter



- Plastic, champagne
- Plugs onto aluminium profile without the need for tools

Order no.	PU
9 182 236	1/30 ea.

OrgaStore 810 aluminium profile



- For cutting to length
- Adapters must be ordered separately
- Length 2000 mm

Order no.	PU
9 182 251	1 ea.

OrgaStore 810 divider



- Plastic, quartz grey
- Also available for adding to set

Order no.	PU
9 182 232	1/15 ea.

- **Interior organisation system for pot-and-pan drawers and internal pot-and-pan drawers**
- **Powder coated steel, champagne**



OrgaStore 220



- Adapted to standard carcase width
- For nominal lengths of 500 and 650 mm
- Can be cut to any chosen length
- Dividing rails or cross partitions must be ordered separately, see below
- Oiled oak

Carcase width mm	Nominal length mm	**Order no.**	PU
600	500	**9 135 406**	1 ea.
900	500	**9 135 407**	1 ea.
1200	650	**9 135 404**	1 ea.

Dividing rod / cross partition




Dividing rod
- Length 175 mm, ø 25 mm
- For twisting in, with premounted dowel
- Oiled oak

Cross partition
- 150 x 190 x 10 mm
- For pushing in, with premounted pins
- Oiled oak

Article	**Order no.**	PU
Dividing rod	**9 135 405**	1/5 ea.
Cross partition	**9 138 104**	1/5 ea.

Dimensions for cutting to size




- Trimmed width (B) = LB - 2 x EB - 54
- Trimmed depth = nominal length - 27

champagne

Anti slip mat





- For inserting into the drawer or pot-and-pan drawer
- Dimensions 1076 x 623 mm
- Trimmed width (B) = inside carcase width - 2 x EB - 62
- Trimmed depth (L) = nominal length - 27
- Plastic quartz grey

Order no.	PU
9 185 048	1/5 ea.

INTERFER
www.interfer.pt



Drawer, height 94 mm

258 - 261



Internal drawer, height 94 mm

258 - 261



Drawer, height 126 mm

262 - 265



Internal drawer, height 126 mm

262 - 265



Pot-and-pan drawer, height 186 mm
Drawer side profile height 94 mm

266 - 269



Internal pot-and-pan drawer, height 186 mm
Drawer side profile height 94 mm

266 - 269



Pot-and-pan drawer, height 186 mm
Drawer side profile height 126 mm

270 - 273



Internal pot-and-pan drawer, height 186 mm
Drawer side profile height 126 mm

270 - 273



Pot-and-pan drawer, height 218 mm
Drawer side profile height 94 mm

274 - 277



Internal pot-and-pan drawer, height 218 mm
Drawer side profile height 94 mm

274 - 277



Pot-and-pan drawer, height 218 mm
Drawer side profile height 126 mm

278 - 281



Internal pot-and-pan drawer, height 218 mm
Drawer side profile height 126 mm

278 - 281

INTERFER
www.interfer.pt



Pot-and-pan drawer, height 250 mm
Drawer side profile height 94 mm
282 - 283



Pot-and-pan drawer, height 250 mm
Drawer side profile height 126 mm
284 - 287



Pot-and-pan drawer, height 282 mm
Drawer side profile height 94 mm
288 - 289



Pot-and-pan drawer, height 282 mm
Drawer side profile height 126 mm
290 - 291



Drawer, height 94 mm
with bottom cutout
292 - 293



Pot-and-pan drawer, height 186 mm
with bottom cutout
294 - 295



Narrow base unit
296



Tall unit / pantry
297 - 298



Interior organisation system for drawers / internal drawers
299




Interior organisation system for pot-and-pan drawers / internal pot-and-pan drawers
299





Exploded diagram



Components

1 Drawer side profile, left and right
2 Drawer front connector for side profile, 2 each
3 Front stabiliser
4 Cover cap, 2 each
5 Actro drawer runner, left and right, see page 305
6 Steel rear panel
Alternatively:
7 Aluminium rear panel or C Wooden rear panel and
8 Rear panel connector, left and right
9 Front for internal drawer
Alternative 1:
10 Aluminium front panel and
11 Connector for front
Alternative 2:
D Front panel in any chosen material and
11 Connector for front and
12 Profile for front
A Front
B Bottom panel (material 16 mm thick)
C Wooden rear panel (material 16 mm thick)
D Front panel in any chosen material (material 6 mm thick)

Advice

Technical information, see pages 321 - 322, 346 - 361
Actro drawer runner, see page 305

1 Drawer side profile



Nominal length mm	Order no.		PU
	left	right	
270	**9 121 317**	**9 121 318**	1/15 ea.
300	**9 121 319**	**9 121 320**	1/15 ea.
350	**9 121 321**	**9 121 322**	1/15 ea.
400	**9 121 323**	**9 121 324**	1/15 ea.
450	**9 121 325**	**9 121 326**	1/15 ea.
500	**9 121 327**	**9 121 328**	1/15 ea.
550	**9 121 329**	**9 121 330**	1/15 ea.
650	**9 121 331**	**9 121 332**	1/15 ea.

2 Drawer front connector for side profile

- Steel



Mounting option	Order no.	PU
Screw on type	**9 123 011**	1/150 ea.
Knock in type	**9 123 010**	1/150 ea.

3 Front stabiliser

- For stabilising wide and/or high fronts
- Use recommended on carcases in widths of 600 mm and over and / or front panel heights of 450 mm and over
- Plastic



Order no.	PU
9 123 080	1/150 ea.

4 Cover cap

- Plastic



Finish	Order no.	PU
quartz grey with Hettich logo	**9 134 967**	1/300 ea.
quartz grey	**9 134 966**	1/300 ea.
stainless steel look with Hettich logo	**9 123 007**	1/300 ea.
stainless steel look	**9 123 002**	1/300 ea.

Cover cap with customised imprint available on request

6 Steel rear panel

- For standard carcase width
- Powder coated
- Stainless steel look / champagne



Carcase width mm	Order no.	PU
275	**9 132 172**	1/20 ea.
300	**9 132 173**	1/20 ea.
350	**9 132 174**	1/20 ea.
400	**9 132 175**	1/20 ea.
450	**9 132 176**	1/20 ea.
500	**9 132 177**	1/20 ea.
550	**9 132 178**	1/20 ea.
600	**9 132 179**	1/20 ea.
700	**9 132 180**	1/20 ea.
800	**9 132 181**	1/20 ea.
900	**9 132 182**	1/20 ea.
1000	**9 132 183**	1/20 ea.
1200	**9 132 184**	1/20 ea.

7 Aluminium rear panel

- For variable or standard carcase width
- For cutting to length
- Length 1140 mm
- Powder coated
- Stainless steel look / champagne
- 8 Rear panel connectors must be ordered separately



Order no.	PU
9 132 264	1 ea.

8 Rear panel connector

- For wooden or aluminium rear panel
- Steel, powder coated
- Stainless steel look / champagne



Order no.		PU
left	right	
9 132 252	**9 132 253**	1/30 ea.

INTERFER
www.interfer.pt

9 Front

- For standard carcase width
- With premounted connectors
- Steel / aluminium, powder coated
- Stainless steel look / champagne



Carcase width mm	**Order no.**	PU
300	**9 122 813**	1/15 ea.
400	**9 122 814**	1/15 ea.
450	**9 122 815**	1/15 ea.
500	**9 122 816**	1/15 ea.
600	**9 122 817**	1/15 ea.
800	**9 122 818**	1/15 ea.
900	**9 122 819**	1/15 ea.
1000	**9 122 820**	1/15 ea.
1200	**9 122 821**	1/15 ea.

10 Aluminium front

- For variable or standard carcase width
- For cutting to length
- Length 1140 mm
- Powder coated
- Stainless steel look / champagne
- 11 Connectors must be ordered separately



Order no.	PU
9 123 100	1 ea.

11 Connector for front

- For combining with 10 aluminium front panel or front panel in any chosen material
- Steel, powder coated
- Stainless steel look / champagne
- When using any chosen material with a total load of up to 60 kg



Order no.	PU
9 123 085	1/15 set

12 Profile for front

- For front panel in any chosen material
- To cut to length, 2 profiles per front
- Length 1140 mm
- Aluminium
- 11 Connectors must be ordered separately




Order no.	PU
9 123 097	1 ea.

INTERFER
www.interfer.pt





Exploded diagram



Components

1 Drawer side profile, left and right
2 Drawer front connector for side profile, 2 each
3 Front stabiliser
4 Cover cap, 2 each
5 Actro drawer runner, left and right, see page 305
6 Steel rear panel
Alternatively:
7 Aluminium rear panel or C Wooden rear panel and
8 Rear panel connector, left and right
9 Front for internal drawer
Alternative 1:
10 Aluminium front panel and
11 Connector for front
Alternative 2:
D Front panel in any chosen material and
11 Connector for front and
12 Profile for front
A Front
B Bottom panel (material 16 mm thick)
C Wooden rear panel (material 16 mm thick)
D Front panel in any chosen material (material 6 mm thick)

Advice

Technical information, see pages 323 - 324, 346 - 361
Actro drawer runner, see page 305

1 Drawer side profile



Nominal length mm	Order no.		PU
	left	right	
400	**9 121 333**	**9 121 334**	1/15 ea.
450	**9 121 335**	**9 121 336**	1/15 ea.
500	**9 121 337**	**9 121 338**	1/15 ea.
550	**9 121 339**	**9 121 340**	1/15 ea.
650	**9 121 341**	**9 121 342**	1/15 ea.

2 Drawer front connector for side profile

- Steel



Mounting option	Order no.	PU
Screw on type	**9 123 011**	1/150 ea.
Knock in type	**9 123 010**	1/150 ea.

3 Front stabiliser

- For stabilising wide and/or high fronts
- Use recommended on carcases in widths of 600 mm and over and / or front panel heights of 450 mm and over
- Plastic



Order no.	PU
9 123 080	1/150 ea.

4 Cover cap

- Plastic



Finish	Order no.	PU
quartz grey with Hettich logo	**9 134 967**	1/300 ea.
quartz grey	**9 134 966**	1/300 ea.
stainless steel look with Hettich logo	**9 123 007**	1/300 ea.
stainless steel look	**9 123 002**	1/300 ea.

Cover cap with customised imprint available on request

6 Steel rear panel

- For standard carcase width
- Powder coated
- Stainless steel look / champagne



Carcase width mm	Order no.	PU
275	**9 132 185**	1/20 ea.
300	**9 132 186**	1/20 ea.
350	**9 132 187**	1/20 ea.
400	**9 132 188**	1/20 ea.
450	**9 132 189**	1/20 ea.
500	**9 132 190**	1/20 ea.
550	**9 132 191**	1/20 ea.
600	**9 132 192**	1/20 ea.
700	**9 132 193**	1/20 ea.
800	**9 132 194**	1/20 ea.
900	**9 132 195**	1/20 ea.
1000	**9 132 196**	1/10 ea.
1200	**9 132 197**	1/10 ea.

7 Aluminium rear panel

- For variable or standard carcase width
- For cutting to length
- Length 1140 mm
- Powder coated
- Stainless steel look / champagne
- 8 Rear panel connectors must be ordered separately



Order no.	PU
9 132 265	1 ea.

8 Rear panel connector

- For wooden or aluminium rear panel
- Steel, powder coated
- Stainless steel look / champagne



Order no.		PU
left	right	
9 132 254	**9 132 255**	1/30 ea.

INTERFER
www.interfer.pt

9 Front

- For standard carcase width
- With premounted connectors
- Steel / aluminium, powder coated
- Stainless steel look / champagne



Carcase width mm	**Order no.**	PU
300	**9 122 840**	1/15 ea.
400	**9 122 841**	1/15 ea.
450	**9 122 842**	1/15 ea.
500	**9 122 843**	1/15 ea.
600	**9 122 844**	1/15 ea.
800	**9 122 845**	1/15 ea.
900	**9 122 846**	1/15 ea.
1000	**9 122 847**	1/15 ea.
1200	**9 122 848**	1/15 ea.

10 Aluminium front

- For variable or standard carcase width
- For cutting to length
- Length 1140 mm
- Powder coated
- Stainless steel look / champagne
- 11 Connectors must be ordered separately



Order no.	PU
9 123 100	1 ea.

11 Connector for front

- For combining with 10 aluminium front panel or front panel in any chosen material
- Steel, powder coated
- Stainless steel look / champagne
- When using any chosen material with a total load of up to 60 kg



Order no.	PU
9 123 088	1/15 set

12 Profile for front

- For front panel in any chosen material
- To cut to length, 2 profiles per front
- Length 1140 mm
- Aluminium
- 11 Connectors must be ordered separately



Order no.	PU
9 123 097	1 ea.

INTERFER
www.interfer.pt

INTERFER
www.interfer.pt

- **Pot-and-pan / internal pot-and-pan drawer, height 186 mm, drawer side profile height 94 mm**
- **Stainless steel**










Exploded diagram



Components

1 Drawer side profile, left and right
2 Drawer front connector for side profile, 2 each
3 Front stabiliser
4 Cover cap, 2 each
5 Drawer front connector for lengthwise railing, 2 each
6 Actro drawer runner, left and right, see page 305
7 Lengthwise railing, left and right
Alternative 1:
8 DesignSide in glass and
9 DesignSide adapter
Alternative 2:
D DesignSide in any chosen material and
9 DesignSide adapter and
10 DesignSide connector
11 Steel rear panel
Alternatively:
12 Aluminium rear panel or C Wooden rear panel and
13 Rear panel connector, left and right
14 Front for internal pot-and-pan drawer
Alternative 1:
15 Aluminium front panel and
16 Railing for aluminium front and
17 Connector for front
Alternative 2:
E Front panel in any chosen material and
17 Connector for front and
18 Profile for front
A Front
B Bottom panel (material 16 mm thick)
C Wooden rear panel (material 16 mm thick)
D DesignSide in any chosen material (material 8 mm thick)
E Front panel in any chosen material (material 6 mm thick)

Advice

Technical information, see pages 325 - 328, 346 - 361
Actro drawer runner, see page 305

1 Drawer side profile



Nominal length mm	Order no.		PU
	left	right	
270	**9 121 317**	**9 121 318**	1/15 ea.
300	**9 121 319**	**9 121 320**	1/15 ea.
350	**9 121 321**	**9 121 322**	1/15 ea.
400	**9 121 323**	**9 121 324**	1/15 ea.
450	**9 121 325**	**9 121 326**	1/15 ea.
500	**9 121 327**	**9 121 328**	1/15 ea.
550	**9 121 329**	**9 121 330**	1/15 ea.
650	**9 121 331**	**9 121 332**	1/15 ea.

2 Drawer front connector for side profile

- Steel



Mounting option	Order no.	PU
Screw on type	**9 123 011**	1/150 ea.
Knock in type	**9 123 010**	1/150 ea.

3 Front stabiliser

- For stabilising wide and/or high fronts
- Use recommended on carcases in widths of 600 mm and over and / or front panel heights of 450 mm and over
- Plastic



Order no.	PU
9 123 080	1/150 ea.

4 Cover cap

- Plastic



Finish	Order no.	PU
quartz grey with Hettich logo	**9 134 967**	1/300 ea.
quartz grey	**9 134 966**	1/300 ea.
stainless steel look with Hettich logo	**9 123 007**	1/300 ea.
stainless steel look	**9 123 002**	1/300 ea.

Cover cap with customised imprint available on request

5 Drawer front connector for lengthwise railing

- Plastic



Mounting option	Order no.	PU
Screw on type	**9 127 011**	1/300 ea.
Knock in type	**9 127 000**	1/300 ea.

7 Lengthwise railing



Nominal length mm	Order no.		PU
	left	right	
270	**9 121 959**	**9 121 960**	1/30 ea.
300	**9 121 969**	**9 121 970**	1/30 ea.
350	**9 121 979**	**9 121 980**	1/30 ea.
400	**9 121 989**	**9 121 990**	1/30 ea.
450	**9 121 999**	**9 122 000**	1/30 ea.
500	**9 122 009**	**9 122 010**	1/30 ea.
550	**9 122 019**	**9 122 020**	1/30 ea.
650	**9 122 039**	**9 122 040**	1/30 ea.

8 DesignSide in glass

- Clear float glass with glued on connectors
- Material 8 mm thick
- **9** DesignSide adapters must be ordered separately



Nominal length mm	Order no.	PU
270	**9 122 983**	1 set
300	**9 122 984**	1 set
350	**9 122 985**	1 set
400	**9 122 986**	1 set
450	**9 122 987**	1 set
500	**9 122 988**	1 set
550	**9 122 989**	1 set
650	**9 122 990**	1 set

9 DesignSide adapter

- Includes knock in and screw on front connectors
- For combining with **8** DesignSide in glass or **10** DesignSide connector



Order no.	PU
9 122 976	1/15 set

10 DesignSide connector

- For screwing or gluing (ø 3 x 10)
- For combining with DesignSide in any chosen material (8 mm thick material)
- **9** DesignSide adapters must be ordered separately



Order no.	PU
9 122 998	1/15 set

Stainless steel

INTERFER
www.interfer.pt

11 Steel rear panel

- For standard carcase width
- Powder coated
- Stainless steel look / champagne



Carcase width mm	Order no.	PU
275	**9 132 198**	1/10 ea.
300	**9 132 199**	1/10 ea.
350	**9 132 200**	1/10 ea.
400	**9 132 201**	1/10 ea.
450	**9 132 202**	1/10 ea.
500	**9 132 203**	1/10 ea.
550	**9 132 204**	1/10 ea.
600	**9 132 205**	1/10 ea.
700	**9 132 206**	1/10 ea.
800	**9 132 207**	1/10 ea.
900	**9 132 208**	1/10 ea.
1000	**9 132 209**	1/10 ea.
1200	**9 132 210**	1/10 ea.

12 Aluminium rear panel

- For variable or standard carcase width
- For cutting to length
- Length 1140 mm
- Powder coated
- Stainless steel look / champagne
- 13 Rear panel connectors must be ordered separately



Order no.	PU
9 132 266	1 ea.

13 Rear panel connector

- For wooden or aluminium rear panel
- Steel, powder coated
- Stainless steel look / champagne



Order no.		PU
left	right	
9 132 256	**9 132 257**	1/30 ea.

14 Front

- For standard carcase width
- With premounted connectors and premounted railing
- Steel / aluminium, powder coated
- Stainless steel look / champagne



Carcase width mm	Order no.	PU
300	**9 122 867**	1/15 ea.
400	**9 122 868**	1/15 ea.
450	**9 122 869**	1/15 ea.
500	**9 122 870**	1/15 ea.
600	**9 122 871**	1/15 ea.
800	**9 122 872**	1/15 ea.
900	**9 122 873**	1/15 ea.
1000	**9 122 874**	1/15 ea.
1200	**9 122 875**	1/15 ea.

15 Aluminium front

- For variable or standard carcase width
- For cutting to length
- Length 1140 mm
- Powder coated
- Stainless steel look / champagne
- 17 Connectors must be ordered separately



Order no.	PU
9 123 100	1 ea.

16 Railing for aluminium front

- Steel
- For cutting to length
- Length 1140 mm
- Powder coated
- Stainless steel look / champagne



Order no.	PU
9 123 352	1 ea.

17 Connector for front

- For combining with 15 aluminium front panel and 16 railing for aluminium front panel or front panel in any chosen material
- Steel, powder coated
- Stainless steel look / champagne
- When using any chosen material with a total load of up to 60 kg



Order no.	PU
9 123 091	1/15 set

18 Profile for front

- For front panel in any chosen material
- To cut to length, 2 profiles per front
- Length 1140 mm
- Aluminium
- 17 Connectors must be ordered separately



Order no.	PU
9 123 097	1 ea.


INTERFER
www.interfer.pt

- **Pot-and-pan / internal pot-and-pan drawer, height 186 mm, drawer side profile height 126 mm**
- **Stainless steel**





Exploded diagram



Components

1 Drawer side profile, left and right
2 Drawer front connector for side profile, 2 each
3 Front stabiliser
4 Cover cap, 2 each
5 Drawer front connector for lengthwise railing, 2 each
6 Actro drawer runner, left and right, see page 305
7 Lengthwise railing, left and right

Alternative 1:

8 DesignSide in glass and
9 DesignSide adapter

Alternative 2:

D DesignSide in any chosen material and
9 DesignSide adapter and
10 DesignSide connector

11 Steel rear panel

Alternatively:

C Wooden rear panel and
12 Rear panel connector, left and right

A Front
B Bottom panel (material 16 mm thick)
C Wooden rear panel (material 16 mm thick)
D DesignSide in any chosen material (material 8 mm thick)

Advice

Technical information, see pages 329 - 330, 346 - 361
Actro drawer runner, see page 305

1 Drawer side profile



Nominal length mm	Order no.		PU
	left	right	
400	**9 121 333**	**9 121 334**	1/15 ea.
450	**9 121 335**	**9 121 336**	1/15 ea.
500	**9 121 337**	**9 121 338**	1/15 ea.
550	**9 121 339**	**9 121 340**	1/15 ea.
650	**9 121 341**	**9 121 342**	1/15 ea.

2 Drawer front connector for side profile

- Steel



Mounting option	Order no.	PU
Screw on type	**9 123 011**	1/150 ea.
Knock in type	**9 123 010**	1/150 ea.

3 Front stabiliser

- For stabilising wide and/or high fronts
- Use recommended on carcases in widths of 600 mm and over and / or front panel heights of 450 mm and over
- Plastic



Order no.	PU
9 123 080	1/150 ea.

4 Cover cap

- Plastic



Finish	Order no.	PU
quartz grey with Hettich logo	**9 134 967**	1/300 ea.
quartz grey	**9 134 966**	1/300 ea.
stainless steel look with Hettich logo	**9 123 007**	1/300 ea.
stainless steel look	**9 123 002**	1/300 ea.

Cover cap with customised imprint available on request

5 Drawer front connector for lengthwise railing

- Plastic



Mounting option	Order no.	PU
Screw on type	**9 127 011**	1/300 ea.
Knock in type	**9 127 000**	1/300 ea.

7 Lengthwise railing



Nominal length mm	Order no.		PU
	left	right	
400	**9 121 989**	**9 121 990**	1/30 ea.
450	**9 121 999**	**9 122 000**	1/30 ea.
500	**9 122 009**	**9 122 010**	1/30 ea.
550	**9 122 019**	**9 122 020**	1/30 ea.
650	**9 122 039**	**9 122 040**	1/30 ea.

8 Steel rear panel

- For standard carcase width
- Powder coated
- Stainless steel look / champagne



Carcase width mm	Order no.	PU
275	**9 132 198**	1/10 ea.
300	**9 132 199**	1/10 ea.
350	**9 132 200**	1/10 ea.
400	**9 132 201**	1/10 ea.
450	**9 132 202**	1/10 ea.
500	**9 132 203**	1/10 ea.
550	**9 132 204**	1/10 ea.
600	**9 132 205**	1/10 ea.
700	**9 132 206**	1/10 ea.
800	**9 132 207**	1/10 ea.
900	**9 132 208**	1/10 ea.
1000	**9 132 209**	1/10 ea.
1200	**9 132 210**	1/10 ea.

9 Aluminium rear panel

- For variable or standard carcase width
- For cutting to length
- Length 1140 mm
- Powder coated
- Stainless steel look / champagne
- [10] Rear panel connectors must be ordered separately



Order no.	PU
9 132 266	1 ea.

10 Rear panel connector

- For wooden or aluminium rear panel
- Steel, powder coated
- Stainless steel look / champagne



Order no.		PU
left	right	
9 132 256	**9 132 257**	1/30 ea.

INTERFER
www.interfer.pt

11 Front

- For standard carcase width
- With premounted connectors and premounted railing
- Steel / aluminium, powder coated
- Stainless steel look / champagne



Carcase width mm	**Order no.**	PU
300	**9 122 867**	1/15 ea.
400	**9 122 868**	1/15 ea.
450	**9 122 869**	1/15 ea.
500	**9 122 870**	1/15 ea.
600	**9 122 871**	1/15 ea.
800	**9 122 872**	1/15 ea.
900	**9 122 873**	1/15 ea.
1000	**9 122 874**	1/15 ea.
1200	**9 122 875**	1/15 ea.

12 Aluminium front

- For variable or standard carcase width
- For cutting to length
- Length 1140 mm
- Powder coated
- Stainless steel look / champagne
- 14 Connectors must be ordered separately



Order no.	PU
9 123 100	1 ea.

13 Railing for aluminium front

- Steel
- For cutting to length
- Length 1140 mm
- Powder coated
- Stainless steel look / champagne



Order no.	PU
9 123 352	1 ea.

14 Connector for front

- For combining with 12 aluminium front panel and 13 railing for aluminium front panel or front panel in any chosen material
- Steel, powder coated
- Stainless steel look / champagne
- When using any chosen material with a total load of up to 60 kg



Order no.	PU
9 123 091	1/15 set

15 Profile for front

- For front panel in any chosen material
- To cut to length, 2 profiles per front
- Length 1140 mm
- Aluminium
- 14 Connectors must be ordered separately



Order no.	PU
9 123 097	1 ea.

INTERFER
www.interfer.pt

INTERFER
www.interfer.pt

- **Pot-and-pan / internal pot-and-pan drawer, height 218 mm, drawer side profile height 94 mm**
- **Stainless steel**












Exploded diagram



Components

1 Drawer side profile, left and right
2 Drawer front connector for side profile, 2 each
3 Front stabiliser
4 Cover cap, 2 each
5 Drawer front connector for lengthwise railing, 2 each
6 Actro drawer runner, left and right, see page 305
7 Lengthwise railing, left and right
Alternative 1:
8 DesignSide in glass and
9 DesignSide adapter
Alternative 2:
D DesignSide in any chosen material and
9 DesignSide adapter and
10 DesignSide connector
11 Steel rear panel
Alternatively:
12 Aluminium rear panel or C Wooden rear panel and
13 Rear panel connector, left and right
14 Front for internal pot-and-pan drawer
Alternative 1:
15 Aluminium front panel and
16 Railing for aluminium front and
17 Connector for front
Alternative 2:
E Front panel in any chosen material and
17 Connector for front and
18 Profile for front
A Front
B Bottom panel (material 16 mm thick)
C Wooden rear panel (material 16 mm thick)
D DesignSide in any chosen material (material 8 mm thick)
E Front panel in any chosen material (material 6 mm thick)

Advice

Technical information, see pages 331 - 334, 346 - 361
Actro drawer runner, see page 305

INTERFER
www.interfer.pt

1 Drawer side profile



Nominal length mm	Order no.		PU
	left	right	
270	**9 121 317**	**9 121 318**	1/15 ea.
300	**9 121 319**	**9 121 320**	1/15 ea.
350	**9 121 321**	**9 121 322**	1/15 ea.
400	**9 121 323**	**9 121 324**	1/15 ea.
450	**9 121 325**	**9 121 326**	1/15 ea.
500	**9 121 327**	**9 121 328**	1/15 ea.
550	**9 121 329**	**9 121 330**	1/15 ea.
650	**9 121 331**	**9 121 332**	1/15 ea.

2 Drawer front connector for side profile

- Steel



Mounting option	Order no.	PU
Screw on type	**9 123 011**	1/150 ea.
Knock in type	**9 123 010**	1/150 ea.

3 Front stabiliser

- For stabilising wide and/or high fronts
- Use recommended on carcases in widths of 600 mm and over and / or front panel heights of 450 mm and over
- Plastic



Order no.	PU
9 123 080	1/150 ea.

4 Cover cap

- Plastic



Finish	Order no.	PU
quartz grey with Hettich logo	**9 134 967**	1/300 ea.
quartz grey	**9 134 966**	1/300 ea.
stainless steel look with Hettich logo	**9 123 007**	1/300 ea.
stainless steel look	**9 123 002**	1/300 ea.

Cover cap with customised imprint available on request

5 Drawer front connector for lengthwise railing

- Plastic



Mounting option	Order no.	PU
Screw on type	**9 127 011**	1/300 ea.
Knock in type	**9 127 000**	1/300 ea.

7 Lengthwise railing



Nominal length mm	Order no.		PU
	left	right	
270	**9 121 959**	**9 121 960**	1/30 ea.
300	**9 121 969**	**9 121 970**	1/30 ea.
350	**9 121 979**	**9 121 980**	1/30 ea.
400	**9 121 989**	**9 121 990**	1/30 ea.
450	**9 121 999**	**9 122 000**	1/30 ea.
500	**9 122 009**	**9 122 010**	1/30 ea.
550	**9 122 019**	**9 122 020**	1/30 ea.
650	**9 122 039**	**9 122 040**	1/30 ea.

8 DesignSide in glass

- Clear float glass with glued on connectors
- Material 8 mm thick
- **9** DesignSide adapters must be ordered separately



Nominal length mm	Order no.	PU
270	**9 122 991**	1 set
300	**9 122 992**	1 set
350	**9 122 993**	1 set
400	**9 122 994**	1 set
450	**9 122 995**	1 set
500	**9 122 996**	1 set
550	**9 122 997**	1 set
650	**9 123 078**	1 set

9 DesignSide adapter

- Includes knock in and screw on front connectors
- For combining with **8** DesignSide in glass or **10** DesignSide connector



Order no.	PU
9 122 981	1/15 set

10 DesignSide connector

- For screwing or gluing (ø 3 x 10)
- For combining with DesignSide in any chosen material (8 mm thick material)
- **9** DesignSide adapters must be ordered separately



Order no.	PU
9 122 998	1/15 set

INTERFER
www.interfer.pt

11 Steel rear panel

- For standard carcase width
- Powder coated
- Stainless steel look / champagne



Carcase width mm	Order no.	PU
275	**9 132 211**	1/10 ea.
300	**9 132 212**	1/10 ea.
350	**9 132 213**	1/10 ea.
400	**9 132 214**	1/10 ea.
450	**9 132 215**	1/10 ea.
500	**9 132 216**	1/10 ea.
550	**9 132 217**	1/10 ea.
600	**9 132 218**	1/10 ea.
700	**9 132 219**	1/10 ea.
800	**9 132 220**	1/10 ea.
900	**9 132 221**	1/10 ea.
1000	**9 132 222**	1/5 ea.
1200	**9 132 223**	1/5 ea.

12 Aluminium rear panel

- For variable or standard carcase width
- For cutting to length
- Length 1140 mm
- Powder coated
- Stainless steel look / champagne
- 13 Rear panel connectors must be ordered separately



Order no.	PU
9 132 267	1 ea.

13 Rear panel connector

- For wooden or aluminium rear panel
- Steel, powder coated
- Stainless steel look / champagne



Order no.		PU
left	right	
9 132 258	**9 132 259**	1/30 ea.

14 Front

- For standard carcase width
- With premounted connectors and premounted railing
- Steel / aluminium, powder coated
- Stainless steel look / champagne



Carcase width mm	Order no.	PU
300	**9 122 894**	1/15 ea.
400	**9 122 895**	1/15 ea.
450	**9 122 896**	1/15 ea.
500	**9 122 897**	1/15 ea.
600	**9 122 898**	1/15 ea.
800	**9 122 899**	1/15 ea.
900	**9 122 900**	1/15 ea.
1000	**9 122 901**	1/15 ea.
1200	**9 122 902**	1/15 ea.

15 Aluminium front

- For variable or standard carcase width
- For cutting to length
- Length 1140 mm
- Powder coated
- Stainless steel look / champagne
- 17 Connectors must be ordered separately



Order no.	PU
9 123 100	1 ea.

16 Railing for aluminium front

- Steel
- For cutting to length
- Length 1140 mm
- Powder coated
- Stainless steel look / champagne



Order no.	PU
9 123 352	1 ea.

17 Connector for front

- For combining with 15 aluminium front panel and 16 railing for aluminium front panel or front panel in any chosen material
- Steel, powder coated
- Stainless steel look / champagne
- When using any chosen material with a total load of up to 60 kg



Order no.	PU
9 123 094	1/15 set

INTERFER
www.interfer.pt

18 Profile for front

- For front panel in any chosen material
- To cut to length, 2 profiles per front
- Length 1140 mm
- Aluminium
- 17 Connectors must be ordered separately



Order no.	PU
9 123 097	1 ea.

INTERFER
www.interfer.pt

- **Pot-and-pan / internal pot-and-pan drawer, height 218 mm, drawer side profile height 126 mm**
- **Stainless steel**










Exploded diagram



Components

1 Drawer side profile, left and right
2 Drawer front connector for side profile, 2 each
3 Front stabiliser
4 Cover cap, 2 each
5 Drawer front connector for lengthwise railing, 2 each
6 Actro drawer runner, left and right, see page 305
7 Lengthwise railing, left and right
Alternative 1:
8 DesignSide in glass and
9 DesignSide adapter
Alternative 2:
D DesignSide in any chosen material and
9 DesignSide adapter and
10 DesignSide connector
11 Steel rear panel
Alternatively:
12 Aluminium rear panel or C Wooden rear panel and
13 Rear panel connector, left and right
14 Front for internal pot-and-pan drawer
Alternative 1:
15 Aluminium front panel and
16 Railing for aluminium front and
17 Connector for front
Alternative 2:
E Front panel in any chosen material and
17 Connector for front and
18 Profile for front
A Front
B Bottom panel (material 16 mm thick)
C Wooden rear panel (material 16 mm thick)
D DesignSide in any chosen material (material 8 mm thick)
E Front panel in any chosen material (material 6 mm thick)

Advice

Technical information, see pages 335 - 338, 346 - 361
Actro drawer runner, see page 305

INTERFER
www.interfer.pt

1 Drawer side profile



Nominal length mm	Order no.		PU
	left	right	
400	**9 121 333**	**9 121 334**	1/15 ea.
450	**9 121 335**	**9 121 336**	1/15 ea.
500	**9 121 337**	**9 121 338**	1/15 ea.
550	**9 121 339**	**9 121 340**	1/15 ea.
650	**9 121 341**	**9 121 342**	1/15 ea.

2 Drawer front connector for side profile

- Steel



Mounting option	Order no.	PU
Screw on type	**9 123 011**	1/150 ea.
Knock in type	**9 123 010**	1/150 ea.

3 Front stabiliser

- For stabilising wide and/or high fronts
- Use recommended on carcases in widths of 600 mm and over and / or front panel heights of 450 mm and over
- Plastic



Order no.	PU
9 123 080	1/150 ea.

4 Cover cap

- Plastic



Finish	Order no.	PU
quartz grey with Hettich logo	**9 134 967**	1/300 ea.
quartz grey	**9 134 966**	1/300 ea.
stainless steel look with Hettich logo	**9 123 007**	1/300 ea.
stainless steel look	**9 123 002**	1/300 ea.

Cover cap with customised imprint available on request

5 Drawer front connector for lengthwise railing

- Plastic



Mounting option	Order no.	PU
Screw on type	**9 127 011**	1/300 ea.
Knock in type	**9 127 000**	1/300 ea.

7 Lengthwise railing



Nominal length mm	Order no.		PU
	left	right	
400	**9 121 989**	**9 121 990**	1/30 ea.
450	**9 121 999**	**9 122 000**	1/30 ea.
500	**9 122 009**	**9 122 010**	1/30 ea.
550	**9 122 019**	**9 122 020**	1/30 ea.
650	**9 122 039**	**9 122 040**	1/30 ea.

8 DesignSide in glass

- Clear float glass with glued on connectors
- Material 8 mm thick
- 9 DesignSide adapters must be ordered separately



Nominal length mm	Order no.	PU
400	**9 122 986**	1 set
450	**9 122 987**	1 set
500	**9 122 988**	1 set
550	**9 122 989**	1 set
650	**9 122 990**	1 set

9 DesignSide adapter

- Includes knock in and screw on front connectors
- For combining with 8 DesignSide in glass or 10 DesignSide connector



Order no.	PU
9 122 976	1/15 set

10 DesignSide connector

- For screwing or gluing (ø 3 x 10)
- For combining with DesignSide in any chosen material (8 mm thick material)
- 9 DesignSide adapters must be ordered separately



Order no.	PU
9 122 998	1/15 set

INTERFER
www.interfer.pt

11 Steel rear panel

- For standard carcase width
- Powder coated
- Stainless steel look / champagne



Carcase width mm	Order no.	PU
275	**9 132 211**	1/10 ea.
300	**9 132 212**	1/10 ea.
350	**9 132 213**	1/10 ea.
400	**9 132 214**	1/10 ea.
450	**9 132 215**	1/10 ea.
500	**9 132 216**	1/10 ea.
550	**9 132 217**	1/10 ea.
600	**9 132 218**	1/10 ea.
700	**9 132 219**	1/10 ea.
800	**9 132 220**	1/10 ea.
900	**9 132 221**	1/10 ea.
1000	**9 132 222**	1/5 ea.
1200	**9 132 223**	1/5 ea.

12 Aluminium rear panel

- For variable or standard carcase width
- For cutting to length
- Length 1140 mm
- Powder coated
- Stainless steel look / champagne
- 13 Rear panel connectors must be ordered separately



Order no.	PU
9 132 267	1 ea.

13 Rear panel connector

- For wooden or aluminium rear panel
- Steel, powder coated
- Stainless steel look / champagne



Order no.		PU
left	**right**	
9 132 258	**9 132 259**	1/30 ea.

14 Front

- For standard carcase width
- With premounted connectors and premounted railing
- Steel / aluminium, powder coated
- Stainless steel look / champagne



Carcase width mm	Order no.	PU
300	**9 122 894**	1/15 ea.
400	**9 122 895**	1/15 ea.
450	**9 122 896**	1/15 ea.
500	**9 122 897**	1/15 ea.
600	**9 122 898**	1/15 ea.
800	**9 122 899**	1/15 ea.
900	**9 122 900**	1/15 ea.
1000	**9 122 901**	1/15 ea.
1200	**9 122 902**	1/15 ea.

15 Aluminium front

- For variable or standard carcase width
- For cutting to length
- Length 1140 mm
- Powder coated
- Stainless steel look / champagne
- 17 Connectors must be ordered separately



Order no.	PU
9 123 100	1 ea.

16 Railing for aluminium front

- Steel
- For cutting to length
- Length 1140 mm
- Powder coated
- Stainless steel look / champagne



Order no.	PU
9 123 352	1 ea.

17 Connector for front

- For combining with 15 aluminium front panel and 16 railing for aluminium front panel or front panel in any chosen material
- Steel, powder coated
- Stainless steel look / champagne
- When using any chosen material with a total load of up to 60 kg



Order no.	PU
9 123 094	1/15 set

INTERFER
www.interfer.pt

18 Profile for front

- For front panel in any chosen material
- To cut to length, 2 profiles per front
- Length 1140 mm
- Aluminium
- 17 Connectors must be ordered separately



Order no.	PU
9 123 097	1 ea.


Double walled drawer system ArciTech

- **Pot-and-pan drawer, height 250 mm, drawer side profile height 94 mm**
- **Stainless steel**





Exploded diagram



Components

1 Drawer side profile, left and right
2 Drawer front connector for side profile, 2 each
3 Front stabiliser
4 Cover cap, 2 each
5 Drawer front connector for lengthwise railing, 2 each
6 Actro drawer runner, left and right, see page 305
7 Lengthwise railing, left and right
8 Steel rear panel
Alternatively:
C Wooden rear panel and
9 Rear panel connector, left and right
A Front
B Bottom panel (material 16 mm thick)
C Wooden rear panel (material 16 mm thick)

Advice

Technical information, see pages 339, 346 - 361
Actro drawer runner, see page 305

1 Drawer side profile



Nominal length mm	Order no.		PU
	left	right	
270	**9 121 317**	**9 121 318**	1/15 ea.
300	**9 121 319**	**9 121 320**	1/15 ea.
350	**9 121 321**	**9 121 322**	1/15 ea.
400	**9 121 323**	**9 121 324**	1/15 ea.
450	**9 121 325**	**9 121 326**	1/15 ea.
500	**9 121 327**	**9 121 328**	1/15 ea.
550	**9 121 329**	**9 121 330**	1/15 ea.
650	**9 121 331**	**9 121 332**	1/15 ea.

2 Drawer front connector for side profile

- Steel



Mounting option	Order no.	PU
Screw on type	**9 123 011**	1/150 ea.
Knock in type	**9 123 010**	1/150 ea.

3 Front stabiliser

- For stabilising wide and/or high fronts
- Use recommended on carcases in widths of 600 mm and over and / or front panel heights of 450 mm and over
- Plastic



Order no.	PU
9 123 080	1/150 ea.

4 Cover cap

- Plastic



Finish	Order no.	PU
quartz grey with Hettich logo	**9 134 967**	1/300 ea.
quartz grey	**9 134 966**	1/300 ea.
stainless steel look with Hettich logo	**9 123 007**	1/300 ea.
stainless steel look	**9 123 002**	1/300 ea.

Cover cap with customised imprint available on request

5 Drawer front connector for lengthwise railing

- Plastic



Mounting option	Order no.	PU
Screw on type	**9 127 011**	1/300 ea.
Knock in type	**9 127 000**	1/300 ea.

7 Lengthwise railing



Nominal length mm	Order no.		PU
	left	right	
270	**9 121 959**	**9 121 960**	1/30 ea.
300	**9 121 969**	**9 121 970**	1/30 ea.
350	**9 121 979**	**9 121 980**	1/30 ea.
400	**9 121 989**	**9 121 990**	1/30 ea.
450	**9 121 999**	**9 122 000**	1/30 ea.
500	**9 122 009**	**9 122 010**	1/30 ea.
550	**9 122 019**	**9 122 020**	1/30 ea.
650	**9 122 039**	**9 122 040**	1/30 ea.

8 Steel rear panel

- For standard carcase width
- Powder coated
- Stainless steel look / champagne



Carcase width mm	Order no.	PU
275	**9 132 224**	1/10 ea.
300	**9 132 225**	1/10 ea.
350	**9 132 226**	1/10 ea.
400	**9 132 227**	1/10 ea.
450	**9 132 228**	1/10 ea.
500	**9 132 229**	1/10 ea.
550	**9 132 230**	1/10 ea.
600	**9 132 231**	1/10 ea.
700	**9 132 232**	1/10 ea.
800	**9 132 233**	1/10 ea.
900	**9 132 234**	1/10 ea.
1000	**9 132 235**	1/5 ea.
1200	**9 132 236**	1/5 ea.

9 Rear panel connector

- For wooden rear panel
- Steel, powder coated
- Stainless steel look / champagne



Order no.		PU
left	right	
9 132 260	**9 132 261**	1/30 ea.

INTERFER
www.interfer.pt


- **Pot-and-pan drawer, height 250 mm, drawer side profile height 126 mm**
- **Stainless steel**







Exploded diagram



Components

1 Drawer side profile, left and right
2 Drawer front connector for side profile, 2 each
3 Front stabiliser
4 Cover cap, 2 each
5 Drawer front connector for lengthwise railing, 2 each
6 Actro drawer runner, left and right, see page 305
7 Lengthwise railing, left and right

Alternative 1:
- 8 DesignSide in glass and
- 9 DesignSide adapter

Alternative 2:
- D DesignSide in any chosen material and
- 9 DesignSide adapter and
- 10 DesignSide connector

11 Steel rear panel

Alternatively:
- C Wooden rear panel and
- 12 Rear panel connector, left and right

A Front
B Bottom panel (material 16 mm thick)
C Wooden rear panel (material 16 mm thick)
D DesignSide in any chosen material (material 8 mm thick)

Advice

Technical information, see pages 340 - 341, 346 - 361
Actro drawer runner, see page 305

INTERFER
www.interfer.pt

1 Drawer side profile



Nominal length mm	Order no.		PU
	left	right	
400	**9 121 333**	**9 121 334**	1/15 ea.
450	**9 121 335**	**9 121 336**	1/15 ea.
500	**9 121 337**	**9 121 338**	1/15 ea.
550	**9 121 339**	**9 121 340**	1/15 ea.
650	**9 121 341**	**9 121 342**	1/15 ea.

2 Drawer front connector for side profile

- Steel



Mounting option	Order no.	PU
Screw on type	**9 123 011**	1/150 ea.
Knock in type	**9 123 010**	1/150 ea.

3 Front stabiliser

- For stabilising wide and/or high fronts
- Use recommended on carcases in widths of 600 mm and over and / or front panel heights of 450 mm and over
- Plastic



Order no.	PU
9 123 080	1/150 ea.

4 Cover cap

- Plastic



Finish	Order no.	PU
quartz grey with Hettich logo	**9 134 967**	1/300 ea.
quartz grey	**9 134 966**	1/300 ea.
stainless steel look with Hettich logo	**9 123 007**	1/300 ea.
stainless steel look	**9 123 002**	1/300 ea.

Cover cap with customised imprint available on request

5 Drawer front connector for lengthwise railing

- Plastic



Mounting option	Order no.	PU
Screw on type	**9 127 011**	1/300 ea.
Knock in type	**9 127 000**	1/300 ea.

7 Lengthwise railing



Nominal length mm	Order no.		PU
	left	right	
400	**9 121 989**	**9 121 990**	1/30 ea.
450	**9 121 999**	**9 122 000**	1/30 ea.
500	**9 122 009**	**9 122 010**	1/30 ea.
550	**9 122 019**	**9 122 020**	1/30 ea.
650	**9 122 039**	**9 122 040**	1/30 ea.

8 DesignSide in glass

- Clear float glass with glued on connectors
- Material 8mm thick
- 9 DesignSide adapters must be ordered separately



Nominal length mm	Order no.	PU
400	**9 122 994**	1 set
450	**9 122 995**	1 set
500	**9 122 996**	1 set
550	**9 122 997**	1 set
650	**9 123 078**	1 set

9 DesignSide adapter

- Includes knock in and screw on front connectors
- For combining with 8 DesignSide in glass or 10 DesignSide connector



Order no.	PU
9 122 981	1/15 set

10 DesignSide connector

- For screwing or gluing (ø 3 x 10)
- For combining with DesignSide in any chosen material (8 mm thick material)
- 9 DesignSide adapters must be ordered separately



Order no.	PU
9 122 998	1/15 set

INTERFER
www.interfer.pt

11 Steel rear panel

- For standard carcase width
- Powder coated
- Stainless steel look / champagne



Carcase width mm	**Order no.**	PU
275	**9 132 224**	1/10 ea.
300	**9 132 225**	1/10 ea.
350	**9 132 226**	1/10 ea.
400	**9 132 227**	1/10 ea.
450	**9 132 228**	1/10 ea.
500	**9 132 229**	1/10 ea.
550	**9 132 230**	1/10 ea.
600	**9 132 231**	1/10 ea.
700	**9 132 232**	1/10 ea.
800	**9 132 233**	1/10 ea.
900	**9 132 234**	1/10 ea.
1000	**9 132 235**	1/5 ea.
1200	**9 132 236**	1/5 ea.

12 Rear panel connector

- For wooden rear panel
- Steel, powder coated
- Stainless steel look / champagne



Order no.		PU
left	**right**	
9 132 260	**9 132 261**	1/30 ea.


INTERFER
www.interfer.pt

- **Pot-and-pan drawer, height 282 mm, drawer side profile height 94 mm**
- **Stainless steel**





Exploded diagram



Components

1 Drawer side profile, left and right
2 Drawer front connector for side profile, 2 each
3 Front stabiliser
4 Cover cap, 2 each
5 Drawer front connector for lengthwise railing, 2 each
6 Actro drawer runner, left and right, see page 305
7 Lengthwise railing, left and right
8 Steel rear panel
Alternatively:
C Wooden rear panel and
9 Rear panel connector, left and right
A Front
B Bottom panel (material 16 mm thick)
C Wooden rear panel (material 16 mm thick)

Advice

Technical information, see pages 342, 346 - 361
Actro drawer runner, see page 305

1 Drawer side profile



Nominal length mm	Order no.		PU
	left	right	
270	**9 121 317**	**9 121 318**	1/15 ea.
300	**9 121 319**	**9 121 320**	1/15 ea.
350	**9 121 321**	**9 121 322**	1/15 ea.
400	**9 121 323**	**9 121 324**	1/15 ea.
450	**9 121 325**	**9 121 326**	1/15 ea.
500	**9 121 327**	**9 121 328**	1/15 ea.
550	**9 121 329**	**9 121 330**	1/15 ea.
650	**9 121 331**	**9 121 332**	1/15 ea.

2 Drawer front connector for side profile

- Steel



Mounting option	Order no.	PU
Screw on type	**9 123 011**	1/150 ea.
Knock in type	**9 123 010**	1/150 ea.

3 Front stabiliser

- For stabilising wide and/or high fronts
- Use recommended on carcases in widths of 600 mm and over and / or front panel heights of 450 mm and over
- Plastic



Order no.	PU
9 123 080	1/150 ea.

4 Cover cap

- Plastic



Finish	Order no.	PU
quartz grey with Hettich logo	**9 134 967**	1/300 ea.
quartz grey	**9 134 966**	1/300 ea.
stainless steel look with Hettich logo	**9 123 007**	1/300 ea.
stainless steel look	**9 123 002**	1/300 ea.

Cover cap with customised imprint available on request

5 Drawer front connector for lengthwise railing

- Plastic



Mounting option	Order no.	PU
Screw on type	**9 127 011**	1/300 ea.
Knock in type	**9 127 000**	1/300 ea.

7 Lengthwise railing



Nominal length mm	Order no.		PU
	left	right	
270	**9 121 959**	**9 121 960**	1/30 ea.
300	**9 121 969**	**9 121 970**	1/30 ea.
350	**9 121 979**	**9 121 980**	1/30 ea.
400	**9 121 989**	**9 121 990**	1/30 ea.
450	**9 121 999**	**9 122 000**	1/30 ea.
500	**9 122 009**	**9 122 010**	1/30 ea.
550	**9 122 019**	**9 122 020**	1/30 ea.
650	**9 122 039**	**9 122 040**	1/30 ea.

8 Steel rear panel

- For standard carcase width
- Powder coated
- Stainless steel look / champagne



Carcase width mm	Order no.	PU
275	**9 132 237**	1/10 ea.
300	**9 132 238**	1/10 ea.
350	**9 132 239**	1/10 ea.
400	**9 132 240**	1/10 ea.
450	**9 132 241**	1/10 ea.
500	**9 132 242**	1/10 ea.
550	**9 132 243**	1/10 ea.
600	**9 132 244**	1/10 ea.
700	**9 132 245**	1/5 ea.
800	**9 132 246**	1/5 ea.
900	**9 132 247**	1/5 ea.
1000	**9 132 248**	1/5 ea.
1200	**9 132 249**	1/5 ea.

9 Rear panel connector

- For wooden rear panel
- Steel, powder coated
- Stainless steel look / champagne



Order no.		PU
left	right	
9 132 262	**9 132 263**	1/30 ea.


INTERFER
www.interfer.pt

- **Pot-and-pan drawer, height 282 mm, drawer side profile height 126 mm**
- **Stainless steel**





Exploded diagram



Components

1 Drawer side profile, left and right
2 Drawer front connector for side profile, 2 each
3 Front stabiliser
4 Cover cap, 2 each
5 Drawer front connector for lengthwise railing, 2 each
6 Actro drawer runner, left and right, see page 305
7 Lengthwise railing, left and right
8 Steel rear panel
Alternatively:
C Wooden rear panel and
9 Rear panel connector, left and right
A Front
B Bottom panel (material 16 mm thick)
C Wooden rear panel (material 16 mm thick)

Advice

Technical information, see pages 343, 346 - 361
Actro drawer runner, see page 305

1 Drawer side profile



Nominal length mm	Order no.		PU
	left	right	
400	**9 121 333**	**9 121 334**	1/15 ea.
450	**9 121 335**	**9 121 336**	1/15 ea.
500	**9 121 337**	**9 121 338**	1/15 ea.
550	**9 121 339**	**9 121 340**	1/15 ea.
650	**9 121 341**	**9 121 342**	1/15 ea.

2 Drawer front connector for side profile

- Steel



Mounting option	Order no.	PU
Screw on type	**9 123 011**	1/150 ea.
Knock in type	**9 123 010**	1/150 ea.

3 Front stabiliser

- For stabilising wide and/or high fronts
- Use recommended on carcases in widths of 600 mm and over and / or front panel heights of 450 mm and over
- Plastic



Order no.	PU
9 123 080	1/150 ea.

4 Cover cap

- Plastic



Finish	Order no.	PU
quartz grey with Hettich logo	**9 134 967**	1/300 ea.
quartz grey	**9 134 966**	1/300 ea.
stainless steel look with Hettich logo	**9 123 007**	1/300 ea.
stainless steel look	**9 123 002**	1/300 ea.

Cover cap with customised imprint available on request

5 Drawer front connector for lengthwise railing

- Plastic



Mounting option	Order no.	PU
Screw on type	**9 127 011**	1/300 ea.
Knock in type	**9 127 000**	1/300 ea.

7 Lengthwise railing



Nominal length mm	Order no.		PU
	left	right	
400	**9 121 989**	**9 121 990**	1/30 ea.
450	**9 121 999**	**9 122 000**	1/30 ea.
500	**9 122 009**	**9 122 010**	1/30 ea.
550	**9 122 019**	**9 122 020**	1/30 ea.
650	**9 122 039**	**9 122 040**	1/30 ea.

8 Steel rear panel

- For standard carcase width
- Powder coated
- Stainless steel look / champagne



Carcase width mm	Order no.	PU
275	**9 132 237**	1/10 ea.
300	**9 132 238**	1/10 ea.
350	**9 132 239**	1/10 ea.
400	**9 132 240**	1/10 ea.
450	**9 132 241**	1/10 ea.
500	**9 132 242**	1/10 ea.
550	**9 132 243**	1/10 ea.
600	**9 132 244**	1/10 ea.
700	**9 132 245**	1/5 ea.
800	**9 132 246**	1/5 ea.
900	**9 132 247**	1/5 ea.
1000	**9 132 248**	1/5 ea.
1200	**9 132 249**	1/5 ea.

9 Rear panel connector

- For wooden rear panel
- Steel, powder coated
- Stainless steel look / champagne




Order no.		PU
left	right	
9 132 262	**9 132 263**	1/30 ea.

INTERFER
www.interfer.pt



- For utilising the space below the sink
- Other configurations are also possible

Exploded diagram



Components

1 Drawer side profile, 2 each left and right
2 Drawer front connector for side profile, 4 each
3 Front stabiliser
4 Cover cap, 4 each
5 Actro drawer runner, left and right, see page 305
6 Aluminium rear panel or C Wooden rear panel and
7 Rear panel connector, 2 each on left and right
A Front
B Bottom panel (material 16 mm thick)
C Wooden rear panel (material 16 mm thick)

Advice

Technical information, see pages 344, 346 - 361
Actro drawer runner, see page 305

1 Drawer side profile



Nominal length mm	Order no.		PU
	left	right	
270	**9 121 317**	**9 121 318**	1/15 ea.
300	**9 121 319**	**9 121 320**	1/15 ea.
350	**9 121 321**	**9 121 322**	1/15 ea.
400	**9 121 323**	**9 121 324**	1/15 ea.
450	**9 121 325**	**9 121 326**	1/15 ea.
500	**9 121 327**	**9 121 328**	1/15 ea.
550	**9 121 329**	**9 121 330**	1/15 ea.
650	**9 121 331**	**9 121 332**	1/15 ea.

2 Drawer front connector for side profile

- Steel



Mounting option	Order no.	PU
Screw on type	**9 123 011**	1/150 ea.
Knock in type	**9 123 010**	1/150 ea.

3 Front stabiliser

- For stabilising wide and/or high fronts
- Use recommended on carcases in widths of 600 mm and over and / or front panel heights of 450 mm and over
- Plastic



Order no.	PU
9 123 080	1/150 ea.

4 Cover cap

- Plastic



Finish	Order no.	PU
quartz grey with Hettich logo	**9 134 967**	1/300 ea.
quartz grey	**9 134 966**	1/300 ea.
stainless steel look with Hettich logo	**9 123 007**	1/300 ea.
stainless steel look	**9 123 002**	1/300 ea.

Cover cap with customised imprint available on request

6 Aluminium rear panel

- For variable or standard carcase width
- For cutting to length
- Length 1140 mm
- Powder coated
- Stainless steel look / champagne
- **7** Rear panel connectors must be ordered separately



Order no.	PU
9 132 264	1 ea.

7 Rear panel connector

- For wooden or aluminium rear panel
- Steel, powder coated
- Stainless steel look / champagne



Order no.		PU
left	right	
9 132 252	**9 132 253**	1/30 ea.


INTERFER
www.interfer.pt

- **Pot-and-pan drawer with bottom cutout, height 186 mm, drawer side profile height 94 mm**
- **Stainless steel**



- For utilising the space below the sink
- Other configurations are also possible

Exploded diagram



Components

1 Drawer side profile, 2 each left and right
2 Drawer front connector for side profile, 4 each
3 Front stabiliser
4 Cover cap, 4 each
5 Drawer front connector for lengthwise railing, 2 each
6 Actro drawer runner, left and right, see page 305
7 Lengthwise railing, left and right
C Wooden rear panel and
8 Rear panel connector, 2 each on left and right
A Front
B Bottom panel (material 16 mm thick)
C Wooden rear panel (material 16 mm thick)

Advice

Technical information, see pages 345, 346 - 361
Actro drawer runner, see page 305

- **Pot-and-pan drawer with bottom cutout, height 186 mm, drawer side profile height 94 mm**
- **Stainless steel**

INTERFER
www.interfer.pt

1 Drawer side profile



Nominal length mm	Order no.		PU
	left	right	
270	**9 121 317**	**9 121 318**	1/15 ea.
300	**9 121 319**	**9 121 320**	1/15 ea.
350	**9 121 321**	**9 121 322**	1/15 ea.
400	**9 121 323**	**9 121 324**	1/15 ea.
450	**9 121 325**	**9 121 326**	1/15 ea.
500	**9 121 327**	**9 121 328**	1/15 ea.
550	**9 121 329**	**9 121 330**	1/15 ea.
650	**9 121 331**	**9 121 332**	1/15 ea.

2 Drawer front connector for side profile

- Steel



Mounting option	Order no.	PU
Screw on type	**9 123 011**	1/150 ea.
Knock in type	**9 123 010**	1/150 ea.

3 Front stabiliser

- For stabilising wide and/or high fronts
- Use recommended on carcases in widths of 600 mm and over and / or front panel heights of 450 mm and over
- Plastic



Order no.	PU
9 123 080	1/150 ea.

4 Cover cap

- Plastic



Finish	Order no.	PU
quartz grey with Hettich logo	**9 134 967**	1/300 ea.
quartz grey	**9 134 966**	1/300 ea.
stainless steel look with Hettich logo	**9 123 007**	1/300 ea.
stainless steel look	**9 123 002**	1/300 ea.

Cover cap with customised imprint available on request

5 Drawer front connector for lengthwise railing

- Plastic



Mounting option	Order no.	PU
Screw on type	**9 127 011**	1/300 ea.
Knock in type	**9 127 000**	1/300 ea.

7 Lengthwise railing



Nominal length mm	Order no.		PU
	left	right	
270	**9 121 959**	**9 121 960**	1/30 ea.
300	**9 121 969**	**9 121 970**	1/30 ea.
350	**9 121 979**	**9 121 980**	1/30 ea.
400	**9 121 989**	**9 121 990**	1/30 ea.
450	**9 121 999**	**9 122 000**	1/30 ea.
500	**9 122 009**	**9 122 010**	1/30 ea.
550	**9 122 019**	**9 122 020**	1/30 ea.
650	**9 122 039**	**9 122 040**	1/30 ea.

8 Rear panel connector


- For wooden rear panel
- Steel, powder coated
- Stainless steel look / champagne




Hight mm	Order no.		PU
	left	right	
94	**9 132 252**	**9 132 253**	1/30 ea.
186	**9 132 256**	**9 132 257**	1/30 ea.



- Carcase height 750 mm max.
- Carcase width 300 mm max.
- Actro drawer runner is required on the left and right, mounted diagonally
- Total loading capacity 20 kg max.
- Other configurations are also possible



Example application




No.	Application	see pages
1	ArciTech drawer Actro with Silent System	258 - 261 305
2	ArciTech pot-and-pan drawer Actro with Silent System	266 - 269 305

INTERFER
www.interfer.pt



- For individual carcase heights and widths
- Optimum use of storage space
- Recommended carcase widths 300 - 600 mm
- Other configurations are also possible

Example application




No.	Application	see pages
1	ArciTech internal drawer Actro with Silent System	258 - 261 305
2	ArciTech pot-and-pan drawer Actro with Silent System	266 - 269 305
3	ArciTech internal drawer Actro with Silent System	258 - 261 305
4	ArciTech pot-and-pan drawer Actro with Silent System	266 - 269 305


INTERFER
www.interfer.pt



- For individual carcase heights and widths
- Optimum use of storage space
- Recommended carcase widths: 450 - 1200 mm, with 2 hinged doors for carcases wider than 600 mm
- Recommended hinge: Sensys 8657i fast-assembly concealed hinge
- Other configurations are also possible



Example application



No.	Application	see pages
1	ArciTech internal drawer Actro with Silent System	258 - 261 305
2	ArciTech internal drawer Actro with Silent System	258 - 261 305
3	ArciTech internal drawer Actro with Silent System	258 - 261 305
4	ArciTech internal pot-and-pan drawer Actro with Silent System	266 - 269 305
5	ArciTech internal pot-and-pan drawer Actro with Silent System	266 - 269 305
6	ArciTech internal pot-and-pan drawer Actro with Silent System	266 - 269 305

INTERFER
www.interfer.pt




OrgaTray 600

300 - 301



OrgaStore 220

302



Accessories

303




- Type 1: Tailored to standard carcase width, for carcases in widths of 300 mm, 400 mm and 450 mm, for drawer side profiles in a height of 94 mm, includes anti slip mat
- Types 2 and 3: Variable in width, for carcases in widths of 500 mm and over, for drawer side profiles in heights of 94 mm and 126 mm, anti slip mat must be ordered separately
- For nominal lengths of 450 and 500 mm
- Nominal lengths of 550 and 650 mm possible with insert tray and perforated panel, see page 301
- Modules preassembled


OrgaTray 600

Carcase width mm	Type	Order no. / Nominal length mm		PU
		450	500	
300	1	**9 123 137**	**9 123 146**	1 set
400	1	**9 123 138**	**9 123 147**	1 set
450	1	**9 123 139**	**9 123 148**	1 set
500 - 1200	2	**9 184 506**	**9 185 071**	1 set
500 - 1200	3	**9 184 507**	**9 185 072**	1 set

Partitioning



NL = Nominal length D = Depth W = Width CW = Carcase width



Roll holder, spice rack and knife holder



- For OrgaTray 600, with a carcase width of 600 mm and over
- Width 154 mm
- Oak oiled


Article	Order no. / Nominal length mm		PU
	450	500	
Roll holder	**9 135 680**	**9 135 681**	1 ea.
Spice rack	**9 135 675**	**9 135 677**	1 ea.
Knife holder	**9 135 678**	**9 135 679**	1 ea.



- Complementing the OrgaTray 600 for nominal lengths of 550 and 650 mm
- Oiled oak

Insert tray






- For carcase widths of
  300, 400 und 450 mm: 1 insert tray, type 1
  500 mm: 1 insert tray, type 2, and perforated panel, see below
  600 mm: 2 insert trays, type 2
  Larger than 600 mm: 2 insert trays, type 2, and perforated panel, see below
- Length (L) = nominal length - 2

Type	Carcase width mm	Width (B) mm	Order no. / Nominal length mm		PU
			100	150	
1	300	199	**9 135 653**	**9 135 667**	1 ea.
1	400	299	**9 135 658**	**9 135 669**	1 ea.
1	450	349	**9 135 662**	**9 135 673**	1 ea.
2	500 - 1200	249	**9 135 665**	**9 135 674**	1 ea.

Perforated panel





- For adding to tray, type 2
- For cutting to size
- Material thickness 10 mm
- Dividers must be ordered separately, see below

Nominal length mm	Length (L) mm	Order no.	PU
100	98	**9 135 683**	1 ea.
150	148	**9 135 684**	1 ea.
650	622	**9 135 682**	1 ea.

Divider for perforated panel



- For adding to the perforated base
- For pushing in, with premounted pins
- Height 53 mm

Nominal length mm	Length (L) mm	Order no.	PU
100	98	**9 135 685**	1/5 ea.
150	148	**9 135 686**	1/5 ea.



OrgaStore 220



- Adapted to standard carcase width
- For nominal lengths of 500 and 650 mm
- Can be cut to any chosen length
- Dividing rails or cross partitions must be ordered separately, see below
- Oiled oak

Carcase width mm	Nominal length mm	**Order no.**	PU
600	500	**9 135 406**	1 ea.
900	500	**9 135 407**	1 ea.
1200	650	**9 135 404**	1 ea.

Dividing rod / cross partition




Dividing rod
- Length 175 mm, ø 25 mm
- For twisting in, with premounted dowel
- Oiled oak

Cross partition
- 150 x 190 x 10 mm
- For pushing in, with premounted pins
- Oiled oak

Article name	**Order no.**	PU
Dividing rod	**9 135 405**	1/5 ea.
Cross partition	**9 138 104**	1/5 ea.

Dimensions for cutting to size




- Trimmed width (B) = LB - 2 x EB - 54
- Trimmed depth = nominal length - 27

INTERFER
www.interfer.pt

Anti slip mat





- For inserting into the drawer or pot-and-pan drawer
- Dimensions 1076 x 623 mm
- Trimmed width (B) = inside carcase width - 2 x EB - 62
- Trimmed depth (L) = nominal length - 27
- Plastic quartz grey

Order no.	PU
9 185 048	1/5 ea.

INTERFER
www.interfer.pt

INTERFER
www.interfer.pt



Actro drawer runner with Silent System Carcase side thickness 16 mm

306 - 307



Actro drawer runner with Silent System Carcase side thickness 18 mm

308 - 309



Actro drawer runner with Silent System Carcase side thickness 19 mm

310 - 311



Actro drawer runner with Push to open Carcase side thickness 16 mm

312 - 313



Actro drawer runner with Push to open Carcase side thickness 18 mm

314 - 315



Actro drawer runner with Push to open Carcase side thickness 19 mm

316 - 317

Drawer runner



- Full extension runner
- With integrated Silent System
- Steel galvanised
- Loading capacity to EN 15338, Level 3

Loading capacity 40 kg

Nominal length mm	Order no.		PU
	left	right	
270	**9 121 055**	**9 121 056**	1/15 ea.
300	**9 121 057**	**9 121 058**	1/15 ea.
350	**9 121 059**	**9 121 060**	1/15 ea.
400	**9 121 061**	**9 121 062**	1/15 ea.
450	**9 121 063**	**9 121 064**	1/15 ea.
500	**9 121 069**	**9 121 070**	1/15 ea.
550	**9 121 075**	**9 121 076**	1/10 ea.

Loading capacity 60 kg

Nominal length mm	Order no.		PU
	left	right	
400	**9 127 708**	**9 127 709**	1/15 ea.
450	**9 121 065**	**9 121 066**	1/15 ea.
500	**9 121 071**	**9 121 072**	1/15 ea.
550	**9 121 077**	**9 121 078**	1/10 ea.
650	**9 121 081**	**9 121 082**	1/10 ea.

Loading capacity 80 kg

Nominal length mm	Order no.		PU
	left	right	
500	**9 121 073**	**9 121 074**	1/15 ea.
550	**9 121 079**	**9 121 080**	1/10 ea.
650	**9 121 083**	**9 121 084**	1/10 ea.

Push to open Silent opening system for ArciTech




Set consisting of:
- Push to open Silent unit, left and right
- 2 activators
- Fixing material

For all Actro runners with Silent System up to 60 kg.

Order no.	PU
9 154 548	1/15 set

Lengthwise cross-section



Silent System

Nominal length mm	Hole spacing b1 mm	Drawer / pot-and-pan drawer	Internal drawer / internal pot-and-pan drawer
		Minimum carcase depth mm	Minimum carcase depth mm
270	128	273	282
300	160	303	312
350	192	353	362
400	192	403	412
450	192	453	462
500	224	503	512
550	256	553	562
650	288	653	662

Push to open Silent

Nominal length mm	Hole spacing b1 mm	Drawer / pot-and-pan drawer	Internal drawer / internal pot-and-pan drawer
		Minimum carcase depth mm	Minimum carcase depth mm
270	128	273	291
300	160	303	321
350	192	353	371
400	192	403	421
450	192	453	471
500	224	503	521
550	256	553	571
650	288	653	671

INTERFER
www.interfer.pt

Drawer runner



- Full extension runner
- With integrated Silent System
- Steel galvanised
- Loading capacity to EN 15338, Level 3

Loading capacity 40 kg

Nominal length mm	Order no.		PU
	left	right	
270	**9 121 085**	**9 121 086**	1/15 ea.
300	**9 121 087**	**9 121 088**	1/15 ea.
350	**9 121 089**	**9 121 090**	1/15 ea.
400	**9 121 091**	**9 121 092**	1/15 ea.
450	**9 121 093**	**9 121 094**	1/15 ea.
500	**9 121 099**	**9 121 100**	1/15 ea.
550	**9 121 105**	**9 121 106**	1/10 ea.

Loading capacity 60 kg

Nominal length mm	Order no.		PU
	left	right	
400	**9 127 710**	**9 127 711**	1/15 ea.
450	**9 121 095**	**9 121 096**	1/15 ea.
500	**9 121 101**	**9 121 102**	1/15 ea.
550	**9 121 107**	**9 121 108**	1/10 ea.
650	**9 121 111**	**9 121 112**	1/10 ea.

Loading capacity 80 kg

Nominal length mm	Order no.		PU
	left	right	
500	**9 121 103**	**9 121 104**	1/15 ea.
550	**9 121 109**	**9 121 110**	1/10 ea.
650	**9 121 113**	**9 121 114**	1/10 ea.

Push to open Silent opening system for ArciTech




Set consisting of:
- Push to open Silent unit, left and right
- 2 activators
- Fixing material

For all Actro runners with Silent System up to 60 kg.

Order no.	PU
9 154 548	1/15 set

Lengthwise cross-section



Silent System

Nominal length mm	Hole spacing b1 mm	Drawer / pot-and-pan drawer	Internal drawer / internal pot-and-pan drawer
		Minimum carcase depth mm	Minimum carcase depth mm
270	128	273	282
300	160	303	312
350	192	353	362
400	192	403	412
450	192	453	462
500	224	503	512
550	256	553	562
650	288	653	662

Push to open Silent

Nominal length mm	Hole spacing b1 mm	Drawer / pot-and-pan drawer	Internal drawer / internal pot-and-pan drawer
		Minimum carcase depth mm	Minimum carcase depth mm
270	128	273	291
300	160	303	321
350	192	353	371
400	192	403	421
450	192	453	471
500	224	503	521
550	256	553	571
650	288	653	671

Drawer runner



- Full extension runner
- With integrated Silent System
- Steel galvanised
- Loading capacity to EN 15338, Level 3

Loading capacity 40 kg

Nominal length mm	Order no.		PU
	left	right	
270	**9 121 115**	**9 121 116**	1/15 ea.
300	**9 121 117**	**9 121 118**	1/15 ea.
350	**9 121 119**	**9 121 120**	1/15 ea.
400	**9 121 121**	**9 121 122**	1/15 ea.
450	**9 121 123**	**9 121 124**	1/15 ea.
500	**9 121 129**	**9 121 130**	1/15 ea.
550	**9 121 135**	**9 121 136**	1/10 ea.

Loading capacity 60 kg

Nominal length mm	Order no.		PU
	left	right	
400	**9 127 712**	**9 127 713**	1/15 ea.
450	**9 121 125**	**9 121 126**	1/15 ea.
500	**9 121 131**	**9 121 132**	1/15 ea.
550	**9 121 137**	**9 121 138**	1/10 ea.
650	**9 121 141**	**9 121 142**	1/10 ea.

Loading capacity 80 kg

Nominal length mm	Order no.		PU
	left	right	
500	**9 121 133**	**9 121 134**	1/15 ea.
550	**9 121 139**	**9 121 140**	1/10 ea.
650	**9 121 143**	**9 121 144**	1/10 ea.

Push to open Silent opening system for ArciTech




Set consisting of:
- Push to open Silent unit, left and right
- 2 activators
- Fixing material

For all Actro runners with Silent System up to 60 kg.

Order no.	PU
9 154 548	1/15 set

Lengthwise cross-section



Silent System

Nominal length mm	Hole spacing b1 mm	Drawer / pot-and-pan drawer	Internal drawer / internal pot-and-pan drawer
		Minimum carcase depth mm	Minimum carcase depth mm
270	128	273	282
300	160	303	312
350	192	353	362
400	192	403	412
450	192	453	462
500	224	503	512
550	256	553	562
650	288	653	662

Push to open Silent

Nominal length mm	Hole spacing b1 mm	Drawer / pot-and-pan drawer	Internal drawer / internal pot-and-pan drawer
		Minimum carcase depth mm	Minimum carcase depth mm
270	128	273	291
300	160	303	321
350	192	353	371
400	192	403	421
450	192	453	471
500	224	503	521
550	256	553	571
650	288	653	671

INTERFER
www.interfer.pt

Drawer runner



- Full extension runner
- With Push to open opening system
- Suitable for use with rear panels from 94 mm to 282 mm high
- Steel galvanised
- Loading capacity to EN 15338, Level 3
- Set of accessories and aluminium shaft must be ordered separately, see below

Loading capacity 40 kg

Nominal length mm	Order no.		PU
	left	right	
270	**9 123 028**	**9 123 029**	1/15 ea.
300	**9 123 030**	**9 123 031**	1/15 ea.
350	**9 123 032**	**9 123 033**	1/15 ea.

Loading capacity 60 kg

Nominal length mm	Order no.		PU
	left	right	
400	**9 123 034**	**9 123 035**	1/15 ea.
450	**9 123 036**	**9 123 037**	1/15 ea.
500	**9 123 038**	**9 123 039**	1/15 ea.
550	**9 123 040**	**9 123 041**	1/10 ea.
650	**9 123 042**	**9 123 043**	1/10 ea.

Set of accessories



Set comprises:
- 2 opening units
- 1 bracket left / right

- Aluminium shaft must be ordered separately

Order no.	PU
9 123 076	1/15 set

Aluminium shaft




- For cutting to length
- Length 1140 mm

Order no.	PU
9 123 077	1/15 ea.

Lengthwise cross-section

Drawer / Pot-and-pan drawer



Internal drawer / Internal pot-and-pan drawer

Steel rear panel

Nominal length mm	Hole spacing b1 mm	Drawer / pot-and-pan drawer		Internal drawer / internal pot-and-pan drawer	
		Dimension X mm	Minimum carcase depth mm	Dimension X mm	Minimum carcase depth mm
270	128	217	285	235	303
300	160	247	315	265	333
350	192	297	365	315	383
400	192	347	415	365	433
450	192	397	465	415	483
500	224	447	515	465	533
550	256	497	565	515	583
650	288	597	665	615	683

Wooden or aluminium rear panel

Nominal length mm	Hole spacing b1 mm	Drawer / pot-and-pan drawer		Internal drawer / internal pot-and-pan drawer	
		Dimension X mm	Minimum carcase depth mm	Dimension X mm	Minimum carcase depth mm
270	128	228	296	246	314
300	160	258	326	276	344
350	192	308	376	326	394
400	192	358	426	376	444
450	192	408	476	426	494
500	224	458	526	476	544
550	256	508	576	526	594
650	288	608	676	626	694

Drawer runner



- Full extension runner
- With Push to open opening system
- Suitable for use with rear panels from 94 mm to 282 mm high
- Steel galvanised
- Loading capacity to EN 15338, Level 3
- Set of accessories and aluminium shaft must be ordered separately, see below

Loading capacity 40 kg

Nominal length mm	Order no.		PU
	left	right	
270	**9 123 044**	**9 123 045**	1/15 ea.
300	**9 123 046**	**9 123 047**	1/15 ea.
350	**9 123 048**	**9 123 049**	1/15 ea.

Loading capacity 60 kg

Nominal length mm	Order no.		PU
	left	right	
400	**9 123 050**	**9 123 051**	1/15 ea.
450	**9 123 052**	**9 123 053**	1/15 ea.
500	**9 123 054**	**9 123 055**	1/15 ea.
550	**9 123 056**	**9 123 057**	1/10 ea.
650	**9 123 058**	**9 123 059**	1/10 ea.

Set of accessories



Set comprises:
- 2 opening units
- 1 bracket left / right

- Aluminium shaft must be ordered separately

Order no.	PU
9 123 076	1/15 set

Aluminium shaft




- For cutting to length
- Length 1140 mm

Order no.	PU
9 123 077	1/15 ea.

Lengthwise cross-section

Drawer / Pot-and-pan drawer



Internal drawer / Internal pot-and-pan drawer

Steel rear panel

Nominal length mm	Hole spacing b1 mm	Drawer / pot-and-pan drawer		Internal drawer / internal pot-and-pan drawer	
		Dimension X mm	Minimum carcase depth mm	Dimension X mm	Minimum carcase depth mm
270	128	217	285	235	303
300	160	247	315	265	333
350	192	297	365	315	383
400	192	347	415	365	433
450	192	397	465	415	483
500	224	447	515	465	533
550	256	497	565	515	583
650	288	597	665	615	683

Wooden or aluminium rear panel

Nominal length mm	Hole spacing b1 mm	Drawer / pot-and-pan drawer		Internal drawer / internal pot-and-pan drawer	
		Dimension X mm	Minimum carcase depth mm	Dimension X mm	Minimum carcase depth mm
270	128	228	296	246	314
300	160	258	326	276	344
350	192	308	376	326	394
400	192	358	426	376	444
450	192	408	476	426	494
500	224	458	526	476	544
550	256	508	576	526	594
650	288	608	676	626	694

Drawer runner



- Full extension runner
- With Push to open opening system
- Suitable for use with rear panels from 94 mm to 282 mm high
- Steel galvanised
- Loading capacity to EN 15338, Level 3
- Set of accessories and aluminium shaft must be ordered separately, see below

Loading capacity 40 kg

Nominal length mm	Order no.		PU
	left	right	
270	**9 123 060**	**9 123 061**	1/15 ea.
300	**9 123 062**	**9 123 063**	1/15 ea.
350	**9 123 064**	**9 123 065**	1/15 ea.

Loading capacity 60 kg

Nominal length mm	Order no.		PU
	left	right	
400	**9 123 066**	**9 123 067**	1/15 ea.
450	**9 123 068**	**9 123 069**	1/15 ea.
500	**9 123 070**	**9 123 071**	1/15 ea.
550	**9 123 072**	**9 123 073**	1/10 ea.
650	**9 123 074**	**9 123 075**	1/10 ea.

Set of accessories



Set comprises:
- 2 opening units
- 1 bracket left / right

- Aluminium shaft must be ordered separately

Order no.	PU
9 123 076	1/15 set

Aluminium shaft




- For cutting to length
- Length 1140 mm

Order no.	PU
9 123 077	1/15 ea.

Lengthwise cross-section

Drawer / Pot-and-pan drawer



Internal drawer / Internal pot-and-pan drawer

Steel rear panel

Nominal length mm	Hole spacing b1 mm	Drawer / pot-and-pan drawer		Internal drawer / internal pot-and-pan drawer	
		Dimension X mm	Minimum carcase depth mm	Dimension X mm	Minimum carcase depth mm
270	128	217	285	235	303
300	160	247	315	265	333
350	192	297	365	315	383
400	192	347	415	365	433
450	192	397	465	415	483
500	224	447	515	465	533
550	256	497	565	515	583
650	288	597	665	615	683


Wooden or aluminium rear panel

Nominal length mm	Hole spacing b1 mm	Drawer / pot-and-pan drawer		Internal drawer / internal pot-and-pan drawer	
		Dimension X mm	Minimum carcase depth mm	Dimension X mm	Minimum carcase depth mm
270	128	228	296	246	314
300	160	258	326	276	344
350	192	308	376	326	394
400	192	358	426	376	444
450	192	408	476	426	494
500	224	458	526	476	544
550	256	508	576	526	594
650	288	608	676	626	694

INTERFER
www.interfer.pt

Spacer profile





- For bridging the door / hinge protrusion
- Loading capacity max. 60 kg
- Plastic white

Order no.	PU
9 135 703	1 ea.

Direct fixing screw



- For fixing the Actro drawer runner
- ø 6 x 14 mm
- Countersunk head
- Pozidrive screw
- Steel, nickel plated

Order no.	PU
9 137 114	200 ea.

Chipboard screws



- For fixing the drawer bottom panel as well as the wooden or aluminium rear panel
- Panhead screw
- Pozidrive screw
- Galvanised steel

Dimensions mm	Order no.	PU
ø 3.5 x 12	**0 045 167**	200 ea.
ø 3.5 x 20	**0 045 168**	200 ea.

Self tapping screw




- For fitting the steel rear panel or rear panel connector, height 78 mm, to the drawer side profile
- According to DIN 7500
- ø 3.5 x 6 mm
- Panhead
- Pozidrive screw
- Galvanised steel

Order no.	PU
9 141 888	1/200 ea.

INTERFER
www.interfer.pt

Press in door damper






- For hole ø 5 x 5.5 mm
- Transparent plastic

Order no.	PU
9 079 298	1/1000 ea.

Press in door damper






- For hole ø 6 x 7 mm
- Plastic

Finish	Order no.	PU
brown	**0 021 154**	1/1000 ea.
white	**0 025 048**	1/1000 ea.
beige	**0 047 353**	1/1000 ea.

Stick on door damper






- Self adhesive
- Transparent plastic

Order no.	PU
0 072 120	50 ea.
0 046 695	1000 ea.

Planning dimensions




Actro installed width

With 3 Actro installed widths (EB) to choose from, 3 different side panel thicknesses (KD) can be accommodated – without changing the drawer dimensions. The following dimensions apply:


KD mm	16	18	19
EB mm	15	13	12
Dimension A mm	23	21	20

Dimensions for cutting to size



Dimension	Steel rear panel	Wooden rear panel
A	NL - 21	NL - 24.5
B	LB - 2 x EB - 52.5	LB - 2 x EB - 52.5
C	-	LB - 2 x EB - 64
D	-	68.5

Planning dimensions




Actro installed width

With 3 Actro installed widths (EB) to choose from, 3 different side panel thicknesses (KD) can be accommodated – without changing the drawer dimensions. The following dimensions apply:


KD mm	16	18	19
EB mm	15	13	12
Dimension A mm	23	21	20

Dimensions for cutting to size



Dimension	Steel rear panel	Wooden rear panel	Aluminium rear panel
A	NL - 21	NL - 24.5	NL - 24.5
B	LB - 2 x EB - 52.5	LB - 2 x EB - 52.5	LB - 2 x EB - 52.5
C	-	LB - 2 x EB - 64	LB - 2 x EB - 64
D	-	84.5	-

Planning dimensions




Actro installed width

With 3 Actro installed widths (EB) to choose from, 3 different side panel thicknesses (KD) can be accommodated – without changing the drawer dimensions. The following dimensions apply:


KD mm	16	18	19
EB mm	15	13	12

Dimensions for cutting to size



Dimension	Steel rear panel	Wooden rear panel	Aluminium rear panel
A	NL - 21	NL - 24.5	NL - 24.5
B	LB - 2 x EB - 52.5	LB - 2 x EB - 52.5	LB - 2 x EB - 52.5
C	-	LB - 2 x EB - 64	LB - 2 x EB - 64
D	-	84.5	-
G	LB - 2 x EB - 62	LB - 2 x EB - 62	LB - 2 x EB - 62
H	105.5	105.5	105.5

Planning dimensions




Actro installed width

With 3 Actro installed widths (EB) to choose from, 3 different side panel thicknesses (KD) can be accommodated – without changing the drawer dimensions. The following dimensions apply:


KD mm	16	18	19
EB mm	15	13	12
Dimension A mm	23	21	20

Dimensions for cutting to size



Dimension	Steel rear panel	Wooden rear panel	Aluminium rear panel
A	NL - 21	NL - 24.5	NL - 24.5
B	LB - 2 x EB - 52.5	LB - 2 x EB - 52.5	LB - 2 x EB - 52.5
C	-	LB - 2 x EB - 64	LB - 2 x EB - 64
D	-	116.5	-

Planning dimensions




Actro installed width

With 3 Actro installed widths (EB) to choose from, 3 different side panel thicknesses (KD) can be accommodated – without changing the drawer dimensions. The following dimensions apply:


KD mm	16	18	19
EB mm	15	13	12

Dimensions for cutting to size



Dimension	Steel rear panel	Wooden rear panel	Aluminium rear panel
A	NL - 21	NL - 24.5	NL - 24.5
B	LB - 2 x EB - 52.5	LB - 2 x EB - 52.5	LB - 2 x EB - 52.5
C	-	LB - 2 x EB - 64	LB - 2 x EB - 64
D	-	116.5	-
G	LB - 2 x EB - 62	LB - 2 x EB - 62	LB - 2 x EB - 62
H	105.5	105.5	105.5

Planning dimensions




Actro installed width

With 3 Actro installed widths (EB) to choose from, 3 different side panel thicknesses (KD) can be accommodated – without changing the drawer dimensions. The following dimensions apply:

KD mm	16	18	19
EB mm	15	13	12
Dimension A mm	23	21	20


Dimensions for cutting to size



Dimension	Steel rear panel	Wooden rear panel	Aluminium rear panel
A	NL - 21	NL - 24.5	NL - 24.5
B	LB - 2 x EB - 52.5	LB - 2 x EB - 52.5	LB - 2 x EB - 52.5
C	-	LB - 2 x EB - 64	LB - 2 x EB - 64
D	-	176	-

INTERFER
www.interfer.pt

Planning dimensions




Actro installed width

With 3 Actro installed widths (EB) to choose from, 3 different side panel thicknesses (KD) can be accommodated – without changing the drawer dimensions. The following dimensions apply:

KD mm	16	18	19
EB mm	15	13	12
Dimension A mm	23	21	20


Dimensions for cutting to size



Dimension	Steel rear panel	Wooden rear panel	Aluminium rear panel
A	NL - 21	NL - 24.5	NL - 24.5
B	LB - 2 x EB - 52.5	LB - 2 x EB - 52.5	LB - 2 x EB - 52.5
C	-	LB - 2 x EB - 64	LB - 2 x EB - 64
D	-	176	-
E	NL - 46	NL - 46	NL - 46
F	89	89	89

INTERFER
www.interfer.pt

Planning dimensions




Actro installed width

With 3 Actro installed widths (EB) to choose from, 3 different side panel thicknesses (KD) can be accommodated – without changing the drawer dimensions. The following dimensions apply:

KD mm	16	18	19
EB mm	15	13	12


Dimensions for cutting to size



Dimension	Steel rear panel	Wooden rear panel	Aluminium rear panel
A	NL - 21	NL - 24.5	NL - 24.5
B	LB - 2 x EB - 52.5	LB - 2 x EB - 52.5	LB - 2 x EB - 52.5
C	-	LB - 2 x EB - 64	LB - 2 x EB - 64
D	-	176	-
G	LB - 2 x EB - 62	LB - 2 x EB - 62	LB - 2 x EB - 62
H	157	157	157
I	LB - 2 x EB - 66.5	LB - 2 x EB - 66.5	LB - 2 x EB - 66.5

INTERFER
www.interfer.pt

Planning dimensions




Actro installed width

With 3 Actro installed widths (EB) to choose from, 3 different side panel thicknesses (KD) can be accommodated – without changing the drawer dimensions. The following dimensions apply:


KD mm	16	18	19
EB mm	15	13	12

Dimensions for cutting to size



Dimension	Steel rear panel	Wooden rear panel	Aluminium rear panel
A	NL - 21	NL - 24.5	NL - 24.5
B	LB - 2 x EB - 52.5	LB - 2 x EB - 52.5	LB - 2 x EB - 52.5
C	-	LB - 2 x EB - 64	LB - 2 x EB - 64
D	-	176	-
E	NL - 46	NL - 46	NL - 46
F	89	89	89
G	LB - 2 x EB - 62	LB - 2 x EB - 62	LB - 2 x EB - 62
H	157	157	157
I	LB - 2 x EB - 66.5	LB - 2 x EB - 66.5	LB - 2 x EB - 66.5

Planning dimensions




Actro installed width

With 3 Actro installed widths (EB) to choose from, 3 different side panel thicknesses (KD) can be accommodated – without changing the drawer dimensions. The following dimensions apply:

KD mm	16	18	19
EB mm	15	13	12
Dimension A mm	23	21	20


Dimensions for cutting to size



Dimension	Steel rear panel	Wooden rear panel	Aluminium rear panel
A	NL - 21	NL - 24.5	NL - 24.5
B	LB - 2 x EB - 52.5	LB - 2 x EB - 52.5	LB - 2 x EB - 52.5
C	-	LB - 2 x EB - 64	LB - 2 x EB - 64
D	-	176	-

INTERFER
www.interfer.pt

Planning dimensions




Actro installed width

With 3 Actro installed widths (EB) to choose from, 3 different side panel thicknesses (KD) can be accommodated – without changing the drawer dimensions. The following dimensions apply:


KD mm	16	18	19
EB mm	15	13	12

Dimensions for cutting to size



Dimension	Steel rear panel	Wooden rear panel	Aluminium rear panel
A	NL - 21	NL - 24.5	NL - 24.5
B	LB - 2 x EB - 52.5	LB - 2 x EB - 52.5	LB - 2 x EB - 52.5
C	-	LB - 2 x EB - 64	LB - 2 x EB - 64
D	-	176	-
G	LB - 2 x EB - 62	LB - 2 x EB - 62	LB - 2 x EB - 62
H	157	157	157
I	LB - 2 x EB - 66.5	LB - 2 x EB - 66.5	LB - 2 x EB - 66.5

Planning dimensions




A second railing can be fitted at a space of 64 mm below the upper railing.

Actro installed width

With 3 Actro installed widths (EB) to choose from, 3 different side panel thicknesses (KD) can be accommodated – without changing the drawer dimensions. The following dimensions apply:

KD mm	16	18	19
EB mm	15	13	12
Dimension A mm	23	21	20


Dimensions for cutting to size



Dimension	Steel rear panel	Wooden rear panel	Aluminium rear panel
A	NL - 21	NL - 24.5	NL - 24.5
B	LB - 2 x EB - 52.5	LB - 2 x EB - 52.5	LB - 2 x EB - 52.5
C	-	LB - 2 x EB - 64	LB - 2 x EB - 64
D	-	208	-

INTERFER
www.interfer.pt

Planning dimensions




Actro installed width

With 3 Actro installed widths (EB) to choose from, 3 different side panel thicknesses (KD) can be accommodated – without changing the drawer dimensions. The following dimensions apply:


KD mm	16	18	19
EB mm	15	13	12
Dimension A mm	23	21	20

Dimensions for cutting to size



INTERFER
www.interfer.pt

Planning dimensions




Actro installed width

With 3 Actro installed widths (EB) to choose from, 3 different side panel thicknesses (KD) can be accommodated – without changing the drawer dimensions. The following dimensions apply:

KD mm	16	18	19
EB mm	15	13	12


Dimensions for cutting to size



Dimension	Steel rear panel	Wooden rear panel	Aluminium rear panel
A	NL - 21	NL - 24.5	NL - 24.5
B	LB - 2 x EB - 52.5	LB - 2 x EB - 52.5	LB - 2 x EB - 52.5
C	-	LB - 2 x EB - 64	LB - 2 x EB - 64
D	-	208	-
G	LB - 2 x EB - 62	LB - 2 x EB - 62	LB - 2 x EB - 62
H	157	157	157
I	LB - 2 x EB - 66.5	LB - 2 x EB - 66.5	LB - 2 x EB - 66.5

INTERFER
www.interfer.pt

Planning dimensions




Actro installed width

With 3 Actro installed widths (EB) to choose from, 3 different side panel thicknesses (KD) can be accommodated – without changing the drawer dimensions. The following dimensions apply:


KD mm	16	18	19
EB mm	15	13	12

Dimensions for cutting to size



Dimension	Steel rear panel	Wooden rear panel	Aluminium rear panel
A	NL - 21	NL - 24.5	NL - 24.5
B	LB - 2 x EB - 52.5	LB - 2 x EB - 52.5	LB - 2 x EB - 52.5
C	-	LB - 2 x EB - 64	LB - 2 x EB - 64
D	-	208	-
E	NL - 46	NL - 46	NL - 46
F	121	121	121
G	LB - 2 x EB - 62	LB - 2 x EB - 62	LB - 2 x EB - 62
H	157	157	157
I	LB - 2 x EB - 66.5	LB - 2 x EB - 66.5	LB - 2 x EB - 66.5

Planning dimensions




Actro installed width

With 3 Actro installed widths (EB) to choose from, 3 different side panel thicknesses (KD) can be accommodated – without changing the drawer dimensions. The following dimensions apply:


KD mm	16	18	19
EB mm	15	13	12
Dimension A mm	23	21	20

Dimensions for cutting to size



Dimension	Steel rear panel	Wooden rear panel	Aluminium rear panel
A	NL - 21	NL - 24.5	NL - 24.5
B	LB - 2 x EB - 52.5	LB - 2 x EB - 52.5	LB - 2 x EB - 52.5
C	-	LB - 2 x EB - 64	LB - 2 x EB - 64
D	-	208	-

Planning dimensions




Actro installed width

With 3 Actro installed widths (EB) to choose from, 3 different side panel thicknesses (KD) can be accommodated – without changing the drawer dimensions. The following dimensions apply:

KD mm	16	18	19
EB mm	15	13	12
Dimension A mm	23	21	20


Dimensions for cutting to size



Dimension	Steel rear panel	Wooden rear panel	Aluminium rear panel
A	NL - 21	NL - 24.5	NL - 24.5
B	LB - 2 x EB - 52.5	LB - 2 x EB - 52.5	LB - 2 x EB - 52.5
C	-	LB - 2 x EB - 64	LB - 2 x EB - 64
D	-	208	-
E	NL - 46	NL - 46	NL - 46
F	89	89	89

INTERFER
www.interfer.pt

Planning dimensions




Actro installed width

With 3 Actro installed widths (EB) to choose from, 3 different side panel thicknesses (KD) can be accommodated – without changing the drawer dimensions. The following dimensions apply:

KD mm	16	18	19
EB mm	15	13	12


Dimensions for cutting to size



Dimension	Steel rear panel	Wooden rear panel	Aluminium rear panel
A	NL - 21	NL - 24.5	NL - 24.5
B	LB - 2 x EB - 52.5	LB - 2 x EB - 52.5	LB - 2 x EB - 52.5
C	-	LB - 2 x EB - 64	LB - 2 x EB - 64
D	-	208	-
G	LB - 2 x EB - 62	LB - 2 x EB - 62	LB - 2 x EB - 62
H	157	157	157
I	LB - 2 x EB - 66.5	LB - 2 x EB - 66.5	LB - 2 x EB - 66.5

INTERFER
www.interfer.pt

Planning dimensions




Actro installed width

With 3 Actro installed widths (EB) to choose from, 3 different side panel thicknesses (KD) can be accommodated – without changing the drawer dimensions. The following dimensions apply:


KD mm	16	18	19
EB mm	15	13	12

Dimensions for cutting to size



Dimension	Steel rear panel	Wooden rear panel	Aluminium rear panel
A	NL - 21	NL - 24.5	NL - 24.5
B	LB - 2 x EB - 52.5	LB - 2 x EB - 52.5	LB - 2 x EB - 52.5
C	-	LB - 2 x EB - 64	LB - 2 x EB - 64
D	-	208	-
E	NL - 46	NL - 46	NL - 46
F	89	89	89
G	LB - 2 x EB - 62	LB - 2 x EB - 62	LB - 2 x EB - 62
H	157	157	157
I	LB - 2 x EB - 66.5	LB - 2 x EB - 66.5	LB - 2 x EB - 66.5

Planning dimensions




A second railing can be fitted at a space of 64 mm below the upper railing.

Actro installed width

With 3 Actro installed widths (EB) to choose from, 3 different side panel thicknesses (KD) can be accommodated – without changing the drawer dimensions. The following dimensions apply:

KD mm	16	18	19
EB mm	15	13	12
Dimension A mm	23	21	20


Dimensions for cutting to size



Dimension	Steel rear panel	Wooden rear panel
A	NL - 21	NL - 24.5
B	LB - 2 x EB - 52.5	LB - 2 x EB - 52.5
C	-	LB - 2 x EB - 64
D	-	240

INTERFER
www.interfer.pt

Planning dimensions




A second railing can be fitted at a space of 64 mm below the upper railing.

Actro installed width

With 3 Actro installed widths (EB) to choose from, 3 different side panel thicknesses (KD) can be accommodated – without changing the drawer dimensions. The following dimensions apply:

KD mm	16	18	19
EB mm	15	13	12
Dimension A mm	23	21	20


Dimensions for cutting to size



Dimension	Steel rear panel	Wooden rear panel
A	NL - 21	NL - 24.5
B	LB - 2 x EB - 52.5	LB - 2 x EB - 52.5
C	-	LB - 2 x EB - 64
D	-	240

INTERFER
www.interfer.pt

Planning dimensions




Actro installed width

With 3 Actro installed widths (EB) to choose from, 3 different side panel thicknesses (KD) can be accommodated – without changing the drawer dimensions. The following dimensions apply:


KD mm	16	18	19
EB mm	15	13	12
Dimension A mm	23	21	20

Dimensions for cutting to size



Dimension	Steel rear panel	Wooden rear panel
A	NL - 21	NL - 24.5
B	LB - 2 x EB - 52.5	LB - 2 x EB - 52.5
C	-	LB - 2 x EB - 64
D	-	240
E	NL - 46	NL - 46
F	121	121

Planning dimensions




A second railing can be fitted at a space of 64 mm below the upper railing.

Actro installed width

With 3 Actro installed widths (EB) to choose from, 3 different side panel thicknesses (KD) can be accommodated – without changing the drawer dimensions. The following dimensions apply:


KD mm	16	18	19
EB mm	15	13	12
Dimension A mm	23	21	20

Dimensions for cutting to size



Dimension	Steel rear panel	Wooden rear panel
A	NL - 21	NL - 24.5
B	LB - 2 x EB - 52.5	LB - 2 x EB - 52.5
C	-	LB - 2 x EB - 64
D	-	272

Planning dimensions




A second railing can be fitted at a space of 64 mm below the upper railing.

Actro installed width

With 3 Actro installed widths (EB) to choose from, 3 different side panel thicknesses (KD) can be accommodated – without changing the drawer dimensions. The following dimensions apply:


KD mm	16	18	19
EB mm	15	13	12
Dimension A mm	23	21	20

Dimensions for cutting to size



Dimension	Steel rear panel	Wooden rear panel
A	NL - 21	NL - 24.5
B	LB - 2 x EB - 52.5	LB - 2 x EB - 52.5
C	-	LB - 2 x EB - 64
D	-	272

Planning dimensions




Actro installed width

With 3 Actro installed widths (EB) to choose from, 3 different side panel thicknesses (KD) can be accommodated – without changing the drawer dimensions. The following dimensions apply:

KD mm	16	18	19
EB mm	15	13	12
Dimension A mm	23	21	20


Dimensions for cutting to size



Dimension	Wooden rear panel	Aluminium rear panel
A	NL - 24.5	NL - 24.5
B	LB - 2 x EB - 52.5	LB - 2 x EB - 52.5
C1	X1 - 11.5	X1 - 11.5
C2	X2 - 11.5	X2 - 11.5
D	84.5	-
E	≥ 70	≥ 70
F	B - X1 - X2 + 15	B - X1 - X2 + 15

INTERFER
www.interfer.pt

Planning dimensions




Actro installed width

With 3 Actro installed widths (EB) to choose from, 3 different side panel thicknesses (KD) can be accommodated – without changing the drawer dimensions. The following dimensions apply:

KD mm	16	18	19
EB mm	15	13	12
Dimension A mm	23	21	20


Dimensions for cutting to size





Dimension	Wooden rear panel
A	NL - 24.5
B	LB - 2 x EB - 52.5
C1	X1 - 11.5
C2	X2 - 11.5
D1	176
D2	84.5
E	≥ 70
F	B - X1 - X2 + 15


INTERFER
www.interfer.pt


Assembling drawer, height 78 mm














▸ Advice

*Self tapping screw DIN 7500 M 3.5 x 6, see page 318


Assembling drawer, height 94 / 126 mm











Assembling pot-and-pan drawer




















Installing drawer front connector, drawer height 78 mm




Installing drawer front connector, drawer height 94 / 126 mm







INTERFER
www.interfer.pt


Installing drawer front connector, pot-and-pan drawer with railing







Installing drawer front connector, pot-and-pan drawer with DesignSide / TopSide







Installing front stabiliser, drawer height 78 mm










Installing front stabiliser, drawer / pot-and-pan drawer, height 94 - 282 mm












INTERFER
www.interfer.pt


Fitting front panel, drawer height 78 mm










Fitting front panel, drawer / pot-and-pan drawer, height 94 - 282 mm







Fitting front panel, internal drawer






Fitting front panel, internal pot-and-pan drawer







Fitting lengthwise railing




Fitting DesignSide




Fitting TopSide





Installing Push to open Silent activator




Installing Push to open Silent unit











Technique


Installing Actro drawer runner with Silent System





Installing Actro drawer runner with Push to open




Fitting Push to open










Fitting drawer / pot-and-pan drawer










Adjusting front panel, drawer height 78 mm







Adjusting front panel, drawer height 94 / 126 mm







Adjusting front panel, pot-and pan drawer with railing









Adjusting front panel, pot-and pan drawer with DesignSide / TopSide









Technique


INTERFER
www.interfer.pt


Push to open Silent depth adjustment






Setting Push to open Silent triggering sensitivity







Setting Push to open Silent opening force




Push to open depth adjustment




Fitting cover cap




Fitting DesignSide adapter




Removing drawer




Removing railing



Removing DesignSide adapter




Removing DesignSide




Technique


INTERFER
www.interfer.pt

Removing TopSide





Removing front panel, drawer height 78 mm





Removing front panel





INTERFER
www.interfer.pt

INTERFER
www.interfer.pt



With Easys, drawers open almost by themselves. A light press of the hand, hip or knee anywhere on the front and the drawer immediately glides open evenly and gently. Closing is equally as convenient thanks to high quality drawer runners with Silent System for gentle closure.



Easys is ideal for creating purist, handle free design, for instance when handling large, heavy pull-outs.



Space saving and with a shallow installed depth, the electromechanical opening system discreetly disappears behind the drawer's rear panel without taking up storage space.



A cable can optionally be fitted to avoid collisions in corner situations.



Easys can be used for many applications - for InnoTech, ArciTech and even for wooden drawers and pull-outs for sink units.

INTERFER
www.interfer.pt



Used alone 364 – 365



System components 366 – 373

Example application





- Ideal for use with waste bins
- Suitable for retrofitting
- Few components for ease of installation: Connection directly to power supply unit (no more than one drive unit per power supply unit)
- No addressing necessary
- No synchronisation possible
- Not compatible with electrical system components 366 - 373

Set comprises:
- 1 drive unit
- 1 mounting bracket
- 1 power supply unit
- 1 mains power cable for Europe (type C) or UK (type G)
- 1 power supply unit holder
- 4 drill in buffers for fitting into the drawer front
- 1 drilling jig for drawer front
- 1 drilling depth limiter
- 1 centre punch template
- Fixing material
- 1 rear panel bracket 11 mm (only for ArciTech with steel rear panel)

Article type	**Order no.**	PU
Set with mains power cable Europe (type C)	**9 115 909**	1 set
Set with mains power cable UK (type G)	**9 117 527**	1 set

Planning dimensions







Minimum space required	X mm	Y mm
ArciTech with steel rear panel*	Nominal length - 19	Nominal length + 26
ArciTech with wooden / aluminium rear panel*	Nominal length - 13	Nominal length + 32

* Rear panel bracket must be fitted, see page 370


Drilling pattern



Installation



Connection




Set of profile mounts



- For attaching the profiles to top and bottom panel
- For drilling jig, see page 383


Set comprises:
- 1 bottom profile mount, including 800 mm connection cable
- 1 top profile mount

Order no.	PU
9 082 357	1 set



Set of profiles






- For up to 6 drive units
- Can be shortened as required
- Aluminium

Set comprises:
- 1 mounting profile with integrated power and data cables (left)
- 1 mounting profile without cables (right)

Length mm	Order no.	PU
750	**9 082 353**	1 set
1000	**9 082 356**	1 set

Extension lead





- For extending the connection cable at the profile mounting set and mounting bracket - only one extension cable may be used per connection cable
- Length 2000 mm
- **Note:** observe max. cable length for each power supply unit, see page 369

Order no.	PU
9 100 852	1 ea.


INTERFER
www.interfer.pt

Drive unit



- For opening the drawer/pot-and-pan drawer
- Tool-less assembly on profiles with automatic power supply
- Driving force infinitely adjustable
- **For use in the following countries:**
  Australia, Austria, Belgium, Bulgaria, Belorussia, Canada, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, India, Ireland, Italy, Japan, Latvia, Liechtenstein, Lithuania, Luxembourg, Malta, Netherlands, New Zealand, Norway, Poland, Portugal, Romania, Russia, Singapore, Slovakia, Slovenia, Sweden, Switzerland, Spain, Ukraine, United Arab Emirates, United Kingdom, USA – other countries on request

Order no.	PU
9 078 139	1 ea.




Mounting bracket



- Used for special fitting situations, instead of the set of profiles and profile mounts
- For one drive unit
- With 800 mm connecting cable
- For drilling jig, see page 383

Order no.	PU
9 082 358	1 ea.





Distributor



- One distributor is required per carcase


Order no.	PU
9 082 360	1 ea.





Distributor holder






- For mounting on the wall or bottom of the carcase
- For simplifying distributor installation / removal

Order no.	PU
9 097 923	1 ea.

Distributor extension





- For connecting from one distributor to the next
- **Note:** observe max. cable length for each power supply unit, see page 369


Length (L) mm	Order no.	PU
1500 mm	**9 082 362**	1 ea.
2500 mm	**9 106 449**	1 ea.


Power supply unit



- 100 - 240 V, 50 - 60 Hz
- For connecting up to 6 distributors
- Class II
- 1200 mm secondary cable to the first distributor
- Mains power cable must be ordered separately, see below
- Including front panel drilling jig


Order no.	PU
9 082 363	1 ea.





Power supply unit holder





- For mounting on the wall or bottom of the carcase

Order no.	PU
9 082 364	1 ea.

Power cord




- Length 1800 mm

Article type	Order no.	PU
UK (type G)	**9 079 274**	1 ea.
Europe (type C)	**9 079 710**	1 ea.


ArciTech rear panel bracket




Article type	Order no.	PU
1 2 mm	**9 146 615**	1 ea.
2 11 mm	**9 146 613**	1 ea.
3 14.5 mm	**9 134 769**	1 ea.
4 20 mm	**9 123 342**	1 ea.




Drawer / pot-and-pan drawer with steel back panel




Aluminium back panel




Wooden back panel




Internal drawer / pot-and-pan drawer with steel back panel



Aluminium back panel




Wooden back panel



Buffer, front





- For drill mounting into the drawer front
- 4 each must be mounted per front for front panel heights of more than 300 mm


Order no.	PU
9 082 365	2 ea.


Buffer, carcase side



- For fitting in carcase side
- For fitting in conjunction with internal drawers / pull-outs, sealing lips or other applications not permitting use of the drill in buffer for drawer fronts
- 4 each must be mounted per pull-out for front panel heights of more than 300 mm
- Adjustment range 3 mm
- Including 3 mm spacer plate

Order no.	PU
9 106 451	2 ea.






Sensor



- For reliable activation with very high drawer fronts
- Can be retrofitted
- Always activates the drive unit addressed to 1


Order no.	PU
9 079 944	1 ea.



INTERFER
www.interfer.pt

Y-cable for sensor






- Required when using two sensors

Order no.	PU
9 084 794	1 ea.

Cable for corner solution





- Prevents drawers or pot-and-pan drawers from being opened at the same time in diagonally opposite units


Order no.	PU
9 084 790	1 ea.

Button for collision guard



- Collision guard: Prevents drawers or pot-and-pan drawers from opening when positioned next to or diagonally opposite units with hinged doors, tall unit pull-outs or similar cabinets

Order no.	PU
9 105 850	1 ea.





Set of cable ties




Set comprises:
- 50 self adhesive baseplates
- 50 cable ties

Order no.	PU
9 109 834	1 set







INTERFER
www.interfer.pt

Quality that meets all the demands


The quality of the drawer systems is monitored continuously. Hettich fittings comply with the national and international quality standards of the markets our customers operate in. The diagrams below show some of the tests Hettich fittings are required to pass.

Application
Hettich drawer systems are suitable for use in living room, kitchen, bathroom and office furniture both in the home and business environment.


Load capacity and pull-out guard
The load capacity (to DIN EN 15338) stated in the catalogue is understood to mean the weight of the drawer itself including panel and contents in kg. The applicable level is shown on the product. Loading capacity relates to a reference length of 500 mm. The loading capacity may vary for other nominal lengths. All Hettich drawer systems feature guards to prevent the drawer from rolling out and being removed unintentionally and meet the requirements of the impact test in a test frame to EN 15338. Fitted in the proper manner, the drawer systems are suitable for furniture defined in EN 14749. The maximum front panel height is governed in particular by material, drawer size and drawer runner. Testing is conducted on drawers with a 130 mm front panel height and pot-and-pan drawers with a 300 mm front panel height. We will be pleased to provide any further information you may require.

Corrosion test
Hettich runner systems satisfy the requirements on corrosion defined in EN 15338, 72-hour condensation water test to EN 6270.

Wear test




Retention on opening test




Horizontal load test

Opened all the way, the fully laden drawer is additionally exposed to horizontal strain from a defined lateral force.



Vertical strain test

Opened all the way, the fully laden drawer is additionally exposed to vertical strain from a defined eccentric force.



INTERFER
www.interfer.pt






- Top running waste system for ArciTech drawer, 94 mm high
- ArciTech Pull frame is fitted instead of drawer bottom
- Frame can be equipped as required with various bins and accessories
- Bins must be ordered separately, see page 377
- ArciTech drawer components must be ordered separately, see page 32 - 35
- Powder coated steel, silver

Set comprises:
- 1 fitted frame including front stay and lid
- Fixing material


ArciTech Pull frame

For carcase width mm	Type	Order no. / Nominal length mm		PU
		270	500	
300		**9 132 362**	**9 132 365**	1 set
400		**9 132 363**	**9 132 366**	1 set
450		**9 132 364**	**9 132 367**	1 set
500			**9 132 368**	1 set
550			**9 132 370**	1 set
600	600 - 1		**9 132 371**	1 set
600	600 - 2 (for 2 x 42 l)		**9 134 772**	1 set
900	900 - 1		**9 132 373**	1 set
900	900 - 2 (including 2 x roll trays)		**9 132 374**	1 set

Partitioning



Installation



INTERFER
www.interfer.pt



- For fitting any chosen component in the ArciTech Pull frame, see page 376
- Plastic bin with sturdy double handle
- As standard, all bins are supplied without lid
- Lids must be ordered separately, see below
- Further accessories, see page 378
- The lid heights specified below are total dimensions, the additional height for all lids is 2 mm


Bin

Article	Material	Width mm	Depth mm	Height mm	Order no.	PU
Bin 5 l	Plastic grey	152	152	295	**9 132 375**	1 ea.
Bin 7 l	Plastic grey	152	225	260	**9 132 376**	1 ea.
Bin 8 l	Plastic grey	152	225	295	**9 132 377**	1 ea.
Bin 11 l	Plastic grey	152	304	295	**9 132 378**	1 ea.
Bin 15 l	Plastic grey	225	304	260	**9 132 379**	1 ea.
Bin 17 l	Plastic grey	225	304	295	**9 132 380**	1 ea.
Bin 29 l	Plastic grey	225	304	460	**9 132 381**	1 ea.
Bin 42 l	Plastic grey	225	456	495	**9 134 859**	1 ea.

Lid

Article	Material	Width mm	Depth mm	Height mm	Order no.	PU
Lid 5 l	Plastic grey	152	152	21	**9 132 383**	1 ea.
Lid 5 l	Plastic green	152	152	21	**9 132 344**	1 ea.
Lid 7 / 8 l	Plastic grey	152	225	21	**9 132 384**	1 ea.
Lid 7 / 8 l	Plastic green	152	225	21	**9 132 382**	1 ea.
Lid 11 l	Plastic grey	152	304	21	**9 132 385**	1 ea.
Lid 15 / 17 / 29 l	Plastic grey	225	304	21	**9 132 386**	1 ea.
Fold-down lid 42 l	Plastic grey	225	456	52	**9 134 860**	1 ea.

Planning dimensions



Bin Height mm	X mm	Y mm
260	332	247
295	367	282
460	532	447
495	567	482

INTERFER
www.interfer.pt

Accessories ArciTech Pull








- Organiser elements for ArciTech Pull
- Multifunction frame for sweeping set and knock bar for coffee grinds
- Practical dividers for cleaning products etc., can be positioned as required
- Sweeping set, divider and roll tray: plastic
- Knock bar: steel


Article	Order no.	PU
1 Sweeping set with knock bar for 11 l bin	**9 132 391**	1 set
2 Divider for 11 l bin	**9 132 392**	1 set
3 Divider for 17 l bin	**9 132 393**	1 set
4 Roll tray (replacement for 900 - 2 frame)	**9 132 394**	1 ea.


Foot pedal for ArciTech Pull





- Upgradeable Pull foot pedal
- Elegant design
- Stainless steel

Order no.	PU
9 111 679	1 ea.





INTERFER
www.interfer.pt



Assembly aids for drawers 380



Drilling jigs and centre punch templates 381 - 383



Knock in tools 384

INTERFER
www.interfer.pt


ArciFit 300



- For assembling ArciTech drawers and pot-and-pan drawers
- Manual component positioning, pneumatic pressing
- All settings can be made without the need for tools
- Frame: metal
- Air pressure 6 - 8 bar / 100 psi
- Capacity: up to 65 drawers an hour

Order no.	PU
9 123 527	1 ea.


ArciFit 200



- For assembling ArciTech drawers and pot-and-pan drawers
- Manual component positioning and assembly
- All settings can be made without the need for tools
- Frame: metal
- Capacity: up to 40 drawers an hour

Order no.	PU
9 123 525	1 ea.

ArciFit 100



- For assembling ArciTech drawers and pot-and-pan drawers
- Manual component positioning and assembly
- All settings can be made without the need for tools
- Galvanised metal bar with wooden panel
- Capacity: up to 15 drawers an hour

Order no.	PU
9 123 524	1 ea.

Knock in tool




- For assembling ArciTech / InnoTech
- For knocking in the drawer base clamps into the drawer side profile
- Galvanised steel, plastic

Order no.	PU
0 078 091	1 ea.

INTERFER
www.interfer.pt

Angle gauge






- Angle gauge for combining with Practica drilling jig for:
  - ArciTech / InnoTech / MultiTech
  - Systema Top 2000 pedestal / suspension filing system / wide drawer
- Aluminium

Order no.	PU
0 078 093	1 ea.

Practica for ArciTech





- For fitting the front panel connector for:
  - ArciTech drawer / pot-and-pan drawer
  - ArciTech pot-and-pan drawer with 2nd railing level
- Adjustment range:
  - Side front panel overlay: up to -5 mm, up to +19 mm
  - Front panel height: up to + 25 mm from bottom edge of base
- Aluminium
- Accessory sleeve drill, see below

Order no.	PU
9 128 172	1 ea.

Sleeve drill



- Minimal drill wear as the drill bit does not come into contact with the jig
- Precision drill bit guidance through sleeve
- Adjustable drill depth stop
- Can be used with Practica, see above

Article	Diameter mm	Order no.	PU
Sleeve drill	3	**0 078 095**	1 ea.
Sleeve drill	10	**0 078 096**	1 ea.

INTERFER
www.interfer.pt

Practica 200 for ArciTech / InnoTech



- For fitting the front panel connector for:
  - ArciTech / InnoTech
  - Drawer and pot-and-pan drawer
- Plywood
- Hardened steel drilling bushes for 10 mm drill bits with depth setting ring
- Adjustment range:
  ArciTech
  - Side front panel overlay: up to -5 mm, up to +20 mm
  - Front panel height: up to 30 mm from bottom edge of drawer base
  InnoTech
  - Side front panel overlay: up to -6 mm, up to +20 mm
  - Front panel height: up to +35 mm from bottom edge of base


Order no.	PU
9 162 018	1 ea.

BlueJig AT



- For marking the holes for fitting ArciTech front panel connectors
- Steel

Order no.	PU
9 163 229	1 set



INTERFER
www.interfer.pt

Centre punch template Push to open for ArciTech



- For marking holes for the Push to open accessory set for Actro runner with Push to open (order No. 9 123 076)


Order no.	PU
9 135 492	1 ea.

Easys carcase drilling jig



- For drilling holes to attach profile mounts or mounting bracket
- For marking position to drill through-hole for routing cable down

Order no.	PU
9 086 400	1 ea.



INTERFER
www.interfer.pt

Knock in tool for ArciTech front panel connector





- For knocking in the ArciTech front panel connector

Type	Order no.	PU
Drawer side profile height 78 mm	**9 127 212**	1 ea.
Drawer side profile height 94 / 126 mm	**9 127 211**	1 ea.

Knock in tool for ArciTech railing front connector



- For knocking in the ArciTech front panel connector for lengthwise railing

Order no.	PU
9 140 129	1 ea.

INTERFER
www.interfer.pt

Order no.	Page
0 021 154	319
0 025 048	319
0 045 167	318
0 045 168	318
0 046 695	319
0 047 353	319
0 072 120	319
0 078 091	380
0 078 093	381
0 078 095	381
0 078 096	381
9 078 139	367
9 079 274	369
9 079 298	319
9 079 710	369
9 079 944	371
9 082 353	366
9 082 356	366
9 082 357	366
9 082 358	367
9 082 360	368
9 082 362	368
9 082 363	369
9 082 364	369
9 082 365	370
9 084 790	372
9 084 794	372
9 086 400	383
9 097 923	368
9 100 852	366
9 105 850	372
9 106 449	368
9 106 451	371
9 109 834	373
9 111 679	378
9 115 909	364
9 117 527	364
9 121 055	306
9 121 056	306
9 121 057	306
9 121 058	306
9 121 059	306
9 121 060	306
9 121 061	306
9 121 062	306
9 121 063	306
9 121 064	306
9 121 065	306
9 121 066	306
9 121 069	306
9 121 070	306
9 121 071	306
9 121 072	306
9 121 073	306
9 121 074	306
9 121 075	306
9 121 076	306
9 121 077	306
9 121 078	306
9 121 079	306
9 121 080	306
9 121 081	306
9 121 082	306
9 121 083	306
9 121 084	306
9 121 085	308
9 121 086	308
9 121 087	308
9 121 088	308
9 121 089	308
9 121 090	308
9 121 091	308
9 121 092	308
9 121 093	308
9 121 094	308
9 121 095	308
9 121 096	308
9 121 099	308
9 121 100	308
9 121 101	308
9 121 102	308
9 121 103	308
9 121 104	308
9 121 105	308
9 121 106	308
9 121 107	308
9 121 108	308
9 121 109	308
9 121 110	308
9 121 111	308
9 121 112	308
9 121 113	308
9 121 114	308
9 121 115	310
9 121 116	310
9 121 117	310
9 121 118	310
9 121 119	310
9 121 120	310
9 121 121	310
9 121 122	310
9 121 123	310
9 121 124	310
9 121 125	310
9 121 126	310
9 121 129	310
9 121 130	310
9 121 131	310
9 121 132	310
9 121 133	310
9 121 134	310
9 121 135	310
9 121 136	310
9 121 137	310
9 121 138	310
9 121 139	310
9 121 140	310
9 121 141	310
9 121 142	310
9 121 143	310
9 121 144	310
9 121 193	31
9 121 194	31
9 121 197	33
9 121 197	41
9 121 197	49
9 121 197	57
9 121 197	63
9 121 197	67
9 121 197	69
9 121 198	33
9 121 198	41
9 121 198	49
9 121 198	57
9 121 198	63
9 121 198	67
9 121 198	69
9 121 199	33
9 121 199	41
9 121 199	49
9 121 199	57
9 121 199	63
9 121 199	67
9 121 199	69
9 121 200	33
9 121 200	41
9 121 200	49
9 121 200	57
9 121 200	63
9 121 200	67
9 121 200	69
9 121 201	33
9 121 201	41
9 121 201	49
9 121 201	57
9 121 201	63
9 121 201	67
9 121 201	69
9 121 202	33
9 121 202	41
9 121 202	49
9 121 202	57
9 121 202	63
9 121 202	67
9 121 202	69
9 121 203	33
9 121 203	41
9 121 203	49
9 121 203	57
9 121 203	63
9 121 203	67
9 121 203	69
9 121 204	33
9 121 204	41
9 121 204	49
9 121 204	57
9 121 204	63
9 121 204	67
9 121 204	69
9 121 205	33
9 121 205	41
9 121 205	49
9 121 205	57
9 121 205	63
9 121 205	67
9 121 205	69
9 121 206	33
9 121 206	41
9 121 206	49
9 121 206	57
9 121 206	63
9 121 206	67
9 121 206	69
9 121 207	33
9 121 207	41
9 121 207	49
9 121 207	57
9 121 207	63
9 121 207	67
9 121 207	69
9 121 208	33
9 121 208	41
9 121 208	49
9 121 208	57
9 121 208	63
9 121 208	67
9 121 208	69
9 121 209	33
9 121 209	41
9 121 209	49
9 121 209	57
9 121 209	63
9 121 209	67
9 121 209	69
9 121 210	33
9 121 210	41
9 121 210	49
9 121 210	57
9 121 210	63
9 121 210	67
9 121 210	69
9 121 211	33
9 121 211	41
9 121 211	49
9 121 211	57
9 121 211	63
9 121 211	67
9 121 211	69
9 121 212	33
9 121 212	41
9 121 212	49
9 121 212	57
9 121 212	63
9 121 212	67
9 121 212	69
9 121 213	37
9 121 213	45
9 121 213	53
9 121 213	59
9 121 213	65
9 121 214	37
9 121 214	45
9 121 214	53
9 121 214	59
9 121 214	65
9 121 215	37
9 121 215	45
9 121 215	53
9 121 215	59
9 121 215	65
9 121 216	37
9 121 216	45
9 121 216	53
9 121 216	59
9 121 216	65
9 121 217	37
9 121 217	45
9 121 217	53
9 121 217	59
9 121 217	65
9 121 218	37
9 121 218	45
9 121 218	53
9 121 218	59
9 121 218	65
9 121 219	37
9 121 219	45
9 121 219	53
9 121 219	59
9 121 219	65
9 121 220	37
9 121 220	45
9 121 220	53
9 121 220	59
9 121 220	65
9 121 221	37
9 121 221	45
9 121 221	53
9 121 221	59
9 121 221	65
9 121 222	37
9 121 222	45
9 121 222	53
9 121 222	59
9 121 222	65
9 121 223	37
9 121 223	45
9 121 223	53
9 121 223	59
9 121 223	65
9 121 224	37
9 121 224	45
9 121 224	53
9 121 224	59
9 121 224	65
9 121 225	37
9 121 225	45
9 121 225	53
9 121 225	59
9 121 225	65
9 121 226	37
9 121 226	45
9 121 226	53
9 121 226	59
9 121 226	65
9 121 227	37
9 121 227	45
9 121 227	53
9 121 227	59
9 121 227	65
9 121 228	37
9 121 228	45
9 121 228	53
9 121 228	59
9 121 228	65
9 121 235	89
9 121 236	89
9 121 239	91
9 121 239	99
9 121 239	107
9 121 239	115
9 121 239	121
9 121 239	125
9 121 239	127
9 121 240	91
9 121 240	99
9 121 240	107
9 121 240	115
9 121 240	121
9 121 240	125
9 121 240	127
9 121 241	91
9 121 241	99
9 121 241	107
9 121 241	115
9 121 241	121
9 121 241	125
9 121 241	127
9 121 242	91
9 121 242	99
9 121 242	107
9 121 242	115
9 121 242	121
9 121 242	125
9 121 242	127
9 121 243	91
9 121 243	99
9 121 243	107
9 121 243	115
9 121 243	121
9 121 243	125
9 121 243	127
9 121 244	91
9 121 244	99
9 121 244	107
9 121 244	115
9 121 244	121
9 121 244	125
9 121 244	127
9 121 245	91
9 121 245	99
9 121 245	107
9 121 245	115
9 121 245	121
9 121 245	125
9 121 245	127
9 121 246	91
9 121 246	99
9 121 246	107
9 121 246	115
9 121 246	121
9 121 246	125
9 121 246	127
9 121 247	91
9 121 247	99
9 121 247	107
9 121 247	115
9 121 247	121
9 121 247	125
9 121 247	127
9 121 248	91
9 121 248	99
9 121 248	107
9 121 248	115
9 121 248	121
9 121 248	125
9 121 248	127
9 121 249	91
9 121 249	99
9 121 249	107
9 121 249	115
9 121 249	121
9 121 249	125
9 121 249	127
9 121 250	91
9 121 250	99
9 121 250	107
9 121 250	115
9 121 250	121
9 121 250	125
9 121 250	127
9 121 251	91
9 121 251	99
9 121 251	107
9 121 251	115
9 121 251	121
9 121 251	125
9 121 251	127
9 121 252	91
9 121 252	99
9 121 252	107
9 121 252	115
9 121 252	121
9 121 252	125
9 121 252	127
9 121 253	91
9 121 253	99
9 121 253	107
9 121 253	115
9 121 253	121
9 121 253	125
9 121 253	127
9 121 254	91
9 121 254	99
9 121 254	107
9 121 254	115
9 121 254	121
9 121 254	125
9 121 254	127
9 121 255	95
9 121 255	103
9 121 255	111

INTERFER
www.interfer.pt

Order no.	Page
9 121 255	117
9 121 255	123
9 121 256	95
9 121 256	103
9 121 256	111
9 121 256	117
9 121 256	123
9 121 257	95
9 121 257	103
9 121 257	111
9 121 257	117
9 121 257	123
9 121 258	95
9 121 258	103
9 121 258	111
9 121 258	117
9 121 258	123
9 121 259	95
9 121 259	103
9 121 259	111
9 121 259	117
9 121 259	123
9 121 260	95
9 121 260	103
9 121 260	111
9 121 260	117
9 121 260	123
9 121 261	95
9 121 261	103
9 121 261	111
9 121 261	117
9 121 261	123
9 121 262	95
9 121 262	103
9 121 262	111
9 121 262	117
9 121 262	123
9 121 263	95
9 121 263	103
9 121 263	111
9 121 263	117
9 121 263	123
9 121 264	95
9 121 264	103
9 121 264	111
9 121 264	117
9 121 264	123
9 121 265	95
9 121 265	103
9 121 265	111
9 121 265	117
9 121 265	123
9 121 266	95
9 121 266	103
9 121 266	111
9 121 266	117
9 121 266	123
9 121 267	95
9 121 267	103
9 121 267	111
9 121 267	117
9 121 267	123
9 121 268	95
9 121 268	103
9 121 268	111
9 121 268	117
9 121 268	123
9 121 269	95
9 121 269	103
9 121 269	111
9 121 269	117
9 121 269	123

Order no.	Page
9 121 270	95
9 121 270	103
9 121 270	111
9 121 270	117
9 121 270	123
9 121 277	147
9 121 278	147
9 121 281	149
9 121 281	157
9 121 281	165
9 121 281	173
9 121 281	179
9 121 281	183
9 121 281	185
9 121 282	149
9 121 282	157
9 121 282	165
9 121 282	173
9 121 282	179
9 121 282	183
9 121 282	185
9 121 283	149
9 121 283	157
9 121 283	165
9 121 283	173
9 121 283	179
9 121 283	183
9 121 283	185
9 121 284	149
9 121 284	157
9 121 284	165
9 121 284	173
9 121 284	179
9 121 284	183
9 121 284	185
9 121 285	149
9 121 285	157
9 121 285	165
9 121 285	173
9 121 285	179
9 121 285	183
9 121 285	185
9 121 286	149
9 121 286	157
9 121 286	165
9 121 286	173
9 121 286	179
9 121 286	183
9 121 286	185
9 121 287	149
9 121 287	157
9 121 287	165
9 121 287	173
9 121 287	179
9 121 287	183
9 121 287	185
9 121 288	149
9 121 288	157
9 121 288	165
9 121 288	173
9 121 288	179
9 121 288	183
9 121 288	185
9 121 289	149
9 121 289	157
9 121 289	165
9 121 289	173
9 121 289	179
9 121 289	183
9 121 289	185
9 121 290	149
9 121 290	157

Order no.	Page
9 121 290	165
9 121 290	173
9 121 290	179
9 121 290	183
9 121 290	185
9 121 291	149
9 121 291	157
9 121 291	165
9 121 291	173
9 121 291	179
9 121 291	183
9 121 291	185
9 121 292	149
9 121 292	157
9 121 292	165
9 121 292	173
9 121 292	179
9 121 292	183
9 121 292	185
9 121 293	149
9 121 293	157
9 121 293	165
9 121 293	173
9 121 293	179
9 121 293	183
9 121 293	185
9 121 294	149
9 121 294	157
9 121 294	165
9 121 294	173
9 121 294	179
9 121 294	183
9 121 294	185
9 121 295	149
9 121 295	157
9 121 295	165
9 121 295	173
9 121 295	179
9 121 295	183
9 121 295	185
9 121 296	149
9 121 296	157
9 121 296	165
9 121 296	173
9 121 296	179
9 121 296	183
9 121 296	185
9 121 297	153
9 121 297	161
9 121 297	169
9 121 297	175
9 121 297	181
9 121 298	153
9 121 298	161
9 121 298	169
9 121 298	175
9 121 298	181
9 121 299	153
9 121 299	161
9 121 299	169
9 121 299	175
9 121 299	181
9 121 300	153
9 121 300	161
9 121 300	169
9 121 300	175
9 121 300	181
9 121 301	153
9 121 301	161
9 121 301	169
9 121 301	175
9 121 301	181

Order no.	Page
9 121 302	153
9 121 302	161
9 121 302	169
9 121 302	175
9 121 302	181
9 121 303	153
9 121 303	161
9 121 303	169
9 121 303	175
9 121 303	181
9 121 304	153
9 121 304	161
9 121 304	169
9 121 304	175
9 121 304	181
9 121 305	153
9 121 305	161
9 121 305	169
9 121 305	175
9 121 305	181
9 121 306	153
9 121 306	161
9 121 306	169
9 121 306	175
9 121 306	181
9 121 307	153
9 121 307	161
9 121 307	169
9 121 307	175
9 121 307	181
9 121 308	153
9 121 308	161
9 121 308	169
9 121 308	175
9 121 308	181
9 121 309	153
9 121 309	161
9 121 309	169
9 121 309	175
9 121 309	181
9 121 310	153
9 121 310	161
9 121 310	169
9 121 310	175
9 121 310	181
9 121 311	153
9 121 311	161
9 121 311	169
9 121 311	175
9 121 311	181
9 121 312	153
9 121 312	161
9 121 312	169
9 121 312	175
9 121 312	181
9 121 317	259
9 121 317	267
9 121 317	275
9 121 317	283
9 121 317	289
9 121 317	293
9 121 317	295
9 121 318	259
9 121 318	267
9 121 318	275
9 121 318	283
9 121 318	289
9 121 318	293
9 121 318	295
9 121 319	259
9 121 319	267
9 121 319	275

Order no.	Page
9 121 319	283
9 121 319	289
9 121 319	293
9 121 319	295
9 121 320	259
9 121 320	267
9 121 320	275
9 121 320	283
9 121 320	289
9 121 320	293
9 121 320	295
9 121 321	259
9 121 321	267
9 121 321	275
9 121 321	283
9 121 321	289
9 121 321	293
9 121 321	295
9 121 322	259
9 121 322	267
9 121 322	275
9 121 322	283
9 121 322	289
9 121 322	293
9 121 322	295
9 121 323	259
9 121 323	267
9 121 323	275
9 121 323	283
9 121 323	289
9 121 323	293
9 121 323	295
9 121 324	259
9 121 324	267
9 121 324	275
9 121 324	283
9 121 324	289
9 121 324	293
9 121 324	295
9 121 325	259
9 121 325	267
9 121 325	275
9 121 325	283
9 121 325	289
9 121 325	293
9 121 325	295
9 121 326	259
9 121 326	267
9 121 326	275
9 121 326	283
9 121 326	289
9 121 326	293
9 121 326	295
9 121 327	259
9 121 327	267
9 121 327	275
9 121 327	283
9 121 327	289
9 121 327	293
9 121 327	295
9 121 328	259
9 121 328	267
9 121 328	275
9 121 328	283
9 121 328	289
9 121 328	293
9 121 328	295
9 121 329	259
9 121 329	267
9 121 329	275
9 121 329	283
9 121 329	289

Order no.	Page
9 121 329	293
9 121 329	295
9 121 330	259
9 121 330	267
9 121 330	275
9 121 330	283
9 121 330	289
9 121 330	293
9 121 330	295
9 121 331	259
9 121 331	267
9 121 331	275
9 121 331	283
9 121 331	289
9 121 331	293
9 121 331	295
9 121 332	259
9 121 332	267
9 121 332	275
9 121 332	283
9 121 332	289
9 121 332	293
9 121 332	295
9 121 333	263
9 121 333	271
9 121 333	279
9 121 333	285
9 121 333	291
9 121 334	263
9 121 334	271
9 121 334	279
9 121 334	285
9 121 334	291
9 121 335	263
9 121 335	271
9 121 335	279
9 121 335	285
9 121 335	291
9 121 336	263
9 121 336	271
9 121 336	279
9 121 336	285
9 121 336	291
9 121 337	263
9 121 337	271
9 121 337	279
9 121 337	285
9 121 337	291
9 121 338	263
9 121 338	271
9 121 338	279
9 121 338	285
9 121 338	291
9 121 339	263
9 121 339	271
9 121 339	279
9 121 339	285
9 121 339	291
9 121 340	263
9 121 340	271
9 121 340	279
9 121 340	285
9 121 340	291
9 121 341	263
9 121 341	271
9 121 341	279
9 121 341	285
9 121 341	291
9 121 342	263
9 121 342	271
9 121 342	279
9 121 342	285

INTERFER
www.interfer.pt

Order no.	Page
9 121 342	291
9 121 343	31
9 121 344	31
9 121 345	89
9 121 346	89
9 121 347	147
9 121 348	147
9 121 349	33
9 121 350	33
9 121 352	33
9 121 354	33
9 121 356	33
9 121 358	33
9 121 360	33
9 121 362	33
9 121 364	33
9 121 366	33
9 121 368	33
9 121 370	33
9 121 374	33
9 121 375	91
9 121 376	91
9 121 378	91
9 121 380	91
9 121 382	91
9 121 384	91
9 121 386	91
9 121 388	91
9 121 390	91
9 121 392	91
9 121 394	91
9 121 396	91
9 121 400	91
9 121 401	149
9 121 402	149
9 121 404	149
9 121 406	149
9 121 408	149
9 121 410	149
9 121 412	149
9 121 414	149
9 121 416	149
9 121 418	149
9 121 420	149
9 121 422	149
9 121 426	149
9 121 427	37
9 121 428	37
9 121 430	37
9 121 432	37
9 121 434	37
9 121 436	37
9 121 438	37
9 121 440	37
9 121 442	37
9 121 444	37
9 121 446	37
9 121 448	37
9 121 452	37
9 121 453	95
9 121 454	95
9 121 456	95
9 121 458	95
9 121 460	95
9 121 462	95
9 121 464	95
9 121 466	95
9 121 468	95
9 121 470	95
9 121 472	95
9 121 474	95
9 121 478	95

Order no.	Page
9 121 479	153
9 121 480	153
9 121 482	153
9 121 484	153
9 121 486	153
9 121 488	153
9 121 490	153
9 121 492	153
9 121 494	153
9 121 496	153
9 121 498	153
9 121 500	153
9 121 504	153
9 121 505	42
9 121 505	45
9 121 506	42
9 121 506	45
9 121 508	42
9 121 508	45
9 121 510	42
9 121 510	45
9 121 512	42
9 121 512	45
9 121 514	42
9 121 514	45
9 121 516	42
9 121 516	45
9 121 518	42
9 121 518	45
9 121 520	42
9 121 520	45
9 121 522	42
9 121 522	45
9 121 524	42
9 121 524	45
9 121 526	42
9 121 526	45
9 121 530	42
9 121 530	45
9 121 531	100
9 121 531	103
9 121 532	100
9 121 532	103
9 121 534	100
9 121 534	103
9 121 536	100
9 121 536	103
9 121 538	100
9 121 538	103
9 121 540	100
9 121 540	103
9 121 542	100
9 121 542	103
9 121 544	100
9 121 544	103
9 121 546	100
9 121 546	103
9 121 548	100
9 121 548	103
9 121 550	100
9 121 550	103
9 121 552	100
9 121 552	103
9 121 556	100
9 121 556	103
9 121 557	158
9 121 557	161
9 121 558	158
9 121 558	161
9 121 560	158
9 121 560	161
9 121 562	158

Order no.	Page
9 121 562	161
9 121 564	158
9 121 564	161
9 121 566	158
9 121 566	161
9 121 568	158
9 121 568	161
9 121 570	158
9 121 570	161
9 121 572	158
9 121 572	161
9 121 574	158
9 121 574	161
9 121 576	158
9 121 576	161
9 121 578	158
9 121 578	161
9 121 582	158
9 121 582	161
9 121 583	50
9 121 583	54
9 121 584	50
9 121 584	54
9 121 586	50
9 121 586	54
9 121 588	50
9 121 588	54
9 121 590	50
9 121 590	54
9 121 592	50
9 121 592	54
9 121 594	50
9 121 594	54
9 121 596	50
9 121 596	54
9 121 598	50
9 121 598	54
9 121 600	50
9 121 600	54
9 121 602	50
9 121 602	54
9 121 604	50
9 121 604	54
9 121 608	50
9 121 608	54
9 121 609	108
9 121 609	112
9 121 610	108
9 121 610	112
9 121 612	108
9 121 612	112
9 121 614	108
9 121 614	112
9 121 616	108
9 121 616	112
9 121 618	108
9 121 618	112
9 121 620	108
9 121 620	112
9 121 622	108
9 121 622	112
9 121 624	108
9 121 624	112
9 121 626	108
9 121 626	112
9 121 628	108
9 121 628	112
9 121 630	108
9 121 630	112
9 121 634	108
9 121 634	112
9 121 635	166

Order no.	Page
9 121 635	170
9 121 636	166
9 121 636	170
9 121 638	166
9 121 638	170
9 121 640	166
9 121 640	170
9 121 642	166
9 121 642	170
9 121 644	166
9 121 644	170
9 121 646	166
9 121 646	170
9 121 648	166
9 121 648	170
9 121 650	166
9 121 650	170
9 121 652	166
9 121 652	170
9 121 654	166
9 121 654	170
9 121 656	166
9 121 656	170
9 121 660	166
9 121 660	170
9 121 661	57
9 121 661	60
9 121 662	57
9 121 662	60
9 121 664	57
9 121 664	60
9 121 666	57
9 121 666	60
9 121 668	57
9 121 668	60
9 121 670	57
9 121 670	60
9 121 672	57
9 121 672	60
9 121 674	57
9 121 674	60
9 121 676	57
9 121 676	60
9 121 678	57
9 121 678	60
9 121 680	57
9 121 680	60
9 121 682	57
9 121 682	60
9 121 686	57
9 121 686	60
9 121 687	115
9 121 687	118
9 121 688	115
9 121 688	118
9 121 690	115
9 121 690	118
9 121 692	115
9 121 692	118
9 121 694	115
9 121 694	118
9 121 696	115
9 121 696	118
9 121 698	115
9 121 698	118
9 121 700	115
9 121 700	118
9 121 702	115
9 121 702	118
9 121 704	115
9 121 704	118
9 121 706	115

Order no.	Page
9 121 706	118
9 121 708	115
9 121 708	118
9 121 712	115
9 121 712	118
9 121 713	173
9 121 713	176
9 121 714	173
9 121 714	176
9 121 716	173
9 121 716	176
9 121 718	173
9 121 718	176
9 121 720	173
9 121 720	176
9 121 722	173
9 121 722	176
9 121 724	173
9 121 724	176
9 121 726	173
9 121 726	176
9 121 728	173
9 121 728	176
9 121 730	173
9 121 730	176
9 121 732	173
9 121 732	176
9 121 734	173
9 121 734	176
9 121 738	173
9 121 738	176
9 121 739	63
9 121 739	65
9 121 740	63
9 121 740	65
9 121 742	63
9 121 742	65
9 121 744	63
9 121 744	65
9 121 746	63
9 121 746	65
9 121 748	63
9 121 748	65
9 121 750	63
9 121 750	65
9 121 752	63
9 121 752	65
9 121 754	63
9 121 754	65
9 121 756	63
9 121 756	65
9 121 758	63
9 121 758	65
9 121 760	63
9 121 760	65
9 121 764	63
9 121 764	65
9 121 765	121
9 121 765	123
9 121 766	121
9 121 766	123
9 121 768	121
9 121 768	123
9 121 770	121
9 121 770	123
9 121 772	121
9 121 772	123
9 121 774	121
9 121 774	123
9 121 776	121
9 121 776	123
9 121 778	121

Order no.	Page
9 121 778	123
9 121 780	121
9 121 780	123
9 121 782	121
9 121 782	123
9 121 784	121
9 121 784	123
9 121 786	121
9 121 786	123
9 121 790	121
9 121 790	123
9 121 791	179
9 121 791	181
9 121 792	179
9 121 792	181
9 121 794	179
9 121 794	181
9 121 796	179
9 121 796	181
9 121 798	179
9 121 798	181
9 121 800	179
9 121 800	181
9 121 802	179
9 121 802	181
9 121 804	179
9 121 804	181
9 121 806	179
9 121 806	181
9 121 808	179
9 121 808	181
9 121 810	179
9 121 810	181
9 121 812	179
9 121 812	181
9 121 816	179
9 121 816	181
9 121 819	31
9 121 820	31
9 121 821	89
9 121 822	89
9 121 823	147
9 121 824	147
9 121 827	33
9 121 827	67
9 121 827	69
9 121 828	33
9 121 828	67
9 121 828	69
9 121 829	91
9 121 829	125
9 121 829	127
9 121 830	91
9 121 830	125
9 121 830	127
9 121 831	149
9 121 831	183
9 121 831	185
9 121 832	149
9 121 832	183
9 121 832	185
9 121 835	37
9 121 836	37
9 121 837	95
9 121 838	95
9 121 839	153
9 121 840	153
9 121 843	42
9 121 843	46
9 121 843	69
9 121 844	42
9 121 844	46

INTERFER
www.interfer.pt

Order no.	Page
9 121 844	69
9 121 845	100
9 121 845	103
9 121 845	127
9 121 846	100
9 121 846	103
9 121 846	127
9 121 847	158
9 121 847	161
9 121 847	185
9 121 848	158
9 121 848	161
9 121 848	185
9 121 851	50
9 121 851	54
9 121 852	50
9 121 852	54
9 121 853	108
9 121 853	112
9 121 854	108
9 121 854	112
9 121 855	166
9 121 855	170
9 121 856	166
9 121 856	170
9 121 859	57
9 121 859	60
9 121 860	57
9 121 860	60
9 121 861	115
9 121 861	118
9 121 862	115
9 121 862	118
9 121 863	173
9 121 863	176
9 121 864	173
9 121 864	176
9 121 867	63
9 121 867	65
9 121 868	63
9 121 868	65
9 121 869	121
9 121 869	123
9 121 870	121
9 121 870	123
9 121 871	179
9 121 871	181
9 121 872	179
9 121 872	181
9 121 874	33
9 121 874	67
9 121 875	91
9 121 875	125
9 121 876	149
9 121 876	183
9 121 878	37
9 121 879	95
9 121 880	153
9 121 882	42
9 121 882	45
9 121 883	100
9 121 883	103
9 121 884	158
9 121 884	161
9 121 886	50
9 121 886	54
9 121 887	108
9 121 887	112
9 121 888	166
9 121 888	170
9 121 953	41
9 121 953	45
9 121 953	49
9 121 953	53
9 121 953	57
9 121 953	59
9 121 953	63
9 121 953	65
9 121 953	69
9 121 954	41
9 121 954	45
9 121 954	49
9 121 954	53
9 121 954	57
9 121 954	59
9 121 954	63
9 121 954	65
9 121 954	69
9 121 955	157
9 121 955	161
9 121 955	165
9 121 955	169
9 121 955	173
9 121 955	175
9 121 955	179
9 121 955	181
9 121 955	185
9 121 956	157
9 121 956	161
9 121 956	165
9 121 956	169
9 121 956	173
9 121 956	175
9 121 956	179
9 121 956	181
9 121 956	185
9 121 957	99
9 121 957	103
9 121 957	107
9 121 957	111
9 121 957	115
9 121 957	117
9 121 957	121
9 121 957	123
9 121 957	127
9 121 958	99
9 121 958	103
9 121 958	107
9 121 958	111
9 121 958	115
9 121 958	117
9 121 958	121
9 121 958	123
9 121 958	127
9 121 959	267
9 121 959	275
9 121 959	283
9 121 959	289
9 121 959	295
9 121 960	267
9 121 960	275
9 121 960	283
9 121 960	289
9 121 960	295
9 121 963	41
9 121 963	45
9 121 963	49
9 121 963	53
9 121 963	57
9 121 963	59
9 121 963	63
9 121 963	65
9 121 963	69
9 121 964	41
9 121 964	45
9 121 964	49
9 121 964	53
9 121 964	57
9 121 964	59
9 121 964	63
9 121 964	65
9 121 964	69
9 121 965	157
9 121 965	161
9 121 965	165
9 121 965	169
9 121 965	173
9 121 965	175
9 121 965	179
9 121 965	181
9 121 965	185
9 121 966	157
9 121 966	161
9 121 966	165
9 121 966	169
9 121 966	173
9 121 966	175
9 121 966	179
9 121 966	181
9 121 966	185
9 121 967	99
9 121 967	103
9 121 967	107
9 121 967	111
9 121 967	115
9 121 967	117
9 121 967	121
9 121 967	123
9 121 967	127
9 121 968	99
9 121 968	103
9 121 968	107
9 121 968	111
9 121 968	115
9 121 968	117
9 121 968	121
9 121 968	123
9 121 968	127
9 121 969	267
9 121 969	275
9 121 969	283
9 121 969	289
9 121 969	295
9 121 970	267
9 121 970	275
9 121 970	283
9 121 970	289
9 121 970	295
9 121 973	41
9 121 973	45
9 121 973	49
9 121 973	53
9 121 973	57
9 121 973	59
9 121 973	63
9 121 973	65
9 121 973	69
9 121 974	41
9 121 974	45
9 121 974	49
9 121 974	53
9 121 974	57
9 121 974	59
9 121 974	63
9 121 974	65
9 121 974	69
9 121 975	157
9 121 975	161
9 121 975	165
9 121 975	169
9 121 975	173
9 121 975	175
9 121 975	179
9 121 975	181
9 121 975	185
9 121 976	157
9 121 976	161
9 121 976	165
9 121 976	169
9 121 976	173
9 121 976	175
9 121 976	179
9 121 976	181
9 121 976	185
9 121 977	99
9 121 977	103
9 121 977	107
9 121 977	111
9 121 977	115
9 121 977	117
9 121 977	121
9 121 977	123
9 121 977	127
9 121 978	99
9 121 978	103
9 121 978	107
9 121 978	111
9 121 978	115
9 121 978	117
9 121 978	121
9 121 978	123
9 121 978	127
9 121 979	267
9 121 979	275
9 121 979	283
9 121 979	289
9 121 979	295
9 121 980	267
9 121 980	275
9 121 980	283
9 121 980	289
9 121 980	295
9 121 983	41
9 121 983	45
9 121 983	49
9 121 983	53
9 121 983	57
9 121 983	59
9 121 983	63
9 121 983	65
9 121 983	69
9 121 984	41
9 121 984	45
9 121 984	49
9 121 984	53
9 121 984	57
9 121 984	59
9 121 984	63
9 121 984	65
9 121 984	69
9 121 985	157
9 121 985	161
9 121 985	165
9 121 985	169
9 121 985	173
9 121 985	175
9 121 985	179
9 121 985	181
9 121 985	185
9 121 986	157
9 121 986	161
9 121 986	165
9 121 986	169
9 121 986	173
9 121 986	175
9 121 986	179
9 121 986	181
9 121 986	185
9 121 987	99
9 121 987	103
9 121 987	107
9 121 987	111
9 121 987	115
9 121 987	117
9 121 987	121
9 121 987	123
9 121 987	127
9 121 988	99
9 121 988	103
9 121 988	107
9 121 988	111
9 121 988	115
9 121 988	117
9 121 988	121
9 121 988	123
9 121 988	127
9 121 989	267
9 121 989	271
9 121 989	275
9 121 989	279
9 121 989	283
9 121 989	285
9 121 989	289
9 121 989	291
9 121 989	295
9 121 990	267
9 121 990	271
9 121 990	275
9 121 990	279
9 121 990	283
9 121 990	285
9 121 990	289
9 121 990	291
9 121 990	295
9 121 993	41
9 121 993	45
9 121 993	49
9 121 993	53
9 121 993	57
9 121 993	59
9 121 993	63
9 121 993	65
9 121 993	69
9 121 994	41
9 121 994	45
9 121 994	49
9 121 994	53
9 121 994	57
9 121 994	59
9 121 994	63
9 121 994	65
9 121 994	69
9 121 995	157
9 121 995	161
9 121 995	165
9 121 995	169
9 121 995	173
9 121 995	175
9 121 995	179
9 121 995	181
9 121 995	185
9 121 996	157
9 121 996	161
9 121 996	165
9 121 996	169
9 121 996	173
9 121 996	175
9 121 996	179
9 121 996	181
9 121 996	185
9 121 997	99
9 121 997	103
9 121 997	107
9 121 997	111
9 121 997	115
9 121 997	117
9 121 997	121
9 121 997	123
9 121 997	127
9 121 998	99
9 121 998	103
9 121 998	107
9 121 998	111
9 121 998	115
9 121 998	117
9 121 998	121
9 121 998	123
9 121 998	127
9 121 999	267
9 121 999	271
9 121 999	275
9 121 999	279
9 121 999	283
9 121 999	285
9 121 999	289
9 121 999	291
9 121 999	295
9 122 000	267
9 122 000	271
9 122 000	275
9 122 000	279
9 122 000	283
9 122 000	285
9 122 000	289
9 122 000	291
9 122 000	295
9 122 003	41
9 122 003	45
9 122 003	49
9 122 003	53
9 122 003	57
9 122 003	59
9 122 003	63
9 122 003	65
9 122 003	69
9 122 004	41
9 122 004	45
9 122 004	49
9 122 004	53
9 122 004	57
9 122 004	59
9 122 004	63
9 122 004	65
9 122 004	69
9 122 005	157
9 122 005	161
9 122 005	165
9 122 005	169
9 122 005	173
9 122 005	175
9 122 005	179
9 122 005	181

INTERFER
www.interfer.pt

Order no.	Page
9 122 005	185
9 122 006	157
9 122 006	161
9 122 006	165
9 122 006	169
9 122 006	173
9 122 006	175
9 122 006	179
9 122 006	181
9 122 006	185
9 122 007	99
9 122 007	103
9 122 007	107
9 122 007	111
9 122 007	115
9 122 007	117
9 122 007	121
9 122 007	123
9 122 007	127
9 122 008	99
9 122 008	103
9 122 008	107
9 122 008	111
9 122 008	115
9 122 008	117
9 122 008	121
9 122 008	123
9 122 008	127
9 122 009	267
9 122 009	271
9 122 009	275
9 122 009	279
9 122 009	283
9 122 009	285
9 122 009	289
9 122 009	291
9 122 009	295
9 122 010	267
9 122 010	271
9 122 010	275
9 122 010	279
9 122 010	283
9 122 010	285
9 122 010	289
9 122 010	291
9 122 010	295
9 122 013	41
9 122 013	45
9 122 013	49
9 122 013	53
9 122 013	57
9 122 013	59
9 122 013	63
9 122 013	65
9 122 013	69
9 122 014	41
9 122 014	45
9 122 014	49
9 122 014	53
9 122 014	57
9 122 014	59
9 122 014	63
9 122 014	65
9 122 014	69
9 122 015	157
9 122 015	161
9 122 015	165
9 122 015	169
9 122 015	173
9 122 015	175
9 122 015	179
9 122 015	181

Order no.	Page
9 122 015	185
9 122 016	157
9 122 016	161
9 122 016	165
9 122 016	169
9 122 016	173
9 122 016	175
9 122 016	179
9 122 016	181
9 122 016	185
9 122 017	99
9 122 017	103
9 122 017	107
9 122 017	111
9 122 017	115
9 122 017	117
9 122 017	121
9 122 017	123
9 122 017	127
9 122 018	99
9 122 018	103
9 122 018	107
9 122 018	111
9 122 018	115
9 122 018	117
9 122 018	121
9 122 018	123
9 122 018	127
9 122 019	267
9 122 019	271
9 122 019	275
9 122 019	279
9 122 019	283
9 122 019	285
9 122 019	289
9 122 019	291
9 122 019	295
9 122 020	267
9 122 020	271
9 122 020	275
9 122 020	279
9 122 020	283
9 122 020	285
9 122 020	289
9 122 020	291
9 122 020	295
9 122 033	41
9 122 033	45
9 122 033	49
9 122 033	53
9 122 033	57
9 122 033	59
9 122 033	63
9 122 033	65
9 122 033	69
9 122 034	41
9 122 034	45
9 122 034	49
9 122 034	53
9 122 034	57
9 122 034	59
9 122 034	63
9 122 034	65
9 122 034	69
9 122 035	157
9 122 035	161
9 122 035	165
9 122 035	169
9 122 035	173
9 122 035	175
9 122 035	179
9 122 035	181

Order no.	Page
9 122 035	185
9 122 036	157
9 122 036	161
9 122 036	165
9 122 036	169
9 122 036	173
9 122 036	175
9 122 036	179
9 122 036	181
9 122 036	185
9 122 037	99
9 122 037	103
9 122 037	107
9 122 037	111
9 122 037	115
9 122 037	117
9 122 037	121
9 122 037	123
9 122 037	127
9 122 038	99
9 122 038	103
9 122 038	107
9 122 038	111
9 122 038	115
9 122 038	117
9 122 038	121
9 122 038	123
9 122 038	127
9 122 039	267
9 122 039	271
9 122 039	275
9 122 039	279
9 122 039	283
9 122 039	285
9 122 039	289
9 122 039	291
9 122 039	295
9 122 040	267
9 122 040	271
9 122 040	275
9 122 040	279
9 122 040	283
9 122 040	285
9 122 040	289
9 122 040	291
9 122 040	295
9 122 795	33
9 122 796	33
9 122 797	33
9 122 798	33
9 122 799	33
9 122 800	33
9 122 801	33
9 122 802	33
9 122 803	33
9 122 804	91
9 122 805	91
9 122 806	91
9 122 807	91
9 122 808	91
9 122 809	91
9 122 810	91
9 122 811	91
9 122 812	91
9 122 813	205
9 122 813	260
9 122 814	205
9 122 814	260
9 122 815	205
9 122 815	260
9 122 816	205
9 122 816	260

Order no.	Page
9 122 817	205
9 122 817	260
9 122 818	205
9 122 818	260
9 122 819	205
9 122 819	260
9 122 820	205
9 122 820	260
9 122 821	205
9 122 821	260
9 122 822	37
9 122 823	37
9 122 824	37
9 122 825	37
9 122 826	37
9 122 827	37
9 122 828	37
9 122 829	37
9 122 830	37
9 122 831	95
9 122 832	95
9 122 833	95
9 122 834	95
9 122 835	95
9 122 836	95
9 122 837	95
9 122 838	95
9 122 839	95
9 122 840	209
9 122 840	264
9 122 841	209
9 122 841	264
9 122 842	209
9 122 842	264
9 122 843	209
9 122 843	264
9 122 844	209
9 122 844	264
9 122 845	209
9 122 845	264
9 122 846	209
9 122 846	264
9 122 847	209
9 122 847	264
9 122 848	209
9 122 848	264
9 122 849	42
9 122 849	46
9 122 850	42
9 122 850	46
9 122 851	42
9 122 851	46
9 122 852	42
9 122 852	46
9 122 853	42
9 122 853	46
9 122 854	42
9 122 854	46
9 122 855	42
9 122 855	46
9 122 856	42
9 122 856	46
9 122 857	42
9 122 857	46
9 122 858	100
9 122 858	104
9 122 859	100
9 122 859	104
9 122 860	100
9 122 860	104
9 122 861	100
9 122 861	104

Order no.	Page
9 122 862	100
9 122 862	104
9 122 863	100
9 122 863	104
9 122 864	100
9 122 864	104
9 122 865	100
9 122 865	104
9 122 866	100
9 122 866	104
9 122 867	214
9 122 867	218
9 122 867	268
9 122 867	272
9 122 868	214
9 122 868	218
9 122 868	268
9 122 868	272
9 122 869	214
9 122 869	218
9 122 869	268
9 122 869	272
9 122 870	214
9 122 870	218
9 122 870	268
9 122 870	272
9 122 871	214
9 122 871	218
9 122 871	268
9 122 871	272
9 122 872	214
9 122 872	218
9 122 872	268
9 122 872	272
9 122 873	214
9 122 873	218
9 122 873	268
9 122 873	272
9 122 874	214
9 122 874	218
9 122 874	268
9 122 874	272
9 122 875	214
9 122 875	218
9 122 875	268
9 122 875	272
9 122 876	50
9 122 876	54
9 122 877	50
9 122 877	54
9 122 878	50
9 122 878	54
9 122 879	50
9 122 879	54
9 122 880	50
9 122 880	54
9 122 881	50
9 122 881	54
9 122 882	50
9 122 882	54
9 122 883	50
9 122 883	54
9 122 884	50
9 122 884	54
9 122 885	108
9 122 885	112
9 122 886	108
9 122 886	112
9 122 887	108
9 122 887	112
9 122 888	108
9 122 888	112

Order no.	Page
9 122 889	108
9 122 889	112
9 122 890	108
9 122 890	112
9 122 891	108
9 122 891	112
9 122 892	108
9 122 892	112
9 122 893	108
9 122 893	112
9 122 894	222
9 122 894	226
9 122 894	276
9 122 894	280
9 122 895	222
9 122 895	226
9 122 895	276
9 122 895	280
9 122 896	222
9 122 896	226
9 122 896	276
9 122 896	280
9 122 897	222
9 122 897	226
9 122 897	276
9 122 897	280
9 122 898	222
9 122 898	226
9 122 898	276
9 122 898	280
9 122 899	222
9 122 899	226
9 122 899	276
9 122 899	280
9 122 900	222
9 122 900	226
9 122 900	276
9 122 900	280
9 122 901	222
9 122 901	226
9 122 901	276
9 122 901	280
9 122 902	222
9 122 902	226
9 122 902	276
9 122 902	280
9 122 912	41
9 122 912	53
9 122 913	157
9 122 913	169
9 122 914	99
9 122 914	111
9 122 916	41
9 122 916	53
9 122 917	157
9 122 917	169
9 122 918	99
9 122 918	111
9 122 920	41
9 122 920	53
9 122 921	157
9 122 921	169
9 122 922	99
9 122 922	111
9 122 924	41
9 122 924	53
9 122 925	157
9 122 925	169
9 122 926	99
9 122 926	111
9 122 932	41
9 122 932	53

INTERFER
www.interfer.pt

Order no.	Page
9 122 933	157
9 122 933	169
9 122 934	99
9 122 934	111
9 122 949	49
9 122 949	59
9 122 950	165
9 122 950	175
9 122 951	107
9 122 951	117
9 122 953	49
9 122 953	59
9 122 954	165
9 122 954	175
9 122 955	107
9 122 955	117
9 122 957	49
9 122 957	59
9 122 958	165
9 122 958	175
9 122 959	107
9 122 959	117
9 122 961	49
9 122 961	59
9 122 962	165
9 122 962	175
9 122 963	107
9 122 963	117
9 122 969	49
9 122 969	59
9 122 970	165
9 122 970	175
9 122 971	107
9 122 971	117
9 122 973	42
9 122 973	54
9 122 974	157
9 122 974	169
9 122 975	99
9 122 975	111
9 122 976	267
9 122 976	279
9 122 978	50
9 122 978	60
9 122 979	165
9 122 979	175
9 122 980	107
9 122 980	117
9 122 981	275
9 122 981	285
9 122 983	41
9 122 983	53
9 122 983	99
9 122 983	111
9 122 983	157
9 122 983	169
9 122 983	213
9 122 983	225
9 122 983	267
9 122 984	41
9 122 984	53
9 122 984	99
9 122 984	111
9 122 984	157
9 122 984	169
9 122 984	213
9 122 984	225
9 122 984	267
9 122 985	41
9 122 985	53
9 122 985	99
9 122 985	111
9 122 985	157
9 122 985	169
9 122 985	213
9 122 985	225
9 122 985	267
9 122 986	41
9 122 986	53
9 122 986	99
9 122 986	111
9 122 986	157
9 122 986	169
9 122 986	213
9 122 986	225
9 122 986	267
9 122 986	279
9 122 987	41
9 122 987	53
9 122 987	99
9 122 987	111
9 122 987	157
9 122 987	169
9 122 987	213
9 122 987	225
9 122 987	267
9 122 987	279
9 122 988	41
9 122 988	53
9 122 988	99
9 122 988	111
9 122 988	157
9 122 988	169
9 122 988	213
9 122 988	225
9 122 988	267
9 122 988	279
9 122 989	41
9 122 989	53
9 122 989	99
9 122 989	111
9 122 989	157
9 122 989	169
9 122 989	213
9 122 989	225
9 122 989	267
9 122 989	279
9 122 990	41
9 122 990	53
9 122 990	99
9 122 990	111
9 122 990	157
9 122 990	169
9 122 990	213
9 122 990	225
9 122 990	267
9 122 990	279
9 122 991	49
9 122 991	59
9 122 991	107
9 122 991	117
9 122 991	165
9 122 991	175
9 122 991	221
9 122 991	231
9 122 991	275
9 122 992	49
9 122 992	59
9 122 992	107
9 122 992	117
9 122 992	165
9 122 992	175
9 122 992	221
9 122 992	231
9 122 992	275
9 122 993	49
9 122 993	59
9 122 993	107
9 122 993	117
9 122 993	165
9 122 993	175
9 122 993	221
9 122 993	231
9 122 993	275
9 122 994	49
9 122 994	59
9 122 994	107
9 122 994	117
9 122 994	165
9 122 994	175
9 122 994	221
9 122 994	231
9 122 994	275
9 122 994	285
9 122 995	49
9 122 995	59
9 122 995	107
9 122 995	117
9 122 995	165
9 122 995	175
9 122 995	221
9 122 995	231
9 122 995	275
9 122 995	285
9 122 996	49
9 122 996	59
9 122 996	107
9 122 996	117
9 122 996	165
9 122 996	175
9 122 996	221
9 122 996	231
9 122 996	275
9 122 996	285
9 122 997	49
9 122 997	59
9 122 997	107
9 122 997	117
9 122 997	165
9 122 997	175
9 122 997	221
9 122 997	231
9 122 997	275
9 122 997	285
9 122 998	42
9 122 998	50
9 122 998	54
9 122 998	60
9 122 998	100
9 122 998	108
9 122 998	112
9 122 998	118
9 122 998	158
9 122 998	166
9 122 998	170
9 122 998	176
9 122 998	214
9 122 998	222
9 122 998	226
9 122 998	232
9 122 998	267
9 122 998	275
9 122 998	279
9 122 998	285
9 123 000	31
9 123 000	33
9 123 000	37
9 123 000	41
9 123 000	45
9 123 000	49
9 123 000	53
9 123 000	57
9 123 000	59
9 123 000	63
9 123 000	65
9 123 000	67
9 123 000	69
9 123 000	147
9 123 000	149
9 123 000	153
9 123 000	157
9 123 000	161
9 123 000	165
9 123 000	169
9 123 000	173
9 123 000	175
9 123 000	179
9 123 000	181
9 123 000	183
9 123 000	185
9 123 001	89
9 123 001	91
9 123 001	95
9 123 001	99
9 123 001	103
9 123 001	107
9 123 001	111
9 123 001	115
9 123 001	117
9 123 001	121
9 123 001	123
9 123 001	125
9 123 001	127
9 123 002	147
9 123 002	149
9 123 002	153
9 123 002	157
9 123 002	161
9 123 002	165
9 123 002	169
9 123 002	173
9 123 002	175
9 123 002	179
9 123 002	181
9 123 002	183
9 123 002	185
9 123 002	203
9 123 002	205
9 123 002	209
9 123 002	213
9 123 002	217
9 123 002	221
9 123 002	225
9 123 002	229
9 123 002	231
9 123 002	235
9 123 002	237
9 123 002	239
9 123 002	241
9 123 002	259
9 123 002	263
9 123 002	267
9 123 002	271
9 123 002	275
9 123 002	279
9 123 002	283
9 123 002	285
9 123 002	289
9 123 002	291
9 123 002	293
9 123 002	295
9 123 003	31
9 123 003	33
9 123 003	37
9 123 003	41
9 123 003	45
9 123 003	49
9 123 003	53
9 123 003	57
9 123 003	59
9 123 003	63
9 123 003	65
9 123 003	67
9 123 003	69
9 123 003	89
9 123 003	91
9 123 003	95
9 123 003	99
9 123 003	103
9 123 003	107
9 123 003	111
9 123 003	115
9 123 003	117
9 123 003	121
9 123 003	123
9 123 003	125
9 123 003	127
9 123 004	31
9 123 004	33
9 123 004	37
9 123 004	41
9 123 004	45
9 123 004	49
9 123 004	53
9 123 004	57
9 123 004	59
9 123 004	63
9 123 004	65
9 123 004	67
9 123 004	69
9 123 005	31
9 123 005	33
9 123 005	37
9 123 005	41
9 123 005	45
9 123 005	49
9 123 005	53
9 123 005	57
9 123 005	59
9 123 005	63
9 123 005	65
9 123 005	67
9 123 005	69
9 123 005	147
9 123 005	149
9 123 005	153
9 123 005	157
9 123 005	161
9 123 005	165
9 123 005	169
9 123 005	173
9 123 005	175
9 123 005	179
9 123 005	181
9 123 005	183
9 123 005	185
9 123 006	89
9 123 006	91
9 123 006	95
9 123 006	99
9 123 006	103
9 123 006	107
9 123 006	111
9 123 006	115
9 123 006	117
9 123 006	121
9 123 006	123
9 123 006	125
9 123 006	127
9 123 007	147
9 123 007	149
9 123 007	153
9 123 007	157
9 123 007	161
9 123 007	165
9 123 007	169
9 123 007	173
9 123 007	175
9 123 007	179
9 123 007	181
9 123 007	183
9 123 007	185
9 123 007	203
9 123 007	205
9 123 007	209
9 123 007	213
9 123 007	217
9 123 007	221
9 123 007	225
9 123 007	229
9 123 007	231
9 123 007	235
9 123 007	237
9 123 007	239
9 123 007	241
9 123 007	259
9 123 007	263
9 123 007	267
9 123 007	271
9 123 007	275
9 123 007	279
9 123 007	283
9 123 007	285
9 123 007	289
9 123 007	291
9 123 007	293
9 123 007	295
9 123 008	31
9 123 008	33
9 123 008	37
9 123 008	41
9 123 008	45
9 123 008	49
9 123 008	53
9 123 008	57
9 123 008	59
9 123 008	63
9 123 008	65
9 123 008	89
9 123 008	91
9 123 008	95
9 123 008	99
9 123 008	103
9 123 008	107
9 123 008	111
9 123 008	115
9 123 008	117
9 123 008	121
9 123 008	123
9 123 008	125

INTERFER
www.interfer.pt

Order no.	Page
9 123 008	127
9 123 009	31
9 123 009	33
9 123 009	37
9 123 009	41
9 123 009	45
9 123 009	49
9 123 009	53
9 123 009	57
9 123 009	59
9 123 009	63
9 123 009	65
9 123 009	67
9 123 009	69
9 123 010	33
9 123 010	37
9 123 010	41
9 123 010	45
9 123 010	49
9 123 010	53
9 123 010	57
9 123 010	59
9 123 010	63
9 123 010	65
9 123 010	67
9 123 010	69
9 123 010	91
9 123 010	95
9 123 010	99
9 123 010	103
9 123 010	107
9 123 010	111
9 123 010	115
9 123 010	117
9 123 010	121
9 123 010	123
9 123 010	125
9 123 010	127
9 123 010	149
9 123 010	153
9 123 010	157
9 123 010	161
9 123 010	165
9 123 010	169
9 123 010	173
9 123 010	175
9 123 010	179
9 123 010	181
9 123 010	183
9 123 010	185
9 123 010	205
9 123 010	209
9 123 010	213
9 123 010	217
9 123 010	221
9 123 010	225
9 123 010	229
9 123 010	231
9 123 010	235
9 123 010	237
9 123 010	239
9 123 010	241
9 123 010	259
9 123 010	263
9 123 010	267
9 123 010	271
9 123 010	275
9 123 010	279
9 123 010	283
9 123 010	285
9 123 010	289
9 123 010	291
9 123 010	293
9 123 010	295
9 123 011	33
9 123 011	37
9 123 011	41
9 123 011	45
9 123 011	49
9 123 011	53
9 123 011	57
9 123 011	59
9 123 011	63
9 123 011	65
9 123 011	67
9 123 011	69
9 123 011	91
9 123 011	95
9 123 011	99
9 123 011	103
9 123 011	107
9 123 011	111
9 123 011	115
9 123 011	117
9 123 011	121
9 123 011	123
9 123 011	125
9 123 011	127
9 123 011	149
9 123 011	153
9 123 011	157
9 123 011	161
9 123 011	165
9 123 011	169
9 123 011	173
9 123 011	175
9 123 011	179
9 123 011	181
9 123 011	183
9 123 011	185
9 123 011	205
9 123 011	209
9 123 011	213
9 123 011	217
9 123 011	221
9 123 011	225
9 123 011	229
9 123 011	231
9 123 011	235
9 123 011	237
9 123 011	239
9 123 011	241
9 123 011	259
9 123 011	263
9 123 011	267
9 123 011	271
9 123 011	275
9 123 011	279
9 123 011	283
9 123 011	285
9 123 011	289
9 123 011	291
9 123 011	293
9 123 011	295
9 123 028	312
9 123 029	312
9 123 030	312
9 123 031	312
9 123 032	312
9 123 033	312
9 123 034	312
9 123 035	312
9 123 036	312
9 123 037	312
9 123 038	312
9 123 039	312
9 123 040	312
9 123 041	312
9 123 042	312
9 123 043	312
9 123 044	314
9 123 045	314
9 123 046	314
9 123 047	314
9 123 048	314
9 123 049	314
9 123 050	314
9 123 051	314
9 123 052	314
9 123 053	314
9 123 054	314
9 123 055	314
9 123 056	314
9 123 057	314
9 123 058	314
9 123 059	314
9 123 060	316
9 123 061	316
9 123 062	316
9 123 063	316
9 123 064	316
9 123 065	316
9 123 066	316
9 123 067	316
9 123 068	316
9 123 069	316
9 123 070	316
9 123 071	316
9 123 072	316
9 123 073	316
9 123 074	316
9 123 075	316
9 123 076	312
9 123 076	314
9 123 076	316
9 123 077	312
9 123 077	314
9 123 077	316
9 123 078	49
9 123 078	59
9 123 078	107
9 123 078	117
9 123 078	165
9 123 078	175
9 123 078	221
9 123 078	231
9 123 078	275
9 123 078	285
9 123 080	31
9 123 080	33
9 123 080	37
9 123 080	41
9 123 080	45
9 123 080	49
9 123 080	53
9 123 080	57
9 123 080	59
9 123 080	63
9 123 080	65
9 123 080	67
9 123 080	69
9 123 080	89
9 123 080	91
9 123 080	95
9 123 080	99
9 123 080	103
9 123 080	107
9 123 080	111
9 123 080	115
9 123 080	117
9 123 080	121
9 123 080	123
9 123 080	125
9 123 080	127
9 123 080	147
9 123 080	149
9 123 080	153
9 123 080	157
9 123 080	161
9 123 080	165
9 123 080	169
9 123 080	173
9 123 080	175
9 123 080	179
9 123 080	181
9 123 080	183
9 123 080	185
9 123 080	203
9 123 080	205
9 123 080	209
9 123 080	213
9 123 080	217
9 123 080	221
9 123 080	225
9 123 080	229
9 123 080	231
9 123 080	235
9 123 080	237
9 123 080	239
9 123 080	241
9 123 080	259
9 123 080	263
9 123 080	267
9 123 080	271
9 123 080	275
9 123 080	279
9 123 080	283
9 123 080	285
9 123 080	289
9 123 080	291
9 123 080	295
9 123 081	31
9 123 081	89
9 123 081	147
9 123 081	203
9 123 083	34
9 123 084	92
9 123 085	206
9 123 085	260
9 123 086	38
9 123 087	96
9 123 088	210
9 123 088	264
9 123 089	42
9 123 089	46
9 123 090	100
9 123 090	104
9 123 091	214
9 123 091	218
9 123 091	268
9 123 091	272
9 123 092	50
9 123 092	54
9 123 093	108
9 123 093	112
9 123 094	222
9 123 094	226
9 123 094	276
9 123 094	280
9 123 095	42
9 123 095	46
9 123 095	50
9 123 095	54
9 123 096	100
9 123 096	104
9 123 096	108
9 123 096	112
9 123 097	34
9 123 097	38
9 123 097	43
9 123 097	46
9 123 097	51
9 123 097	55
9 123 097	92
9 123 097	96
9 123 097	100
9 123 097	104
9 123 097	108
9 123 097	112
9 123 097	150
9 123 097	154
9 123 097	158
9 123 097	162
9 123 097	166
9 123 097	170
9 123 097	206
9 123 097	210
9 123 097	214
9 123 097	218
9 123 097	222
9 123 097	226
9 123 097	260
9 123 097	264
9 123 097	269
9 123 097	272
9 123 097	277
9 123 097	281
9 123 098	34
9 123 098	38
9 123 098	42
9 123 098	46
9 123 098	50
9 123 098	54
9 123 099	92
9 123 099	96
9 123 099	100
9 123 099	104
9 123 099	108
9 123 099	112
9 123 100	206
9 123 100	210
9 123 100	214
9 123 100	218
9 123 100	222
9 123 100	226
9 123 100	260
9 123 100	264
9 123 100	268
9 123 100	272
9 123 100	276
9 123 100	280
9 123 101	74
9 123 102	74
9 123 103	74
9 123 110	74
9 123 111	74
9 123 112	74
9 123 119	132
9 123 120	132
9 123 121	132
9 123 128	132
9 123 129	132
9 123 130	132
9 123 137	300
9 123 138	300
9 123 139	300
9 123 146	300
9 123 147	300
9 123 148	300
9 123 155	81
9 123 155	195
9 123 156	81
9 123 156	195
9 123 157	81
9 123 157	195
9 123 158	81
9 123 158	195
9 123 159	81
9 123 159	195
9 123 160	81
9 123 160	195
9 123 161	81
9 123 161	195
9 123 162	81
9 123 162	195
9 123 163	81
9 123 163	195
9 123 164	81
9 123 164	195
9 123 165	81
9 123 165	195
9 123 166	81
9 123 166	195
9 123 167	81
9 123 167	195
9 123 168	81
9 123 168	195
9 123 169	81
9 123 169	195
9 123 170	81
9 123 170	195
9 123 171	81
9 123 171	195
9 123 172	81
9 123 172	195
9 123 173	81
9 123 173	195
9 123 174	81
9 123 174	195
9 123 175	81
9 123 175	195
9 123 176	81
9 123 176	195
9 123 177	81
9 123 177	195
9 123 178	81
9 123 178	195
9 123 179	81
9 123 179	195
9 123 180	81
9 123 180	195
9 123 181	81
9 123 181	195
9 123 182	81
9 123 182	195
9 123 183	81
9 123 183	195
9 123 184	81
9 123 184	195
9 123 185	81
9 123 185	195
9 123 186	81

INTERFER
www.interfer.pt

Order no.	Page
9 123 186	195
9 123 187	81
9 123 187	195
9 123 188	81
9 123 188	195
9 123 189	81
9 123 189	195
9 123 190	81
9 123 190	195
9 123 191	139
9 123 192	139
9 123 193	139
9 123 194	139
9 123 195	139
9 123 196	139
9 123 197	139
9 123 198	139
9 123 199	139
9 123 200	139
9 123 201	139
9 123 202	139
9 123 203	139
9 123 204	139
9 123 205	139
9 123 206	139
9 123 207	139
9 123 208	139
9 123 209	139
9 123 210	139
9 123 211	139
9 123 212	139
9 123 213	139
9 123 214	139
9 123 215	139
9 123 216	139
9 123 217	139
9 123 218	139
9 123 219	139
9 123 220	139
9 123 221	139
9 123 222	139
9 123 223	139
9 123 224	139
9 123 225	139
9 123 226	139
9 123 342	370
9 123 352	214
9 123 352	218
9 123 352	222
9 123 352	226
9 123 352	268
9 123 352	272
9 123 352	276
9 123 352	280
9 123 524	380
9 123 525	380
9 123 527	380
9 127 000	41
9 127 000	45
9 127 000	49
9 127 000	53
9 127 000	57
9 127 000	59
9 127 000	63
9 127 000	65
9 127 000	69
9 127 000	99
9 127 000	103
9 127 000	107
9 127 000	111
9 127 000	115
9 127 000	117

Order no.	Page
9 127 000	121
9 127 000	123
9 127 000	127
9 127 000	157
9 127 000	161
9 127 000	165
9 127 000	169
9 127 000	173
9 127 000	175
9 127 000	179
9 127 000	181
9 127 000	185
9 127 000	213
9 127 000	217
9 127 000	221
9 127 000	225
9 127 000	229
9 127 000	231
9 127 000	235
9 127 000	237
9 127 000	241
9 127 000	267
9 127 000	271
9 127 000	275
9 127 000	279
9 127 000	283
9 127 000	285
9 127 000	289
9 127 000	291
9 127 000	295
9 127 011	41
9 127 011	45
9 127 011	49
9 127 011	53
9 127 011	57
9 127 011	59
9 127 011	63
9 127 011	65
9 127 011	69
9 127 011	99
9 127 011	103
9 127 011	107
9 127 011	111
9 127 011	115
9 127 011	117
9 127 011	121
9 127 011	123
9 127 011	127
9 127 011	157
9 127 011	161
9 127 011	165
9 127 011	169
9 127 011	173
9 127 011	175
9 127 011	179
9 127 011	181
9 127 011	185
9 127 011	213
9 127 011	217
9 127 011	221
9 127 011	225
9 127 011	229
9 127 011	231
9 127 011	235
9 127 011	237
9 127 011	241
9 127 011	267
9 127 011	271
9 127 011	275
9 127 011	279
9 127 011	283
9 127 011	285

Order no.	Page
9 127 011	289
9 127 011	291
9 127 011	295
9 127 211	384
9 127 212	384
9 127 708	306
9 127 709	306
9 127 710	308
9 127 711	308
9 127 712	310
9 127 713	310
9 128 172	381
9 132 170	203
9 132 171	203
9 132 172	205
9 132 172	259
9 132 173	205
9 132 173	259
9 132 174	205
9 132 174	259
9 132 175	205
9 132 175	259
9 132 176	205
9 132 176	259
9 132 177	205
9 132 177	259
9 132 178	205
9 132 178	259
9 132 179	205
9 132 179	259
9 132 180	205
9 132 180	259
9 132 181	205
9 132 181	259
9 132 182	205
9 132 182	259
9 132 183	205
9 132 183	259
9 132 184	205
9 132 184	259
9 132 185	209
9 132 185	263
9 132 186	209
9 132 186	263
9 132 187	209
9 132 187	263
9 132 188	209
9 132 188	263
9 132 189	209
9 132 189	263
9 132 190	209
9 132 190	263
9 132 191	209
9 132 191	263
9 132 192	209
9 132 192	263
9 132 193	209
9 132 193	263
9 132 194	209
9 132 194	263
9 132 195	209
9 132 195	263
9 132 196	209
9 132 196	263
9 132 197	209
9 132 197	263
9 132 198	214
9 132 198	217
9 132 198	268
9 132 198	271
9 132 199	214
9 132 199	217

Order no.	Page
9 132 199	268
9 132 199	271
9 132 200	214
9 132 200	217
9 132 200	268
9 132 200	271
9 132 201	214
9 132 201	217
9 132 201	268
9 132 201	271
9 132 202	214
9 132 202	217
9 132 202	268
9 132 202	271
9 132 203	214
9 132 203	217
9 132 203	268
9 132 203	271
9 132 204	214
9 132 204	217
9 132 204	268
9 132 204	271
9 132 205	214
9 132 205	217
9 132 205	268
9 132 205	271
9 132 206	214
9 132 206	217
9 132 206	268
9 132 206	271
9 132 207	214
9 132 207	217
9 132 207	268
9 132 207	271
9 132 208	214
9 132 208	217
9 132 208	268
9 132 208	271
9 132 209	214
9 132 209	217
9 132 209	268
9 132 209	271
9 132 210	214
9 132 210	217
9 132 210	268
9 132 210	271
9 132 211	222
9 132 211	226
9 132 211	276
9 132 211	280
9 132 212	222
9 132 212	226
9 132 212	276
9 132 212	280
9 132 213	222
9 132 213	226
9 132 213	276
9 132 213	280
9 132 214	222
9 132 214	226
9 132 214	276
9 132 214	280
9 132 215	222
9 132 215	226
9 132 215	276
9 132 215	280
9 132 216	222
9 132 216	226
9 132 216	276
9 132 216	280
9 132 217	222
9 132 217	226

Order no.	Page
9 132 217	276
9 132 217	280
9 132 218	222
9 132 218	226
9 132 218	276
9 132 218	280
9 132 219	222
9 132 219	226
9 132 219	276
9 132 219	280
9 132 220	222
9 132 220	226
9 132 220	276
9 132 220	280
9 132 221	222
9 132 221	226
9 132 221	276
9 132 221	280
9 132 222	222
9 132 222	226
9 132 222	276
9 132 222	280
9 132 223	222
9 132 223	226
9 132 223	276
9 132 223	280
9 132 224	229
9 132 224	232
9 132 224	283
9 132 224	286
9 132 225	229
9 132 225	232
9 132 225	283
9 132 225	286
9 132 226	229
9 132 226	232
9 132 226	283
9 132 226	286
9 132 227	229
9 132 227	232
9 132 227	283
9 132 227	286
9 132 228	229
9 132 228	232
9 132 228	283
9 132 228	286
9 132 229	229
9 132 229	232
9 132 229	283
9 132 229	286
9 132 230	229
9 132 230	232
9 132 230	283
9 132 230	286
9 132 231	229
9 132 231	232
9 132 231	283
9 132 231	286
9 132 232	229
9 132 232	232
9 132 232	283
9 132 232	286
9 132 233	229
9 132 233	232
9 132 233	283
9 132 233	286
9 132 234	229
9 132 234	232
9 132 234	283
9 132 234	286
9 132 235	229
9 132 235	232

Order no.	Page
9 132 235	283
9 132 235	286
9 132 236	229
9 132 236	232
9 132 236	283
9 132 236	286
9 132 237	235
9 132 237	237
9 132 237	289
9 132 237	291
9 132 238	235
9 132 238	237
9 132 238	289
9 132 238	291
9 132 239	235
9 132 239	237
9 132 239	289
9 132 239	291
9 132 240	235
9 132 240	237
9 132 240	289
9 132 240	291
9 132 241	235
9 132 241	237
9 132 241	289
9 132 241	291
9 132 242	235
9 132 242	237
9 132 242	289
9 132 242	291
9 132 243	235
9 132 243	237
9 132 243	289
9 132 243	291
9 132 244	235
9 132 244	237
9 132 244	289
9 132 244	291
9 132 245	235
9 132 245	237
9 132 245	289
9 132 245	291
9 132 246	235
9 132 246	237
9 132 246	289
9 132 246	291
9 132 247	235
9 132 247	237
9 132 247	289
9 132 247	291
9 132 248	235
9 132 248	237
9 132 248	289
9 132 248	291
9 132 249	235
9 132 249	237
9 132 249	289
9 132 249	291
9 132 250	203
9 132 251	203
9 132 252	205
9 132 252	239
9 132 252	241
9 132 252	259
9 132 252	293
9 132 252	295
9 132 253	205
9 132 253	239
9 132 253	241
9 132 253	259
9 132 253	293
9 132 253	295

INTERFER
www.interfer.pt

Order no.	Page
9 132 254	209
9 132 254	263
9 132 255	209
9 132 255	263
9 132 256	214
9 132 256	217
9 132 256	241
9 132 256	268
9 132 256	271
9 132 256	295
9 132 257	214
9 132 257	217
9 132 257	241
9 132 257	268
9 132 257	271
9 132 257	295
9 132 258	222
9 132 258	226
9 132 258	276
9 132 258	280
9 132 259	222
9 132 259	226
9 132 259	276
9 132 259	280
9 132 260	229
9 132 260	232
9 132 260	283
9 132 260	286
9 132 261	229
9 132 261	232
9 132 261	283
9 132 261	286
9 132 262	235
9 132 262	237
9 132 262	289
9 132 262	291
9 132 263	235
9 132 263	237
9 132 263	289
9 132 263	291
9 132 264	205
9 132 264	239
9 132 264	259
9 132 264	293
9 132 265	209
9 132 265	263
9 132 266	214
9 132 266	217
9 132 266	268
9 132 266	271
9 132 267	222
9 132 267	226
9 132 267	276
9 132 267	280
9 132 344	377
9 132 362	376
9 132 363	376
9 132 364	376
9 132 365	376
9 132 366	376
9 132 367	376
9 132 368	376
9 132 370	376
9 132 371	376
9 132 373	376
9 132 374	376
9 132 375	377
9 132 376	377
9 132 377	377
9 132 378	377
9 132 379	377
9 132 380	377
9 132 381	377
9 132 382	377
9 132 383	377
9 132 384	377
9 132 385	377
9 132 386	377
9 132 391	378
9 132 392	378
9 132 393	378
9 132 394	378
9 132 637	74
9 132 638	132
9 132 681	74
9 132 682	132
9 132 689	74
9 132 690	132
9 132 691	74
9 132 692	132
9 134 769	370
9 134 772	376
9 134 859	377
9 134 860	377
9 134 966	203
9 134 966	205
9 134 966	209
9 134 966	213
9 134 966	217
9 134 966	221
9 134 966	225
9 134 966	229
9 134 966	231
9 134 966	235
9 134 966	237
9 134 966	239
9 134 966	241
9 134 966	259
9 134 966	263
9 134 966	267
9 134 966	271
9 134 966	275
9 134 966	279
9 134 966	283
9 134 966	285
9 134 966	289
9 134 966	291
9 134 966	293
9 134 966	295
9 134 967	203
9 134 967	205
9 134 967	209
9 134 967	213
9 134 967	217
9 134 967	221
9 134 967	225
9 134 967	229
9 134 967	231
9 134 967	235
9 134 967	237
9 134 967	239
9 134 967	241
9 134 967	259
9 134 967	263
9 134 967	267
9 134 967	271
9 134 967	275
9 134 967	279
9 134 967	283
9 134 967	285
9 134 967	289
9 134 967	291
9 134 967	293
9 134 967	295
9 134 975	78
9 134 976	78
9 134 977	78
9 134 979	78
9 134 980	78
9 134 991	78
9 134 992	78
9 134 993	78
9 134 994	78
9 134 995	78
9 135 013	136
9 135 014	136
9 135 015	136
9 135 016	136
9 135 017	136
9 135 018	136
9 135 019	136
9 135 020	136
9 135 031	136
9 135 032	136
9 135 070	76
9 135 071	76
9 135 072	76
9 135 074	76
9 135 076	76
9 135 078	76
9 135 079	76
9 135 081	76
9 135 085	76
9 135 086	76
9 135 087	76
9 135 088	76
9 135 089	76
9 135 090	76
9 135 091	76
9 135 092	76
9 135 093	76
9 135 094	76
9 135 095	76
9 135 097	134
9 135 098	134
9 135 099	134
9 135 100	134
9 135 101	134
9 135 102	134
9 135 103	134
9 135 105	134
9 135 106	134
9 135 107	134
9 135 108	134
9 135 109	134
9 135 110	134
9 135 112	134
9 135 113	134
9 135 114	134
9 135 115	134
9 135 116	134
9 135 117	134
9 135 118	77
9 135 119	77
9 135 120	77
9 135 121	77
9 135 122	77
9 135 124	77
9 135 125	77
9 135 126	135
9 135 127	135
9 135 128	135
9 135 129	135
9 135 130	135
9 135 131	135
9 135 132	135
9 135 404	84
9 135 404	142
9 135 404	198
9 135 404	253
9 135 404	302
9 135 405	84
9 135 405	142
9 135 405	198
9 135 405	253
9 135 405	302
9 135 406	84
9 135 406	142
9 135 406	198
9 135 406	253
9 135 406	302
9 135 407	84
9 135 407	142
9 135 407	198
9 135 407	253
9 135 407	302
9 135 408	85
9 135 408	143
9 135 492	383
9 135 560	77
9 135 574	77
9 135 575	77
9 135 577	77
9 135 578	77
9 135 580	77
9 135 592	77
9 135 614	135
9 135 615	135
9 135 616	135
9 135 617	135
9 135 618	135
9 135 619	135
9 135 620	135
9 135 621	143
9 135 622	85
9 135 622	199
9 135 653	75
9 135 653	133
9 135 653	191
9 135 653	247
9 135 653	301
9 135 658	75
9 135 658	133
9 135 658	191
9 135 658	247
9 135 658	301
9 135 662	75
9 135 662	133
9 135 662	191
9 135 662	247
9 135 662	301
9 135 665	75
9 135 665	133
9 135 665	191
9 135 665	247
9 135 665	301
9 135 667	75
9 135 667	133
9 135 667	191
9 135 667	247
9 135 667	301
9 135 669	75
9 135 669	133
9 135 669	191
9 135 669	247
9 135 669	301
9 135 673	75
9 135 673	133
9 135 673	191
9 135 673	247
9 135 673	301
9 135 674	75
9 135 674	133
9 135 674	191
9 135 674	247
9 135 674	301
9 135 675	74
9 135 675	132
9 135 675	190
9 135 675	246
9 135 675	300
9 135 677	74
9 135 677	132
9 135 677	190
9 135 677	246
9 135 677	300
9 135 678	74
9 135 678	132
9 135 678	190
9 135 678	246
9 135 678	300
9 135 679	74
9 135 679	132
9 135 679	190
9 135 679	246
9 135 679	300
9 135 680	74
9 135 680	132
9 135 680	190
9 135 680	246
9 135 680	300
9 135 681	74
9 135 681	132
9 135 681	190
9 135 681	246
9 135 681	300
9 135 682	75
9 135 682	133
9 135 682	191
9 135 682	247
9 135 682	301
9 135 683	75
9 135 683	133
9 135 683	191
9 135 683	247
9 135 683	301
9 135 684	75
9 135 684	133
9 135 684	191
9 135 684	247
9 135 684	301
9 135 685	75
9 135 685	133
9 135 685	191
9 135 685	247
9 135 685	301
9 135 686	75
9 135 686	133
9 135 686	191
9 135 686	247
9 135 686	301
9 135 703	318
9 137 114	318
9 138 104	84
9 138 104	142
9 138 104	198
9 138 104	253
9 138 104	302
9 139 148	80
9 139 149	80
9 139 152	80
9 139 153	80
9 139 154	80
9 139 155	80
9 139 157	194
9 139 158	194
9 139 159	194
9 139 160	194
9 139 172	80
9 139 173	80
9 139 174	80
9 139 176	80
9 139 177	80
9 139 181	194
9 139 182	194
9 139 183	194
9 139 184	194
9 139 185	194
9 139 186	194
9 139 187	194
9 139 189	138
9 139 190	138
9 139 191	138
9 139 192	138
9 139 193	138
9 139 194	138
9 139 195	138
9 139 196	138
9 139 197	138
9 139 198	138
9 139 199	138
9 139 894	150
9 139 894	154
9 139 894	158
9 139 894	162
9 139 894	166
9 139 894	170
9 140 013	203
9 140 014	203
9 140 015	205
9 140 015	213
9 140 015	221
9 140 015	229
9 140 015	235
9 140 015	239
9 140 015	241
9 140 016	205
9 140 016	213
9 140 016	221
9 140 016	229
9 140 016	235
9 140 016	239
9 140 016	241
9 140 021	205
9 140 021	213
9 140 021	221
9 140 021	229
9 140 021	235
9 140 021	239
9 140 021	241
9 140 022	205
9 140 022	213
9 140 022	221
9 140 022	229
9 140 022	235
9 140 022	239
9 140 022	241
9 140 063	213
9 140 063	217
9 140 063	221
9 140 063	225
9 140 063	229

INTERFER
www.interfer.pt

Order no.	Page
9 140 063	231
9 140 063	235
9 140 063	237
9 140 063	241
9 140 064	213
9 140 064	217
9 140 064	221
9 140 064	225
9 140 064	229
9 140 064	231
9 140 064	235
9 140 064	237
9 140 064	241
9 140 065	213
9 140 065	217
9 140 065	221
9 140 065	225
9 140 065	229
9 140 065	231
9 140 065	235
9 140 065	237
9 140 065	241
9 140 066	213
9 140 066	217
9 140 066	221
9 140 066	225
9 140 066	229
9 140 066	231
9 140 066	235
9 140 066	237
9 140 066	241
9 140 067	213
9 140 067	217
9 140 067	221
9 140 067	225
9 140 067	229
9 140 067	231
9 140 067	235
9 140 067	237
9 140 067	241
9 140 068	213
9 140 068	217
9 140 068	221
9 140 068	225
9 140 068	229
9 140 068	231
9 140 068	235
9 140 068	237
9 140 068	241
9 140 069	213
9 140 069	217
9 140 069	221
9 140 069	225
9 140 069	229
9 140 069	231
9 140 069	235
9 140 069	237
9 140 069	241
9 140 070	213
9 140 070	217
9 140 070	221
9 140 070	225
9 140 070	229
9 140 070	231
9 140 070	235
9 140 070	237
9 140 070	241
9 140 085	149
9 140 086	149
9 140 087	149
9 140 088	149
9 140 089	149
9 140 090	149
9 140 091	149
9 140 092	149
9 140 093	149
9 140 094	153
9 140 095	153
9 140 096	153
9 140 097	153
9 140 098	153
9 140 099	153
9 140 100	153
9 140 101	153
9 140 102	153
9 140 103	158
9 140 103	162
9 140 104	158
9 140 104	162
9 140 105	158
9 140 105	162
9 140 106	158
9 140 106	162
9 140 107	158
9 140 107	162
9 140 108	158
9 140 108	162
9 140 109	158
9 140 109	162
9 140 110	158
9 140 110	162
9 140 111	158
9 140 111	162
9 140 112	166
9 140 112	170
9 140 113	166
9 140 113	170
9 140 114	166
9 140 114	170
9 140 115	166
9 140 115	170
9 140 116	166
9 140 116	170
9 140 117	166
9 140 117	170
9 140 118	166
9 140 118	170
9 140 119	166
9 140 119	170
9 140 120	166
9 140 120	170
9 140 121	150
9 140 122	154
9 140 123	158
9 140 123	162
9 140 124	166
9 140 124	170
9 140 129	384
9 141 689	213
9 141 689	225
9 141 713	158
9 141 713	162
9 141 713	166
9 141 713	170
9 141 888	318
9 143 035	250
9 143 036	250
9 143 038	250
9 143 039	250
9 143 040	250
9 143 041	250
9 143 042	250
9 143 043	250
9 143 044	250
9 143 045	250
9 143 046	250
9 144 526	213
9 144 526	225
9 144 527	213
9 144 527	225
9 144 573	213
9 144 573	225
9 146 613	370
9 146 615	370
9 153 385	137
9 153 385	249
9 153 387	79
9 153 387	193
9 153 388	79
9 153 388	137
9 153 388	193
9 153 388	249
9 154 548	306
9 154 548	308
9 154 548	310
9 159 086	205
9 159 086	213
9 159 086	221
9 159 086	229
9 159 086	235
9 159 086	239
9 159 086	241
9 159 088	205
9 159 088	213
9 159 088	221
9 159 088	229
9 159 088	235
9 159 088	239
9 159 088	241
9 160 531	213
9 160 531	217
9 160 531	221
9 160 531	225
9 160 531	229
9 160 531	231
9 160 531	235
9 160 531	237
9 160 531	241
9 160 532	213
9 160 532	217
9 160 532	221
9 160 532	225
9 160 532	229
9 160 532	231
9 160 532	235
9 160 532	237
9 160 532	241
9 160 602	205
9 160 602	213
9 160 602	221
9 160 602	229
9 160 602	235
9 160 602	239
9 160 602	241
9 160 603	205
9 160 603	213
9 160 603	221
9 160 603	229
9 160 603	235
9 160 603	239
9 160 603	241
9 160 604	205
9 160 604	213
9 160 604	221
9 160 604	229
9 160 604	235
9 160 604	239
9 160 604	241
9 160 605	205
9 160 605	213
9 160 605	221
9 160 605	229
9 160 605	235
9 160 605	239
9 160 605	241
9 161 767	221
9 161 767	231
9 161 815	205
9 161 815	213
9 161 815	221
9 161 815	229
9 161 815	235
9 161 815	239
9 161 815	241
9 161 816	205
9 161 816	213
9 161 816	221
9 161 816	229
9 161 816	235
9 161 816	239
9 161 816	241
9 161 817	209
9 161 817	217
9 161 817	225
9 161 817	231
9 161 817	237
9 161 818	209
9 161 818	217
9 161 818	225
9 161 818	231
9 161 818	237
9 161 819	209
9 161 819	217
9 161 819	225
9 161 819	231
9 161 819	237
9 161 820	209
9 161 820	217
9 161 820	225
9 161 820	231
9 161 820	237
9 162 018	382
9 162 083	213
9 162 083	217
9 162 083	221
9 162 083	225
9 162 083	229
9 162 083	231
9 162 083	235
9 162 083	237
9 162 083	241
9 162 084	213
9 162 084	217
9 162 084	221
9 162 084	225
9 162 084	229
9 162 084	231
9 162 084	235
9 162 084	237
9 162 084	241
9 162 331	221
9 162 331	231
9 162 332	221
9 162 332	231
9 163 229	382
9 169 406	213
9 169 406	217
9 169 406	221
9 169 406	225
9 169 406	229
9 169 406	231
9 169 406	235
9 169 406	237
9 169 406	241
9 169 407	213
9 169 407	217
9 169 407	221
9 169 407	225
9 169 407	229
9 169 407	231
9 169 407	235
9 169 407	237
9 169 407	241
9 169 408	213
9 169 408	217
9 169 408	221
9 169 408	225
9 169 408	229
9 169 408	231
9 169 408	235
9 169 408	237
9 169 408	241
9 169 409	213
9 169 409	217
9 169 409	221
9 169 409	225
9 169 409	229
9 169 409	231
9 169 409	235
9 169 409	237
9 169 409	241
9 169 410	213
9 169 410	225
9 169 451	213
9 169 451	225
9 169 452	221
9 169 452	231
9 169 455	221
9 169 455	231
9 169 456	221
9 169 456	231
9 169 462	205
9 169 462	213
9 169 462	221
9 169 462	229
9 169 462	235
9 169 462	239
9 169 462	241
9 169 463	205
9 169 463	213
9 169 463	221
9 169 463	229
9 169 463	235
9 169 463	239
9 169 463	241
9 169 464	205
9 169 464	213
9 169 464	221
9 169 464	229
9 169 464	235
9 169 464	239
9 169 464	241
9 169 465	205
9 169 465	213
9 169 465	221
9 169 465	229
9 169 465	235
9 169 465	239
9 169 465	241
9 169 466	209
9 169 466	217
9 169 466	225
9 169 466	231
9 169 466	237
9 169 467	209
9 169 467	217
9 169 467	225
9 169 467	231
9 169 467	237
9 169 468	209
9 169 468	217
9 169 468	225
9 169 468	231
9 169 468	237
9 169 470	209
9 169 470	217
9 169 470	225
9 169 470	231
9 169 470	237
9 169 471	209
9 169 471	217
9 169 471	225
9 169 471	231
9 169 471	237
9 169 472	209
9 169 472	217
9 169 472	225
9 169 472	231
9 169 472	237
9 169 473	209
9 169 473	217
9 169 473	225
9 169 473	231
9 169 473	237
9 169 474	209
9 169 474	217
9 169 474	225
9 169 474	231
9 169 474	237
9 169 475	209
9 169 475	217
9 169 475	225
9 169 475	231
9 169 475	237
9 169 476	209
9 169 476	217
9 169 476	225
9 169 476	231
9 169 476	237
9 169 477	209
9 169 477	217
9 169 477	225
9 169 477	231
9 169 477	237
9 169 478	209
9 169 478	217
9 169 478	225
9 169 478	231
9 169 478	237
9 179 793	190
9 179 795	190
9 179 796	246
9 179 797	246
9 182 222	80
9 182 222	194
9 182 223	138
9 182 224	250
9 182 225	80
9 182 225	194
9 182 227	138
9 182 228	250
9 182 230	141

INTERFER
www.interfer.pt

Order no.	Page
9 182 231	83
9 182 231	197
9 182 232	252
9 182 233	141
9 182 234	83
9 182 234	197
9 182 236	252
9 182 247	83
9 182 249	141
9 182 250	197
9 182 251	252
9 182 254	82
9 182 255	82
9 182 256	82
9 182 257	82
9 182 258	82
9 182 259	140
9 182 260	140
9 182 261	140
9 182 262	140
9 182 263	140
9 182 264	196
9 182 265	196
9 182 266	196
9 182 267	196
9 182 268	196
9 182 269	251
9 182 270	251
9 182 271	251
9 182 272	251
9 182 273	251
9 182 706	80
9 182 712	194
9 182 714	138
9 182 716	250
9 183 157	246
9 183 158	246
9 183 159	190
9 183 161	190
9 183 282	78
9 183 283	78
9 183 284	78
9 183 285	78
9 183 286	78
9 183 287	78
9 183 288	78
9 183 289	78
9 183 290	136
9 183 291	136
9 183 292	136
9 183 293	136
9 183 294	136
9 183 295	136
9 183 296	136
9 183 297	136
9 183 298	248
9 183 299	248
9 183 300	248
9 183 301	248
9 183 302	248
9 183 303	248
9 183 304	248
9 183 305	248
9 183 306	248
9 183 307	248
9 183 308	248
9 183 309	248
9 183 310	248
9 183 311	248
9 183 312	248
9 183 313	248
9 183 314	248

Order no.	Page
9 183 315	248
9 183 317	192
9 183 318	192
9 183 319	192
9 183 320	192
9 183 321	192
9 183 323	192
9 183 324	192
9 183 325	192
9 183 326	192
9 183 327	192
9 183 328	192
9 183 329	192
9 183 330	192
9 183 331	192
9 183 332	192
9 183 333	192
9 183 334	192
9 183 335	192
9 184 506	300
9 184 507	300
9 184 508	190
9 184 509	190
9 184 551	190
9 184 552	190
9 184 553	190
9 184 554	190
9 184 557	246
9 184 558	246
9 184 559	246
9 184 560	246
9 184 561	246
9 184 562	246
9 185 048	254
9 185 048	303
9 185 071	300
9 185 072	300

INTERFER
www.interfer.pt



INTERFER
www.interfer.pt



General technical conditions

The fitting instructions, screw-fixing points and load-bearing information given in this catalogue assume proper attachment using screws specified by Hettich to a carcase material providing a screw pull-out resistance of > 1,000 N in accordance with EN 320. Hettich accepts no responsibility for the use of materials or methods of attachment other than those stated. If other materials or methods of attachment are used, the furniture manufacturer is required to verify the system's load-bearing capacity.

The fitting situations shown in this catalogue are only intended to illustrate the possible options. The furniture manufacturer is responsible for ensuring that furniture is designed in compliance with safety requirements defined in the applicable standards. We will be pleased to provide any further information you may require.

General Terms of Sale and Delivery

All products and services will be provided exclusively on the basis of our General Terms of Sale and Delivery published on our website at www.hettich-agb.com.

Legal Notice

© Hettich Marketing- und Vertriebs GmbH & Co. KG
32278 Kirchlengern · Germany

February 2015

We reserve all rights to this catalogue under copyright law. It shall not be permissible to duplicate this catalogue in any form either in whole or in part without our written consent. Subject to technical alterations. Errors and omissions excepted. Subject to colour variations.

Order no. 9 185 147

INTERFER
www.interfer.pt



Hettich takes a responsibility for the world we live in. This awareness defines the strict policy of environmental management we practise. Our environmental officer has taken personal responsibility for these aspects throughout the group of companies over a period of many years. In addition, a separate environment committee has been established for each production site. We regard statutory provisions as minimum requirements.
At significant sites we also implement the stringent EMAS Regulation. And we drive forward developments that in future will help to save even more raw materials and support the necessary endeavours towards sustainability.



Hettich environmental management

In 1996 Hettich started introducing effective environmental management systems under the stringent EMAS Regulation (currently: EC Regulation No. 761/2001, including EN ISO 14001/2004). This not only enables us to improve our environmental performance on a broad front but also achieve a high level of safety which, not least, also benefits our customers. This is why we also require our suppliers to meet the necessary minimum standards of environmental protection, industrial safety, health care and social welfare. The results achieved in the drawer runner and drawer system product segment at the Kirchlengern operation illustrate the impressive effects these measures have and verifiably demonstrate our tireless endeavours to translate words into action:

Relief to the environment between 1997 and 2008:

Specific water consumption:	56 per cent
Specific power consumption:	21 per cent
Specific heat consumption:	84 per cent
Specific CO_2 emissions:	29 per cent









Hettich standard for product materials

Hettich underpins its commitment by applying an internal standard for product materials. This ensures that every product – from production to disposal – satisfies all environmental requirements. Hettich products are durable. Appropriately foresighted, our rigorous standards are formulated to ensure that international legislation is met as well. This provides a reliable basis for marketing furniture worldwide.



Zero energy building – Hettich Forum

The Hettich Forum building with its neutral energy balance is a shining example of future proof building design. Photovoltaic panels and solar collection system providing hot water as well as extensive roof greening and use of rain water underscore this building's overall sustainability concept in just the same way as the broad use of cellulose insulation material from recycled newspapers, highly efficient heat recovery and the bulb free lighting concept do.

With the Hettich Group having acquired European Commission GreenBuilding Partner status on 5 March 2009, the comprehensive approach demonstrated by the Hettich Forum has also convinced the adjudicating panel of the national "Green Building Award 2009". Hettich received the first prize to be presented in the "New Building" category.

Technik für Möbel

www.hettich.com

Order no. 9 185 147
1407-063_ArciTech_Basis_0215_HET/en

INTERFER

Technik für Möbel

Hettich